

4:3

16:9

16:10



## Screen Material:

- MaxWhite Fiberglass (1.1 Gain) matte white fiberglass-backed material
- Wide viewing angle and uniformly diffuses light in all directions
- Active 3D and 4K Ultra HD Ready
- Standard black masking borders and black screen backing
- Flame Retardant: Complies with NFPA 701 standards

## Design and Installation:

- Arcuate profile aluminum enamel white case with parallel grooves
- Mounting hardware kit included for wall or ceiling installations
- Extra top black masking border for high ceiling installations
- Flush hidden wall mounts allow screen to slide horizontally for proper centering
- Plug & Play ready, no hardwire installation required

## Control System:

- Internal Radio Frequency/Infrared receivers with IR, RF remotes included
- Detachable 3-way wall switch keypad for UP/STOP/DOWN manual operation
- Wireless 5-12 volt trigger included
- RJ45 port allows 3rd party control system integration

## Quality and Reliability:

- Synchronous motor has silent operation and low power consumption
- GREENGUARD® and GREENGUARD® Gold Certified | UL 2818
- 2-year limited manufacturer's warranty
- 3-year warranty offered through ENR-G program (Education, Non-profit, Religious, and Government/Military)

## Saker Series

Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)
SK100XVW-E10*	100" (4:3)	80.0/2032.0	60.0/1524.0
SK110XVW-E10*	110" (4:3)	88.0/2235.0	66.0/1676.0
SK120XVW-E9*	120" (4:3)	96.0/2438.0	72.0/1829.0
SK135XVW-E6*	135" (4:3)	108.0/2743.0	81.0/2057.0
SK84XHW-E24	84" (16:9)	73.2/1859.0	41.2/1046.0
SK92XHW-E24*	92"(16:9)	80.2/2037.0	45.1/1145.0
SK100XHW-E12*	100"(16:9)	87.2/2214.0	49.0/1245.0
SK100XHW-E24	100"(16:9)	87.2/2214.0	49.0/1245.0
SK110XHW-E12*	110"(16:9)	95.9/2436.0	53.9/1369.0
SK110XHW-E24	110"(16:9)	95.9/2436.0	53.9/1369.0
SK120XHW-E10*	120"(16:9)	104.6/2654.0	58.8/1496.0
SK120XHW-E20	120"(16:9)	104.6/2654.0	58.8/1496.0
SK135XHW-E6*	135"(16:9)	117.7/2990.0	66.2/1681.0
SK135XHW-E18	135"(16:9)	117.7/2990.0	66.2/1681.0
SK150XHW-E12	150"(16:9)	130.7/3319.0	73.5/1869.0
SK100NXW-E24	100"(16:10)	84.8/2154.0	53.0/1346.0
SK110NXW-E10*	110"(16:10)	93.3/2370.0	58.3/1481.0
SK120NXW-E12	120"(16:10)	101.8/2586.0	63.6/1615.0
SK135NXW-E6*	135"(16:10)	114.5/2908.0	71.5/1816.0

\*Only available in certain regions

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

# Saker Tab-Tension

4:3

16:9

16:10



## Screen Material:

- MaxWhite Fiberglass 1.1 Gain
- 180° wide viewing angle
- Active 3D and 4K Ultra HD Ready
- Standard black masking borders and black backing
- Available in AcousticPro UHD Sound Transparent Material, 1.0 Gain, Moiré-free

## Design and Installation:

- Curved aluminum enamel white case with parallel grooves
- Mounting hardware kit included for wall or ceiling installation
- Extra top black masking border for high ceiling installations
- Tab-tension design helps maintain a flat projection surface
- Flush hidden wall mounts allow screen to slide horizontally for proper centering
- Plug & Play ready, no hardwire installation required

## Control System:

- Internal Radio Frequency/Infrared receivers with IR, RF remotes included
- Detachable 3-way wall switch keypad for UP/STOP/DOWN manual operation
- Wireless 5-12 volt trigger included
- RJ45 port allows 3rd party control system integration

## Quality and Reliability:

- Silent operation synchronous motor and low power consumption
- 2-year warranty from defects in workmanship
- 3-year warranty offered through ENR-G program (Education, Non-profit, Religious, and Government/Military)

## Certified

- GREENGUARD® and GREENGUARD® Gold Certified | UL 2818

# Saker Tab-Tension

4:3

16:9

16:10

## Saker Tab-Tension Series

Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)
SKT100XVW-E10	100" (4:3)	80.0/2032.0	60.0/1524.0
SKT120XVW-E9	120" (4:3)	96.0/2438.4	72.0/1828.8
SKT84XHW-E12	84" (16:9)	73.2/1859.3	41.2/1046.5
SKT100XHW-E12	100" (16:9)	87.2/2214.9	49.1/1247.1
SKT110XHW-E24	110" (16:9)	96.0/2438.4	54.0/1371.6
SKT120XHW-E20	120" (16:9)	104.6/2656.8	58.9/1496.1
SKT135XHW-E6	135" (16:9)	117.7/2989.6	66.2/1681.5
SKT106NXW-E12	106" (16:10)	89.9/2283.0	56.2/1427.0
SKT120NXW-E12	120" (16:10)	101.8/2584.0	63.6/1615.0
SKT100UH-E12-AUHD	100" (16:9)	87.0/2210.0	49.0/1245.0
SKT110UH-E12-AUHD	110" (16:9)	95.9/2400.0	53.9/1351.0
SKT120UH-E12-AUHD	120" (16:9)	104.6/2657.0	58.8/1496.0
SKT135UH-E12-AUHD	135" (16:9)	117.7/2990.0	66.2/1681.0

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.