

## 2 ■ CUTTING / SAWING / CORE DRILLING / REAMING / GAUGING

Ø mm	Ø "	H mm	Kg	Ref.
15,9	5/8	50	0,025	220910
17,4	11/16	50	0,030	220911
19	3/4	50	0,030	220912
20,6	13/16	50	0,050	220913
22,2	7/8	50	0,045	220914
25,4	1	50	0,060	220916
27	1.1/16	50	0,070	220917
28,6	1.1/8	50	0,080	220918
30,2	1.3/16	50	0,080	220919
31,7	1.1/4	45	0,085	220920
33,3	1.5/16	45	0,090	220921
34,9	1.3/8	45	0,090	220922
38,1	1.1/2	45	0,090	220924
41,3	1.5/8	45	0,100	220926
44,4	1.3/4	45	0,085	220928
47,6	1.7/8	45	0,130	220930

Ø mm	Ø "	H mm	Kg	Ref.
50,8	2	45	0,140	220932
54	2.1/8	45	0,120	220934
57,1	2.1/4	45	0,130	220936
60,3	2.3/8	45	0,135	220938
63,5	2.1/2	45	0,210	220940
65,1	2.9/16	45	0,212	220941
66,7	2.5/8	45	0,160	220942
69,9	2.3/4	45	0,240	220944
76,2	3	45	0,205	220948
82,6	3.1/4	45	0,195	220952
88,9	3.1/2	45	0,365	220956
101,6	4	45	0,285	220964
104,8	4.1/8	45	0,500	220966
114,3	4.1/2	45	0,540	220972
120,6	4.3/4	45	0,440	220976
127	5	45	0,650	220980

### 2209 : Accessories for Hole Saws

Description	Kg	Ref.
Arbor and pilot drill for saws Ø 14 a 130 mm	0,065	220900
Arbor and pilot drill for saws Ø 32 a 152 mm	0,220	220901
Pilot drill	0,020	220903



## SCREW-PUNCH

### 2211 : Knockout Punch

For cutting stainless steel sinks or mild steel plates 2 mm thick. Special 4-tooth design prevents the blank from sticking.

**TIP :**

*It is important to grease the screw and the back of the head.*



Ø mm	Electrical conduit no.	Screw hole	Kg	Ref.
22,50	16	10	0,150	221123
28,30	21	10	0,220	221128
30,50	-	10	0,240	221131
31,75	-	10	0,260	221132
35	-	12	0,310	221135
37	29	12	0,330	221137