

# Productive Solutions

GENIE AERIAL WORK PLATFORMS



# Customers First Always

## Partnering for Success

Our dedication to taking you higher extends well beyond the physical reach of our products. We thrive on building satisfying customer relationships because you, our customer, are at the center of everything we do.

Since 1966, we've been developing products to solve your worksite challenges — and that process never ends. Our team of product managers and engineers uses your input to design new products, featuring the latest technology to meet your changing needs. Then we manufacture those products to stringent standards that help increase quality, lower costs and give you exceptional value for years to come.

## Providing Superior Value

Our commitment doesn't end with the sale. Our dedicated service teams are available 24 hours a day, 365 days a year to provide support when you need it most. In addition, our extensive parts network ships most parts within 24 hours. Simply put, we're always working to help increase your uptime so you can be more successful.

Genie is driven by one goal: doing the right thing, at the right time for our customers. That's not just what we do; it's who we are. So tell us what you need. We're listening.



Setting the Standard: Terex Aerial Work Platforms (AWP) manufactures some of the most advanced, highest-valued lift equipment in the industry. Distinctive blue Genie® lifts set the standard for performance and durability — not to mention support from people who understand your business.



## Convenience in a Cost-Effective Package

Genie® aerial work platforms are easy to use and cost effective, making them the first choice for a wide range of applications. One person can easily set them up and get to work within minutes, providing the ideal all-around tool for almost any access application. Their light weight and compact size make Genie aerial work platforms convenient to use in schools, churches, warehouses and more. Genie aerial work platforms also provide solutions for interior work on large construction sites, like high rises, as well as being perfect for light-duty construction purposes.

Genie aerial work platforms are designed to enhance productivity in the workplace. Flexible features on the AWP® family models offer convenience at a low cost. Their lightweight construction makes them easy to maneuver, use and transport, delivering excellent uptime. Each model offers a variety of options and accessories to customize your machine. Genie aerial work platforms offer an economical solution for all your access needs.

The patented Genie mast system is the most rigid in the industry.

# Convenient, Versatile Access

Genie® AWP™ Super Series aerial work platforms are an industry favorite due to their ease of use, convenience and flexibility. Their lightweight maneuverability and durable design make them a versatile option for a wide variety of rental, light-duty construction and maintenance applications.



## Easy Transport

The unique rear mast pivot bar and lightweight design allow it to be easily loaded into a pickup truck. Outrigger storage and forklift pockets, tie-down attachment points and an overhead crane attachment point add transportation convenience.



The Genie AWP Super Series is the top-selling aerial work platform in North America.



### Durable Mast and Platform

The patented Genie® mast system is the most rigid in the industry. Constructed of durable aircraft-quality aluminum, the mast provides user comfort and security at all working heights. Optional 240 volt out let on the platform for convenient use of power tools.



### Doorway Access and Maneuverability

All units roll through standard doorways for easy access, and models up to 9.1 m (30 ft) don't need to be tilted back. An exclusive six-point wheel and caster rocker base system also maneuvers easily around corners and over thresholds or debris.

# Multiple Worksite Solutions



## Close Access

The compact X-pattern outrigger footprint is the smallest in the industry, allowing access as close as 13.97 cm (5.5 in) from walls. With proximity like that, you'll be within easy arm's reach of your job. Simple setup and 2 to 14 m (6 to 46 ft) of working height make the AWP Super Series lifts or platforms the ideal choice for applications requiring close access.



## User-Friendly Controls

Controls include a low battery indicator, locking key switch and dual-activated up/down switch as well as outrigger setup confirmation lights. All AC and DC models are equipped with an auxiliary platform-lowering feature for descent in the event of a power failure.



## Tilt-Back

A tilt-back frame allows the AWP™-36S and AWP-40S models to roll through standard doorways.

## Aerial Work Platform Models Available

**AWP-20S**

**AWP-25S**

**AWP-30S**

**AWP-36S**

**AWP-40S**

# Options and Specifications

AWP™-20S    AWP™-25S    AWP™-30S    AWP™-36S    AWP™-40S

Base Options					
STANDARD BASE	S	S	S	S	S
Power Options					
AC	0	0	0	0	0
DC	0	0	0	0	0
Other Options					
TILT-BACK				S	S
Accessories					
TOOL TRAY	0	0	0	0	0
PLATFORM-LOCATING LASER LIGHT	0	0	0	0	0
FLUORESCENT TUBE CADDY	0	0	0	0	0
OPERATIONAL WARNING LIGHT AND DESCENT ALARM PACKAGE	S	S	S	S	S

0 = Option    S = Standard




Fluorescent Tube Caddy



Operational Warning Light

MODEL	WORKING HEIGHT		WIDTH		PLATFORM HEIGHT		LIFT CAPACITY	
	METRIC	US	METRIC	US	METRIC	US	METRIC	US
<b>Aerial Work Platforms</b>								
AWP-20S	8.12 m	26 ft 1 in	.74 m	2 ft 5 in	6.12 m	20 ft 1 in	159 kg	350 lbs
AWP-25S	9.57 m	30 ft 10 in	.74 m	2 ft 5 in	7.57 m	24 ft 10 in	159 kg	350 lbs
AWP-30S	11.00 m	35 ft 6 in	.74 m	2 ft 5 in	9.00 m	29 ft 6 in	159 kg	350 lbs
AWP-36S	13.10 m	42 ft 5 in	.74 m	2 ft 5 in	11.10 m	36 ft 5 in	159 kg	350 lbs
AWP-40S	14.29 m	46 ft 4 in	.74 m	2 ft 5 in	12.29 m	40 ft 4 in	136 kg	300 lbs

\*Wide Base



Work Station Tray



Genie – Toll free number 1800 788 633

**Brisbane**  
HEAD OFFICE

33 Kimberley Street  
Darra QLD 4076

**Sydney**

74 Glendenning Road  
Glendenning NSW 2761

**Melbourne**

374 Hammond Road  
Dandenong VIC 3175

**Adelaide**

16-18 Nixon Road  
Wingfield SA 5013

**Perth**

126 Sheffield Road  
Welshpool WA 6106

**Darwin**

33 McCourt Road  
Yarrawonga NT 0830

Genie USA

18340 NE 76th Street  
P.O. Box 97030  
Redmond, Washington  
98073-9730

Distributed By:

Effective Date: October, 2015. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and we make no other warranty, express or implied. Products and services listed may be trademarks, service marks or trade names of Terex Corporation and/or their subsidiaries in the USA and many other countries. Genie is a registered trademark of Terex South Dakota, Inc. © 2015 Terex Corporation.