# Programmable/Non-Programmable Thermostat for Hydronic Fan Coils



The IEC Programmable and Non-Programmable Thermostats for Fan Coils offer precise comfort for a wide variety of applications.

Thermostats are designed to be wall or unit-mounted.

The large Thermaglow™ display provides information in an easy to read illuminated panel.

The Neverlost Memory<sup>™</sup> feature eliminates the need for batteries.

Each thermostat is configurable for 2- or 4-pipe applications with automatic or manual changeover.



# IEC Thermostat for Fan Coils: Comfort, Flexibility, Efficiency



#### Standard features include:

- · Programmable or Non-Programmable models
- Thermaglow<sup>™</sup> panel provides vital information in an easy to read illuminated panel
- Up to 4 time/temperature settings per 24 hour period for tailored comfort around the clock
- Neverlost™ internal memory prevents loss of settings during electrical outages
- Keypad lockout option prevents tampering with settings
- 2- or 4-pipe configurations accommodates every fan coil application
- Automatic or manual three speed fan control for precise comfort
- Alarm contact for condensate overflow
- Auto-changeover from heating to cooling and back
- Adjustable deadband in one degree increments for fine tuning of system control
- Setpoint only display option
- Fahrenheit/Celsius display
- Outdoor air temperature display in conjunction with optional outdoor air sensor

## **Appropriate Applications**

The IEC Programmable/Non-Programmable Thermostats for hydronic Fan Coils are ideally suited for applications in high-rise condominiums, hotels, office towers, apartment buildings, medical facilities, schools, conference centers and similar structures.



The USGBC Member logo is a trademark owned by the U.S. Green Building Council and is used by permission. The logo signifies only that IEC is a USGBC member. USGBC does not review, certify, or endorse the products or services offered by its members.





### **International Environmental Corporation**

Post Office Box 2598 Oklahoma City, OK 73101-2598

Phone: 405.605.5000 Fax: 405.605.5001 Web: www.iec-okc.com

IEC reserves the right to continually improve its products and change design and specifications without notice.

IEC Flyer Part #: I100-90003923 FL-300 Revision 3 (8/2016)

©2009-2016 International Environmental Corporation (IEC)