

*Tech-Set*TM

BRASS BODY SERIES

THE ORIGINAL MANIFOLD DESIGN




TECH-SET™ BRASS BODY MANIFOLD SERIES

2 valve forged brass body with 1/4" SAE 45° fittings, TripleSeal™ piston valves and hanging hook.

- Quality forged brass body
- Full sized porting for maximum flow
- No flutter gauges with rugged molded housings
- Large easy-to-grip knobs

TRIPLE SEAL™ VALVES

- 3 super Neoprene o-ring design
- Back-seating o-ring seals valve nut when fully open
- Floating nylon sealing disk
- Valve stems retract fully to provide maximum flow
- Mirror-like port finish for smooth valve movement



TECH-SET™ BRASS BODY 2 VALVE MANIFOLDS & HOSE SETS

SPECIFICATIONS		N. America	S. America	N. America	S. America
Gauge Description	Refrigerant Scales	R410a, R22, R404a, R134a		R22, R134a, R404a, R507A	
	Gauge Size / Type Gauges built with internal silicon dampening cup for flutter-free operation	3-1/8" (80 mm) Class 1.6 accuracy		2-5/8" (68 mm) Class 1.6 accuracy	
	Pressure Scales	Psi/bar	bar/Psi	Psi/bar	bar/Psi
	Temperature Scales	°F	°C	°F	°C
Fittings	Manifold and Hose fittings	1/4" SAE 45° fittings			
Two Valve Manifolds	3 Standard 3' Hoses	NA	NA	M64G3	M63G3
	3 Prem-Flex 5' (1.52 m) Hoses	M62PF5	M61PF5	NA	NA
Replacement Hoses	3 Prem-Flex 3' (0.91 m) Hoses	HPF3			
	3 Prem-Flex 5' (1.52 m) Hoses	HPF5			
	3 Standard 3' (0.91 m) Hoses	HG3			
	3 Standard 5' (1.52 m) Hoses	HG5			



GT1

- 0-30 Psi (0-2 bar)
- 1 Psi (0.05 bar) increments
- 3/4" FPT Brass Bell



GT2

- 0-100 Psi (0-7 bar)
- 2 Psi (0.20 bar)
- 3/4" FPT Brass Bell



GT4

- 0-30 Psi (0-2 bar)
- 1 Psi (0.05 bar)
- 1" FPT Brass Bell

GT SERIES GAS TEST GAUGES

Test the integrity of new installations for pressure leaks by simply connecting the gauge, pressurize the system, using the supplied access port, and monitor the easy-to-read 3-1/2" (80 mm) gauge for potential pressure drops that would indicate a leak.



GT3 FUEL OIL TEST KIT

The **GT3** is a comprehensive test kit which includes the components necessary to test oil fuel pump performance while diagnosing related burner efficiency issues such as cleaner light-offs and coasting stops.

INCLUDES:

- 2-1/2" gauge, scale 30", 0-150 lbs
- 2-1/2" gauge, scale 30", 0-300 lb
- 12" hose 1/4" female swivel x 1/4" female 45° swivel
- 1/8 NPT x 1/4 Male SAE adapter
- 1/8 NPT x 1/4 Male SAE 90° adapter
- 1/4 NPT x 1/4 Male SAE adapter
- 1/4 NPT x 1/4 Male SAE 90° adapter
- Carrying Case