



power washers

Residential • Commercial • Industrial



vehicles

boat

ATV / UTV

windows

siding

porch

exterior walls

deck

roof maintenance

pool covers / tarps

patio

landscaping / leaves

fencing

driveway

sidewalk

garage floor

paint preparation

lawn mowers

brickwork

farm equipment

construction

graffiti removal

OneWASH™

power washer

PowerDial™

Total control at the turn of a dial. Easily adjust the intensity of the spray to clean a wide range of different surfaces like automobile finishes, aluminum and vinyl siding, decks and fences and the toughest brick and concrete, all with a single, easy-to-use control.

ergonomic spray gun



- Cushion grip for comfort
- Easy-to-pull trigger reduces fatigue
- Rear hose connection for maximum convenience

PSI	2000 - 3000
Model Number (49-State/CARB)	6412 / 6414
GPM	2.8
Cleaning Power	8400
Engine	Generac OHV horizontal shaft with low-oil shutdown
Pump	Horizontally-mounted axial cam
Generac-designed Spray Gun	Ergonomic, cushion grip with inverted trigger
High-Pressure Hose	30' PVC
Soap Tanks	One-drainable
Quick-Click™ Nozzle Tips	(3) 0°, 25°, soap
Wheels	11" Never-Go-Flat wheels
Warranty	2 years limited
Weight	75 lbs. (39.02 kg)
Dimensions (L x W x H)	22.5" x 22.5" x 22.5" (57.2 cm x 57.2 cm x 57.2 cm)



POWERED BY
GENERAC | **OHV**
ENGINE

deck

siding

driveway

sidewalk

fencing

concrete - light stains

mold / mildew

patio furniture

garage floor

porch

lawn mower

boat

ATV / UTV

landscaping / leaves

- Generac® 212cc OHV Engine Largest, most powerful engine in its class
- It's 4 power washers in 1 Variable-pressure technology for a wide range of tasks
- Automatic System Protection If the oil or water runs low, the LED System Alert activates and automatically cuts power to the unit to protect it from damage
- Consolidated Control Panel All your controls in one easily accessible location
- Precision Balanced For stability and effortless mobility
- Folding/Nesting Handle For compact storage
- Drainable detergent tank- easily flush chemicals from tank after each use
- Wide, Never-Go-Flat 11" wheels for easy transport regardless of terrain

residential

power washers

Ergonomic spray gun



Available on 2500PSI and 2700PSI units

- Cushion grip for comfort
- Easy-to-pull trigger reduces fatigue
- Rear hose connection for maximum convenience

high-performance spray gun



Available on 3100PSI units

- Thicker cushion grip for extended use
- Longer barrel provides added stability
- Easy-to-pull trigger reduces fatigue
- Rear hose connection for maximum convenience



- Generac OHV horizontal shaft engines provide plenty of power.
- Axial cam pumps are easy to access.
- Integrated spray gun holder keeps spray gun secure during transport.



PSI	2500	2700	3100
Model Number (49-State/CARB)	6020/-	6022/6023	6024/6025
GPM	2.3	2.3	2.7
Cleaning Power	5750	6210	8370
Engine	196cc Generac OHV with low-oil shutdown	196cc Generac OHV with low-oil shutdown	212cc Generac OHV with low-oil shutdown
Pump	Axial cam	Axial cam	Axial cam
Generac-designed Spray Gun	Ergonomic spray gun	Ergonomic spray gun	High-performance spray gun
High-Pressure Hose	25' PVC	25' PVC	30' PVC
Soap Tanks	Siphon hose	(1) 3/4 gallon tank	(2) 3/4 gallon tanks
Quick-Click™ Nozzle Tips	(3) 0°, 25°, soap	(4) 0°, 25°, 40°, soap	(5) 0°, 15°, 25°, 40°, soap
Wheels	10" solid	10" solid	10" solid
Warranty	2 years	2 years	2 years
Weight	68 lbs. (30.8 kg)	69 lbs. (31.3 kg)	74 lbs. (33.6 kg)
Dimensions (L x W x H)	17" x 27" x 21" (43.18 cm x 68.58 cm x 53.34 cm)	17" x 27" x 21" (43.18 cm x 68.58 cm x 53.34 cm)	17" x 27" x 21" (43.18 cm x 68.58 cm x 53.34 cm)

commercial

power washers

professional spray gun



- Adjustable side handle for precise control
- Thicker cushion grip for extended use
- Easy-to-pull trigger reduces fatigue
- Rear hose connection for maximum convenience



POWERED BY
GENERAC | **OHV**
ENGINE

- Generac OHV horizontal shaft engines provide plenty of power.
- Professional grade triplex pumps with ceramic pistons are designed for long life.
- Pressure control valve provides complete control of water pressure.

PSI	3100	3500	4000
Model Number (49-State/CARB)	5993/5994	6416/-	5997/-
GPM	2.8	3.6	4.0
Cleaning Power	8680	12600	16000
Engine	212cc Generac OHV with low-oil shutdown	302cc Generac OHV with low-oil shutdown	420cc Generac OHV with low-oil shutdown
Pump	Triplex with ceramic-coated pistons and pressure adjustment valve	Triplex with ceramic-coated pistons and pressure adjustment valve	Triplex with ceramic-coated pistons and pressure adjustment valve
Generac-designed Spray Gun	Professional grade spray gun	Professional grade spray gun	Professional grade spray gun
High-Pressure Hose	3/8" x 35' steel reinforced	3/8" x 35' steel reinforced	3/8" x 50' steel reinforced
Soap Tanks	Siphon hose	Siphon hose	Siphon hose
Quick-Click™ Nozzle Tips	(5) 0°, 15°, 25°, 40°, soap	(5) 0°, 15°, 25°, 40°, soap	(5) 0°, 15°, 25°, 40°, soap
Wheels	10" Never Flat	10" Never Flat	12" pneumatic
Warranty	3 years	3 years	3 years
Weight	120 lbs. (54.4 kg)	150 lbs. (68.0 kg)	164 lbs. (74.4 kg)
Dimensions (L x W x H)	26" x 25.5" x 31" (66.0 cm x 64.8 cm x 78.7 cm)	29" x 28" x 33.5" (73.7 cm x 71.1 cm x 85.1 cm)	29" x 28" x 33.5" (73.7 cm x 71.1 cm x 85.1 cm)

paint preparation

brickwork

farm equipment

construction

yard equipment

concrete - all stains

graffiti removal

garage floor

retaining walls

driveway

sidewalk

patio

deck

fencing

mold / mildew

industrial

belt-driven
power washers



professional generac spray gun



- Adjustable side handle for precise control
- Thicker cushion grip for extended use
- Easy-to-pull trigger reduces fatigue
- Rear hose connection for maximum convenience
- Powerful Subaru® engine delivers optimal performance in industrial applications
- Industrial-grade belt-driven triplex pump with ceramic coated pistons for long life
- Dual cogged belt drive system for increased life
- Pressure control valve provides complete control of water pressure for all applications

PSI	3000	3500	4000
Model Number (50-/State)	6228	6229	6230
GPM	3.0	3.7	3.4
Cleaning Power	9000	12950	13600
Engine	265cc Subaru with low-oil shutdown	404cc Subaru with low-oil shutdown	404cc Subaru with low-oil shutdown
Pump	Triplex with ceramic coated pistons and pressure adjustment valve	Triplex with ceramic coated pistons and pressure adjustment valve	Triplex with ceramic coated pistons and pressure adjustment valve
Generac-designed Spray Gun	Professional grade spray gun	Professional grade spray gun	Professional grade spray gun
High-Pressure Hose	3/8" x 50 ft steel reinforced non-marring rubber	3/8" x 50 ft steel reinforced non-marring rubber	3/8" x 50 ft steel reinforced non-marring rubber
Quick-Click™ Nozzle Tips	(4) 0°, 15°, 25°, 40°	(4) 0°, 15°, 25°, 40°	(4) 0°, 15°, 25°, 40°
Wheels	5" x 13" Pneumatic	5" x 13" Pneumatic	5" x 13" Pneumatic
Warranty	Limited 3 year	Limited 3 year	Limited 3 year
Weight	178 lbs. (80.74 kg)	191 lbs. (86.64 kg)	191 lbs. (86.64kg)
Dimensions (L x W x H)	39.5" x 28.5" x 26" (100.33 cm x 72.39 cm x 66.04 cm)	39.5" x 28.5" x 26" (100.33 cm x 72.39 cm x 66.04 cm)	39.5" x 28.5" x 26" (100.33 cm x 72.39 cm x 66.04 cm)

paint preparation

brickwork

farm equipment

construction

yard equipment

concrete - all stains

graffiti removal

garage floor

retaining walls

driveway

sidewalk

patio

deck

fencing