



Wireless Compatibility Chart - Receivers

	Shure Wireless Receivers					
	PG		PGX	SLX	ULX	UHF-R
	PG4	PG88	PGX4	SLX4	ULXS4 ULXP4	UR4S UR4D
Compatible Systems (per frequency band)	4	2 (dual)	9	12	20	up to 48
Audio Metering	x	x	x	x	x	x
RF Indicator	x	x	x	x	x	x
RF Overload Indicator						x
Tone Key Squelch	x	x	x	x	x	x
Frequency Synthesized	x	x	x	x	x	x
Frequency Agile	x	x	x	x	x	x
Programmable LCD				x	x	x
Custom Frequency Groups						x
Receiver Scanning	x	x	x	x	x	x
Infra-Red Transmitter Sync			x	x		x
Headphone Monitor						x
Balanced XLR Output	x	x	x	x	x	x
Unbalanced 1/4-inch Output	x	x	x	x	x	x
Switchable Mic / Line Output						x
Rack-mountable Receiver (*requires URT)	*	*	*	x	x	x
1/2-Rack Receiver	x		x	x	x	
Dual Channel Receiver		x				x

Discontinued Shure Wireless Receivers								
T			UT	LX			UC	UHF
T3	T4A	T88	UT4	LX3	LX4	LX88	UC4	U4S U4D
6	6	4 (dual)	8	12	12	4 (dual)	16	up to 24
x	x	x	x	x	x	x	x	x
	x		x					x
							x	
							x	x
							x	x
							x	x
								x
	x		x		x		x	x
x	x	x	x	x	x	x	x	x
	x		x		x		x	x
*	*	*	*	x	x	x	x	x
x	x		x	x	x		x	
		x				x		x



Wireless Compatibility Chart - Handheld Transmitters

	Shure Wireless Handheld Transmitters				
	PG	PGX	SLX	ULX	UHF-R
	<i>PG2</i>	<i>PGX2</i>	<i>SLX2</i>	<i>ULX2</i>	<i>UR2</i>
Interchangeable Mic Capsule	x	x	x	x	x
KSM9 Capsule Option					x
Beta 87A Capsule Option			x	x	x
Beta 87C Capsule Option			x	x	x
Beta 58A Capsule Option		x	x	x	x
SM87A Capsule Option				x	x
SM86 Capsule Option		x	x	x	x
SM58 Capsule Option		x	x	x	x
PG58 Capsule Option	x	x			
Battery Life (Type / Hours)	9V / 8	2AA / 8	2AA / 8	9V / 8	2AA 6 low 9.5 high
Battery Light	x	x	x	x	
Battery Fuel Gauge	Low Battery Indicator	Low Battery Indicator	3 Segment Power Display	3 Segment Power Display	5 Segment Power Display
On / Off / Mute Switch	x	x	x	x	x
Separated Mute Switch		x			
Attenuator Switch	x	x	x	x	LCD Menu Option
Group/Channel Status LCD			x	x	x
Remote Mic Mute					
Power / Frequency Lock	x	x	x	x	x

Discontinued Shure Wireless Handheld Transmitters				
T	UT	LX	UC	UHF
<i>T2</i>	<i>UT2</i>	<i>LX2</i>	<i>UC2</i>	<i>U2</i>
x	x	x	x	x
			x	
		x	x	x
			x	x
	x	x	x	x
		x	x	x
			x	x
x	x	x		x
x	x		x	x
9V / 18	9V / 12	9V / 18	9V / 8	2AA / 12
x	x			
Low Battery Indicator	Low Battery Indicator	3 Segment Power Display	3 Segment Power Display	5 Segment Power Display
			x	x
x	x	x		
	x		x	x
			x	
				x



Wireless Compatibility Chart - Bodypack Transmitters

	Shure Wireless Bodypack Transmitters				
	PG	PGX	SLX	ULX	UHF-R
	<i>PG1</i>	<i>PGX1</i>	<i>SLX1</i>	<i>ULX1</i>	<i>UR1</i>
Lavalier Mic Option	x	x	x	x	Sold Separately
Headworn Mic Option	x	x	x	x	Sold Separately
Instrument Mic Option		x	x	x	Sold Separately
LEMO Connector Option					
Battery Life (Type / Hours)	9V / 8	2AA / 8	2AA / 8	9V / 8	2AA 6 low 9.5 high
Battery Light	x	x	x	x	
Battery Fuel Gauge	Low Battery Indicator	Low Battery Indicator	3 Segment Power Display	3 Segment Power Display	5 Segment Power Display
On / Off / Mute Switch	x	x	x	x	x
Separated Mute Switch		x			
Attenuator Switch	x	x	x	x	LCD Menu Option
Group/Channel Status LCD			x	x	x
Remote Mic Mute					
Power / Frequency Lock	x	x	x	x	x

Discontinued Shure Wireless Bodypack Transmitters				
T	UT	LX	UC	UHF
<i>T1 / T11</i>	<i>UT1</i>	<i>LX1</i>	<i>UC1</i>	<i>U1</i>
x	x	x	x	x
x	x	x	x	x
x	x	x	Sold As Component	x
			x	x
9V / 18	9V / 12	9V / 18	9V / 8	2AA / 12
x	x			
Low Battery Indicator	Low Battery Indicator	3 Segment Power Display	3 Segment Power Display	5 Segment Power Display
			x	x
x	x	x		
			x	x
			x	
				x