

All-Wheel Drive Outdoor Vacuum

Madvac 101





Allianz Madvac -The benchmark for vacuum collector



USA AND CANADA PARTS SHIPMENT



PARTS IN STOCK WORLDWIDE



WORLDWIDE CUSTOMER SERVICE NETWORK Madvac is the world's leading manufacturer of outdoor surface cleaning equipment. We are unique among vacuum collector manufacturers in that our comprehensive range of machines means we are able to offer the right product for your application—whatever you are trying to clean.

The Madvac 101 is designed to deliver industry-leading vacuum litter collecting technology:

- Ease of use
- Outstanding performance
- Reliability, durability
- The lowest possible cost of ownership

With durable, rugged construction, high performance suction and a design that meets all international safety and environmental standards, the 101 sets the global benchmark for vacuum litter collector quality.

Available in custom colors and graphics to advertise your efforts.

RIGHT Madvac A cleaner environment for everyone



For vacuum litter collecting sidewalks, walkways, plazas, public markets, alleyways and other areas with high pedestrian traffic, there's nothing quite like the 101! Madvac machines are used worldwide because: **They work. They last. They pay for themselves. Fast!**

RIGHT 2-micron dust filtration

FAR RIGHT Weather shield / Roll-over protection







ABOVE New robotic arm controlled via a joystick



ABOVE Madvac 101 3-Wheel



ABOVE Handle tight spots with ease



ABOVE Superior rear visibility

The friendly vacuum litter collector

Efficient Cleaning

Expertly designed to meet the cleaning challenges of today's busy streets, the Madvac 101 is a high profile, cost-efficient cleaning machine that safely and effectively cleans city sidewalks, parks and streets. It even gets into confined places.

Exclusive patented power assisted vacuum arm

- Up / Down control switch located on a vacuum arm results in easier operation eliminating fatigue and potential for workers' compensation claims.
- 270-degree hose movement with 24 sq.ft. (2.2 m³) working area – Industry-leading accessibility to litter

Safety comes first

- R.O.P.S. Roll Over Protection System provides extra measure of safety. Certified OSHA 1926.1001.
- **340 degree rear visibility** Lessens chance of serious accidents
- Cab enclosure keeps you dry and comfortable
- Heavy-duty coil spring rear suspension
- Means more comfort, better traction and a safer ride.
- Complete road lighting and signaling package – it's street legal.
- All wheel drive (option) the first and only real off-road litter machine

Protect your environment

- Advanced 2-micron dust filtration
- Keeps you, pedestrians and your environment clean
- Water dust suppression system
- 20 gal. (75 liters) capacity injects water into litter container
- Noise suppression pack

– Only machine that quietly meets OSHA noise standards for continuous 8-hour shifts.

The Madvac Advantage

Protect your environment

Now you can safely vacuum collect next to pedestrians, cleaning up litter as it occurs. This vacuum litter collector raises your profile, letting citizens and local businesses know how serious you are about improving their environment.

Innovative ergonomics

- Ergo design vacuum handle
- Adjustable position for effortless use
- High operator seating For superior visibility and ease of hose movement
- Full instrumentation Easy to read control panel gauges

Industry-leading performance


- Up to 16 mph (25km/h) road speed
- Cover more area in less time
- Front wheel drive 20" (508 mm) drive wheels climb 7" (178 mm)curbs with ease
- 2900 CFM Vacuum Rating
 Industry leading vacuum picks up the heaviest litter!
- On/Off Road Access litter on grasscovered grounds, asphalt or concrete
- Unequalled suction Unrestricted airflow due to 2-stage litter and dust filtration-litter never blocks the filter
- All welded heavy gauge structural steel frame built to last

Efficient, fast collection

Vacuum compacts litter at approx. 2:1
 ratio resulting in 100-120 gallons (378-454 L) into a single heavy-duty disposable / re-usable bag. Due to it's patented straight-through suction system, litter is easily collected up to 6 times faster than manual litter picking.

Engineered for greater productivity

- **48" (1.2 m) wide vacuum head** cleans 105,00 sq.ft. (14,000 m²) / per hr.
- Patented Power arm makes litter picking effortless and injury free
- Bagless debris system Offers choice of off-the-shelf standard garbage bag or re-usable collector bag - for easy 30 sec. bag changes
- 15ft. (4.5 m) wanderhose hose –
 Permits litter retrieval in hard-to reach areas.
- 4 or 3 wheel configuration 85"
 (2.2 m) overall length allows cleaning in areas inaccessible to other machines
- Lifetime Warranty Fan Patented "No litter touches fan" technology eliminates wear, tear and down time.



ABOVE Patented Straight-Through suction







FAR LEFT Access litter on grass covered ground, asphalt or concrete.

CENTER Easy curb-climbing LEFT 270 degree hose mobility

Options & Accessories

Madvac offers a full range of accessories aimed at making the operator's job more effective & productive.

36/48 Inch Vacuum Head Assembly

A 36 or 48 inch (0.9 - 1.2 m) vacuum head - hydraulic raise/lower features dual VacPort for increased ground coverage in a single pass.

Cab Enclosure

Overhead guard mounted on OSHA certified 1926.1001 R.O.P.S. with front windshield, complete with wiper. Available on 3 or 4 wheel versions.

5" x 15' Rectractable Wanderhose

Handheld hose extension features retractable hose that stores onboard to permit litter collection from hard to reach areas. Vacuum diverter delivers 100% vacuum suction to the extension hose.

Leaf Collection System

The high capacity leaf collection hopper is specifically designed for large volume leaf and light trash pick-up. It is ideally suited for fast and economical clean-up after major events in stadiums or outdoor festivals. The hopper has 2 cu. yd. (1.5m³) capacity, durable black polyethelene with filtering cover.

Snow/Sand Broom

48 inch powerful sweeping action snow/sand broom with hydraulic raise/lower from operator's position for on-the-fly engagement and also features pivot angle adjustment.

Dual-side Gutter Broom

Dual-side gutter broom with 48 in. vacuum head for increased ground coverage in a single pass is raised and lowered from operator's position for on-the-fly engagement. 48 in. vacuum head — hydraulic raise/ lower features dual VacPort. Leaf collection system designed for large volume leaf collection and light trash pick-up.

> 48 inch powerful sweeping action snow/sand broom









36/48 Inch Vacuum Head Assembly



Cab enclosure



ABOVE 5" x 15' Rectractable Wanderhose

Fenceline nozzle elbow - Ultraseal tire flatproofing - Broom & Rake Holder - Fire extinguisher - Diesel safety shut-down - Emergency stop button - Catalytic converter (exhaust purifier)

101 Vacuum Litter Collector Specifications

Engine

Kubota Diesel, 28 hp, liquid-cooled

Kohler Gasoline, 31 hp, liquid cooled Ford Propane, 36 hp, liquid-cooled

Fuel capacity: 10.6 gallons (40 L)

Air cleaner: 2 stage, Donaldson w/ restriction indicator

Dimensions

Width: 48 in. (1219 mm)

Length: 84 in. (2133 mm)

Height: 96 in. (2438 mm) Wheelbase: 63 in. (1600 mm)

Ground clearance: 8 in. (203 mm)

Hydraulic System

Tank capacity: 12 gallons (45 L) w/ internal baffles for improved cooling

Hydraulic Cooler: Hayden, fin type

Steering: Automotive type, power assisted

Drive system: Heavy duty Eaton hydrostatic, w/ variable displacement piston pumps

Auxiliary system: double gear pump for fan motor & power ass't vacuum hose option

Litter collection system

Litter capacity: 100-120 gallons

Litter container size: 60 gallons (227 L)

Type: "Flow through " system w/ approx. 2:1 compaction ratio

Container construction: 18 gauge galvanized steel

Vacuum Hose: 8 in (203 mm) diameter, reinforced, twin gas strut assisted

Bags: Reusable, fibrous polypropylene

Your local Madvac Dealer is:

Vacuum System

Vacuum rating: 2,900 CFM

Air flow speed: 8,400 Ft/Min. Static pressure @ closed inlet: 30 in. of

water gauge Impeller fan: Hydraulicaly driven, cast alloy

statically & dynamically balanced centrifugal fan

Frame/Body

Heavy gauge steel body on a welded 1/8" structural steel tube frame

Twin lockable storage compartments

Electrostatic powder coat paint, factory white

3 Wheel

Road speed: 0-12 mph (19.2 km/h) forward, 0-4 reverse (6.5 Km/h)

Drive: Twin rear wheel motors

Tires: (3) - 18 x 8.50-8, 4 Ply

Brakes: Hydrostatic rear, drum brake on front, mechanical parking brake

Suspension: Coil spring suspension absorbers on front axle

Weight: 1700 lbs (770 Kg.)

4 Wheel

Road speed: 0-16 mph (25 km/h) forward, 0-4 mph (6.5 Km/h) reverse

Drive: Front wheel drive, Optional Fourwheel drive

Tires: (4) – 20 x 8.50-10, 4 Ply radials

Brakes: Hydrostatic front, disc brake on rear, mechanical parking brake

Suspension: Multi layer transverse leaf springs on a torsion beam axle

Weight: 2,060 lbs (935 Kg.)

Call today for a free catalog, video or demonstration.

Call TOLL FREE: 1-800-862-3822

Electrical System

12 volt, 40 Amp alternator (35 Amp, Gas)

All fused circuits

Color-coded wiring w/ weather proof connectors

Controls

Key start w/ electric shutoff

Vacuum fan on/off

Gauges: Hourmeter, ammeter, fuel, water temperature

Warranty

1 year 100% warranty. Lifetime fan and fan casing warranty

Optional equipment

Hydraulic power assisted vacuum arm All-wheel drive Rear coil spring suspension shock absorbers Neutral safety start switch OSHA certified 1926.1001 R.O.P.S. with weather shield

Cab enclosure with 4 post R.O.P.S

2-micron or 10-micron panel dust filtration

Road lighting package

36 or 48 in. (915 mm or 1219 mm) vacuum head nozzle assembly

15' retractable wanderhose

Fence line elbow

Leaf collection system and hopper

Sound suppression pack

31 hp Turbo diesel

Custom Paint Colors

Back up alarm and lights

Allianz Madvac Inc.

4651 Schaefer Avenue, Chino CA 91710, USA

1690 Eiffel, Boucherville, Quebec J4B 7W1, Canada

Toll-Free 1 800 862-3822 Tel.: 1 (450) 616-8100 Fax: 1 (450) 616-8103 E-Mail: info@allianzmadvac.com Web: www.allianzmadvac.com



Specifications subject to change without notice. Madvac@ are registered trademarks of Madvac Inc. Printed in Canada @2005 Madvac Inc. PIEASE NOTE: All line drawings herein are approximations for general comparisons only Piease consult manufacturer for accurate dimensions/specifications.