# **OEM: Admiral-Emerson Single Phase, PSC**


**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Replaces Fasco No. D853

3 lug mounting

Capacitor not included, see Accessories section



HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/3	1300/3	230	48Y	BALL	X204*	48A17O126	\$162	F1	2.5	10	4 3/8	2 1/8 x 1/2 x 4 7/	/8 16

\* Stock Model

# OEM: Amana/Rheem/Luxaire/Rooftop Package Unit, Single Phase, PSC

**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Replaces Fasco No. D831.

Resilient ring mount

Capacitor not included, see Accessories section



	HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
Ŀ	1/2	1075/2	208-230	48Y	SLEEVE	X231	X231	\$160	F1	4.0	20	7	6 3/8 x 1/2 x 6 1	/2

Footnotes:

16 Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor

#### **OEM: Carrier, Single Phase, PSC**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

#### **Features:**

- Open/air over
- Single and multi-speed models, as noted
- 3 lug mounting
- X223 Replaces Carrier No. HC37VE230 & Fasco No. D842
- X273 Replaces Carrier No. HC37ME268, Fasco No. D844, A.O. Smith No. OCA1024, & Magnetek No. 624
- X210 Replaces Carrier Nos. HC37MZ220, HC39VE608, HC39ML706, HC37ME720, HC37ML702
- X210 Replaces Emerson No. 3303, Fasco No. D843, Magnetek No. 514, & A.O. Smith No. OCB1026
- X222 Replaces Carrier Nos. HC41VE700 & 701, Emerson No. 3225, Magnetek No. 536, & A.O. Smith No. OCB1036
- X294 Replaces Carrier No. HC43CE230
- X405 Replaces A.O. Smith No. OCA1056
- Capacitor not included, see Accessories section









APPROX. WGHT. HP **RPM VOLTS FRAME** BRGS. CAT. **MODEL** LIST MULT. F.L. **FRAME SHAFT FOOT** AMPS LENGTH NO. PRICE SYMB. DIM. NOTES NO. 1/5 1075/1 230 48Y SLEEVE X223★ 48A11O2050 \$136 F1 1.3 3 3/4 1/2 x 2 3/4 d,16 10 1/4 1625/1 230 48Y **BALL** X273\* 48A17O161 \$127 F1 1.5 12 4 1/4 1/2 x 1 5/8 16 1075/2 208-230 48Y **BALL** X210★ 48A11O1068 \$136 F1 2.2 12 4 1/8 1/2 x 4 1/4 1075/2 48Y **BALL** X222★ 48A11O1109 \$169 F1 2.6 15 4 3/4 1/2 x 3 1/2 1075/1 208-230/460 **BALL** X405★ 48A11O1744 \$220 F1 3.6/1.8 24 6 7/8 1/2 x 4 21

\* Stock Model

# **OEM: Carrier, Single Phase, PSC**



Applications:

Replacements listed may not be an exact duplicate of original motor.

**Features:** 

- Open/air over
- Round body belly band mounting
- X203 Replaces Carrier No. HC44SL230, Fasco No. D804, & Magnetek No. 655
- Capacitor not included, see Accessories section

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	FL. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/2	1075	208-230	48Y	BALL	X203 <sup>★</sup>	48A11O1062	\$201	F1	5.3	19	6 1/2	1/2 x 5 1/2	16

★ Stock Model

- d Will become build-up item when current stock is gone
- Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor
- 21 60°C Ambient

#### **OEM: Carrier, Single Phase, PSC**

Open

Cat.# X236, X237, X241

Replacements listed may not be an exact duplicate of original

motor.

**Features:** Ball Bearings

Open/air over

Multi-speed capability

Resilient ring/belly band mount

X236 Replaces Carrier Nos. HC41SE117, P251-2306 & -2307

X237 Replaces Carrier Nos. HC41SE651, HC39SE651,

P251-5306, & P251-5408

X241 Replaces Carrier Nos. HC45SE651 & P251-5701

X242 Replaces Carrier Nos. HC52AL230, 231, & 232

HC52SE208, P251-5101 & -5102



★ Stock Model

#### **OEM: Carrier, Three Phase**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

**Features:** 

- Open/air over
- Round belly band mounting
- Replaces Carrier No. HD52VE214 & Marathon No. 56T11D33
- 70°C ambient
- Ball Bearings



Open

Cat.# X242

HP	RPM	VOLTS	FRAME	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1	1140	200-230/460	56Y	X235 ★	56T11D5209	\$436	F1	6.6-6.0/3.0	37	10 1/2	5/8 x 2 7/8	

<sup>\*</sup> Stock Model

#### **OEM: Carrier, Three Phase**

Applications: Replacements listed may not be an exact duplicate of original motor.

**Features:** 

- Open/air over
- Rigid base mounting
- Replaces Carrier No. HD60AZ660 & Marathon No. 56T34D903
- Ball Bearings



HP	RPM	VOLTS	FRAME	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
5	3600	208-230/460	56HZ	X251 ★	56T34D5364	\$608	F1	13.5-12.4/6.2	2 50	13.49	7/8 x 2 1/4	Z,5

\* Stock Model

- 56HZ with 7/8" shaft dia., 3-1/2" shaft height, and slotted 56 frame base 56H, 143T, and 145T Combination Base with 12 mounting holes
- Does not include resilient rings, see Accessory Section
- Nameplated 60/50 hz

# **OEM: Cornelius, Single Phase, Split Phase**



**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Resilient ring mounting

• Replaces "Beater" Motor for the Cornelius "Slurpee" machine

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/6	1140	230	48Y	SLEEVE	X290≉	48S11D58	\$144	F1	1.9	13	6 7/8	1/2 x 1 1/2	16

**★ Stock Model** 

# **OEM: Evans/Armstrong/LSI Home, Single Phase, PSC**



**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Resilient ring thru-bolt mounting

■ Replaces Fasco No. D825 & GE No. 5KCP35G644S

Capacitor not included, see Accessories section

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1	1625/2	208-230	48Y	BALL	X211∗	48A17O125	\$231	F1	6.2	20	6 1/4	1/2 x 2 1/2	


★ Stock Model

#### **OEM: Fedders, Single Phase, PSC**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

#### **Features:**

- Open/air over
- Replaces X274 Fedders No. S196-179-1, Fasco No. D882, & A.O. Smith No. OFE6512, thru-bolt mount
- Replaces X202 Fedders No. S196-58-2, Fasco No. D881, thru-bolt mount
- Replaces X205 Fedders No. K65TXMR1109, Emerson No. K2328, & Magnetek No. C024, resilient base
- Capacitor not included on X202 and X205, see Accessories section



HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/5	1075/1	230	48Y	SLEEVE	X274★	48A11T407	\$168	F1	1.4	11	4 1/8	1/2 x 4 1/8	d,15
1/4	1075/3	208-230	48Y	SLEEVE	X202★	48A11O1063	\$129	F1	2.2	10	3 7/8	2 1/2 x 1/2 x 4 1/2	d,16
3/4	1075/1	208-230	56HZ	BALL	X205★	56A11O5312	\$339	F1	3.6	32	8 5/8	7 x 5/8 x 4 1/2	5,16,21

\* Stock Model

- 15 16
- Will become build-up item when current stock is gone 56H, 143T, and 145T Combination Base with 12 mounting holes Fixed CW Rotation, viewing opposite shaft (or lead end) of motor Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor 6000 Ambient
- 60°C Ambient

## **OEM: Gaffers & Sattler, Single Phase, PSC**



**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Resilient ring mounting

• Replaces Rooftop a/c direct Pak 1.5 & 2.0 ea, & Fasco No. D862

Capacitor not included, see Accessories section

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/2	1075/2	208-230	48Y	SLEEVE	X225	48A11O1176	\$190	F1	3.0	18	5 1/2	2 x 1/2 x 2	d,16

\* Stock Model

# OEM: Gibson-Belding & Kelvinator, Single Phase, PSC



**Applications:** Replacements listed may not be an exact duplicate of original

motor.

Features: • Open/air over

Thru-bolt mounting

X217 Replaces Fasco No. D855, Magnetek No. 399

Capacitor not included, see Accessories section

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/3	1365/3	230	48Y	BALL	X217∗	48A17O129	\$157	F1	3.0	12	4 1/2	8 1/2 x 1/2 x 8	16

\* Stock Model

# **OEM: Greenheck Fan, Single Phase, PSC**



**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Thru-bolt mounting

Automatic reset thermal protector

Internal cooling fan

X261 replaces Greenheck No. 300008

X260 replaces Greenheck No. 300010

Capacitor included

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/8	825	115	48Y	BALL	X261★	48A8O151	\$181	F1	2.1	13	5 1/2	1/2 X 2 1/2	
1/6	1140	115	48Y	BALL	X260≉	48A11O251	\$172	F1	2.2	13	5 1/4	1/2 X 2 1/2	

\* Stock Model

#### Footnotes:

d Will become build-up item when current stock is gone

6 Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor



# **OEM: Hill Refrigeration, Single Phase, PSC**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features:

- Open/air over
- Resilient base
- Replaces Magnetek No. 160, Steveco No. S3001, Fasco No., D801,

GE No. 5KCP39KG1369S

Capacitor included



НР	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/3	1625	208-230	48Y	BALL	X230★	48A17O136	\$168	F1	1.8	15	4 3/4	1/2x3 1/2	15

**★ Stock Model** 

# **OEM: Hussman Refrigeration, Single Phase, PSC**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

**Features:** 

- Open/air over
- Thru-bolt mounting
- Replaces Fasco No. D807, GE No. 5KCP39EGC2447, Magnetek No. 174, Emerson No. 1645
- Capacitor included



НР	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/6	1625	208-230	48Y	BALL	X269★	48A17O147	\$187	F1	1.2	11	4 1/8	1/2 x 1 1/2	15


**★ Stock Model** 

#### **OEM: Liebert, Three Phase**

**Applications:** Replacements listed may not be an exact duplicate of original motor.

**Features:** 

- Resilient base mounting
- Replaces GE 5K36PN294S



НР	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	"C" DIM.	SHAFT DIM.	FOOT NOTES
1/3	1140	208-230/46	0 48Y	BALL	X259★	56T11O15	\$232	F1	1.9-1.8/.9	21	10.06	1/2x1 1/2	

**★ Stock Model** 

#### Footnotes:

15 Fixed CW Rotation, viewing opposite shaft (or lead end) of motor

# Enclosed Cat.# X411

**Applications:** Replacements listed may not be an exact duplicate of original motor.

#### Features:

- X411 replaces Lennox No. 47F9901, Magnetek No. 9402, & Marathon Nos. 48A11T300 & 48A11T247
- X209 replaces Fasco No. D2817 & GE No. 5KCP39PG9701S, open/air over
- X236 replaces Lennox No. P-8-7505, Magnetek No. 565, A.O. Smith No. OLE1036, & Fasco No. D812, open/air over
- X281 replaces Lennox No. P-8-2702, Fasco No. D814, GE No. 5KCP39GGA124S, & Emerson No. 8054, open/air over
- Capacitor not included, see Accessories section
- Ball Bearings






HP	RPM	VOLTS	FRAME	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/6	1075/1	208-230	48Y	X411 ★	48A11T2008	\$124	F1	1.3	10	3 3/4	1/2 x 6	
1/3	825/1	230	48Y	X209 ★	48A8O183	\$177	F1	3.0	18	5 3/4	1/2 x 5 1/2	34,50
	1075/4	115	48Y	X236 ★	48A11O699	\$161	F1	6.4	13	4 3/4	1/2 x 6	39

\* Stock Model

### **OEM: Rheem/Ruud, Single Phase, PSC**




Applications:

Replacements listed may not be an exact duplicate of original motor.

#### Features:

- X278 Replaces Rheem Nos. 21276-02, 21276-01, 51207-01& Fasco No. D832
- X216 Replaces Emerson No. 5454 & Magnetek No. 619
- X297 Replaces A.O. Smith No. ORM1036, Magnetek 620, & Fasco No. D2834
- X033 replaces Rheem Time-Savers, Emerson No. K55HXMDA-4122, and Rheem/Ruud No. 51-23012-41
- Capacitor not included, see Accessories section
- Ball Bearings



НР	RPM	VOLTS	FRAME	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/8	825/1	208-230	48Y	X278 ★	48A8O206	\$168	F1	.9	12	4 1/4	1/2 x 4 3/4	37,44
1/5	1075/1	208-230	48Y	X216 ★	48A11O1097	\$124	F1	1.6	10	3 3/4	1/2 x 6	37,44,60
1/3	1075/1	208-230	48Y	X297 ★	48A11T509	\$131	F1	1.8	11	4 1/4	1/2 x 3 3/4	N,29,41,60
1/2	1075/4	115	48Y	X033 ★	48A11O1674	\$135	F1	6.1	14	5	1/2 x 5 1/2	31

\* Stock Model

- Totally Enclosed, Non-Ventilated
- 16 29 31 Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor
- Weep holes with removable plugs on end brackets. Remove bottom plug after installation.
- 5/8" Thru-bolts, shaft end 1" Thru-bolts, shaft end
- 1-1/2" Thru-bolts, shaft end
- No Thru-bolts, shaft end
- 5/8" Thru-bolts, opposite shaft end 41 44 1" Thru-bolts, opposite shaft end
- 50 2-1/2" Resilient Rings included
- Four locating set screws on frame, 90° apart

# **OEM: Sears/Whirlpool, Single Phase, PSC**

**Applications:** Replacements listed may not be an exact duplicate of original

motor.

Features: • Open/air over


 X215 replaces Delco inside out window a/c, Fasco No. D857, A.O. Smith No.OWL1006, & Emerson No. 1142

 X212 replaces Delco inside out window a/c, Fasco No. D858, & A.O. Smith No. OWR1016

 X200 replaces Delco inside out window a/c, Fasco No. D859, Emerson No. 855, & A.O. Smith No. OWR1036

X218 replaces Steveco Package unit 3100

Capacitor not included, see Accessories section



HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/8	1100/3	115	48Y	SLEEVE	X215*	48A11O1081	\$135	F1	1.7	10	3 7/8	4 x 1/2 x 2 3/4	d,16
1/6	1100/3	230	48Y	BALL	X212*	48A11O1065	\$135	F1	1.1	10	3 7/8	4 x 1/2 x 2 3/4	16
1/3	1100/3	230	48Y	SLEEVE	X200*	48A11O1060	\$137	F1	1.7	12	4 1/3	6 x 1/2 x 4	16
3/4	1075/1	208-230	56Z	BALL	X218*	56A11O5313	\$358	F1	3.9-3.6	34	8 5/8	7 x 5/8 x 7	16,21

\* Stock Model

# **OEM: Taco, Single Phase, Split Phase**

**Applications:** Direct replacement for Taco hot water circulator.

Features: • Open/air over with enclosed end brackets

Resilient ring mounting

X700 replaces Taco No. 110-388, Marathon No. 48S17D1027

X701 replaces GE No. 5KH32EG129GA



HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	"C" DIM.	SHAFT DIM.	FOOT NOTES
1/12	1725	115	48YZ	BALL	X700★	48S17D2102	\$108	F1	2.7	10	7.22	1/2 x 1	16
1/8	1725	115	48Y	BALL	X701★	48S17D1084	\$117	F1	3.0	11	8.84	1/2 x 1 1/2	16

**★ Stock Model** 

# **OEM: Tyler, Single Phase, PSC**


**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

Resilient ring thru-bolt mounting

Replaces Tyler No. 760, Fasco No. D870, & A.O. Smith No. OTY1024

Capacitor included



HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
1/4	1625/1	208-230	48Y	BALL	X270∗	48A17O149	\$201	F1	1.9	12	4 3/4	1/2 x 2 1/2	16

**★ Stock Model** 

#### Footnotes:

d Will become build-up item when current stock is gone

16 Fixed CCW Rotation, viewing opposite shaft (or lead end) of motor

21 60°C Ambient

## **OEM: Warren, Single Phase, PSC**



**Applications:** Replacements listed may not be an exact duplicate of original motor.


Features: • Open/air over

- Resilient ring mounting
- Replaces Fasco No. D809
- Capacitor included

	HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
ŀ	1/3	1075/1	208-230	48Y	BALL	X268★	48A11O1239	\$206	F1	3.0	14	4 3/4	1/2 x 2 7/8	15

\* Stock Model

## **OEM: York, Single Phase, PSC**



**Applications:** Replacements listed may not be an exact duplicate of original motor.

Features: • Open/air over

- Round belly band mounting
- Replaces York No. K44HXJAF-4955 & Fasco No. D873, A.O. Smith No. OYK1056, Magnetek No. 468
- Capacitor not included, see Accessories section

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	SHAFT DIM.	FOOT NOTES	
1/2	1050	230	48Y	BALL	X295	48A11O1410	\$183	F1	3.9	19	5	9 1/4x1/2x9 1/8	15	1

#### Pedestal Fan, Single Phase PSC

Features:

#### 48 Frame, Totally Enclosed Air Over, Yoke Mount



**Applications:** For use on commercial duty air circulators where motor is mounted directly to fan

Heavy gauge steel frame and yoke fan shroud mounted by four 7/8" extended

column or pedestal. For floor, ceiling, and wall mounting.

stud bolts on 5-1/8" bolt circle

Single and multi-speed models as noted
Automatic reset thermal protector

- 1/2" x 2-1/2" long shaft with two flats, 90° apart
- 1.0 Service Factor
- Capacitor included
- UL Recognized and CSA Certified

HP	RPM	VOLTS	FRAME	BRGS.	CAT. NO.	MODEL NO.	LIST PRICE	MULT. SYMB.	F.L. AMPS	APPROX. WGHT. LBS.	FRAME LENGTH	"C" DIM.	FOOT NOTES
1/4	1625/1	115/230	48Y	BALL	X920 ★	48A17T2005	\$189	F1	3.6/1.8	19	7.25	10.56	17
	1075/2	115	48Y	BALL	X923 ★	48A11T2024	\$220	F1	3.2	17	6.50	9.81	17
1/3	1625/1	115230	48Y	BALL	X921 ★	48A17T2006	\$206	F1	3.8/1.9	19	7.75	11.06	17
	1075/2	115	48Y	BALL	X924 ★	48A11T2025	\$238	F1	4.2	19	6.50	9.81	17
1/2	1625/1	115/230	48Y	BALL	X922 ★	48A17T2007	\$227	F1	5.4/2.7	20	8.00	11.31	17
	1075/2	115	48Y	BALL	X925 ★	48A11T2026	\$265	F1	5.7	25	7.50	10.81	17

\* Stock Model

#### Footnotes:

15 Fixed CW Rotation, viewing opposite shaft (or lead end) of motor

17 1.0 Service Factor