


Close-Coupled Pump Three-Phase Motors



**All Motors In Stock
At Factory-Direct Prices!**



JM Frame




JP Frame

- ▶ **1 HP - 50 HP**
- ▶ **3600 & 1800 RPM**
- ▶ **208-230/460 Volt**
- ▶ **TEFC Enclosure**
- ▶ **EPACT Rated High Efficiency**
- ▶ **Available In Reduced (ODP)
Frame Sizes**



WorldWide Electric Corporation

Close-Coupled Pump Three-Phase Motors



- ▶ 1 HP - 50 HP
- ▶ 3600 & 1800 RPM
- ▶ 208-230/460 Volt
- ▶ TEFC Enclosure
- ▶ EPACT Rated High Efficiency
- ▶ Available In Reduced (ODP) Frame Sizes


JM Frame					
HP	RPM	Voltage	Frame Size	Model Number	List * Price
1	1800	208-230/460	143JM	WWE1-18-143JM	\$355.43
1.5	3600	208-230/460	143JM	WWE1.5-36-143JM	\$386.17
1.5	1800	208-230/460	145JM	WWE1.5-18-145JM	\$398.42
2	3600	208-230/460	145JM	WWE2-36-145JM	\$415.59
2	1800	208-230/460	145JM	WWE2-18-145JM	\$414.27
3	3600	208-230/460	145JM	WWE3-36-145JM	\$502.96
3	3600	208-230/460	182JM	WWE3-36-182JM	\$502.96
3	1800	208-230/460	182JM	WWE3-18-182JM	\$528.09
5	3600	208-230/460	184JM	WWE5-36-184JM	\$640.80
5	1800	208-230/460	184JM	WWE5-18-184JM	\$662.16
7.5	3600	208-230/460	184JM	WWE7.5-36-184JM	\$862.32
7.5	3600	208-230/460	213JM	WWE7.5-36-213JM	\$862.32
7.5	1800	208-230/460	213JM	WWE7.5-18-213JM	\$899.32
10	3600	208-230/460	215JM	WWE10-36-215JM	\$972.28
10	1800	208-230/460	215JM	WWE10-18-215JM	\$1,011.86
15	3600	208-230/460	215JM	WWE15-36-215JM	\$1,499.17
15	3600	208-230/460	254JM	WWE15-36-254JM	\$1,499.17
15	1800	208-230/460	254JM	WWE15-18-254JM	\$1,565.80
20	3600	208-230/460	256JM	WWE20-36-256JM	\$1,684.44
20	1800	208-230/460	256JM	WWE20-18-256JM	\$1,690.19
25	3600	208-230/460	256JM	WWE25-36-256JM	\$2,131.10
25	3600	208-230/460	284JM	WWE25-36-284JM	\$2,131.10
25	1800	208-230/460	284JM	WWE25-18-284JM	\$2,047.91
30	3600	208-230/460	286JM	WWE30-36-286JM	\$2,234.00
30	1800	208-230/460	286JM	WWE30-18-286JM	\$2,310.02
40	3600	208-230/460	286JM	WWE40-36-286JM	\$2,968.90
40	3600	208-230/460	324JM	WWE40-36-324JM	\$2,968.90
40	1800	208-230/460	324JM	WWE40-18-324JM	\$3,012.92
50	3600	208-230/460	326JM	WWE50-36-326JM	\$3,710.99
50	1800	208-230/460	326JM	WWE50-18-326JM	\$3,745.23

JP Frame					
HP	RPM	Voltage	Frame Size	Model Number	List * Price
1	1800	208-230/460	143JP	WWE1-18-143JP	\$355.43
1.5	3600	208-230/460	143JP	WWE1.5-36-143JP	\$386.17
1.5	1800	208-230/460	145JP	WWE1.5-18-145JP	\$398.42
2	3600	208-230/460	145JP	WWE2-36-145JP	\$415.59
2	1800	208-230/460	145JP	WWE2-18-145JP	\$414.27
3	3600	208-230/460	145JP	WWE3-36-145JP	\$502.96
3	3600	208-230/460	182JP	WWE3-36-182JP	\$502.96
3	1800	208-230/460	182JP	WWE3-18-182JP	\$528.09
5	3600	208-230/460	184JP	WWE5-36-184JP	\$640.80
5	1800	208-230/460	184JP	WWE5-18-184JP	\$662.16
7.5	3600	208-230/460	184JP	WWE7.5-36-184JP	\$862.32
7.5	3600	208-230/460	213JP	WWE7.5-36-213JP	\$862.32
7.5	1800	208-230/460	213JP	WWE7.5-18-213JP	\$899.32
10	3600	208-230/460	215JP	WWE10-36-215JP	\$972.28
10	1800	208-230/460	215JP	WWE10-18-215JP	\$1,011.86
15	3600	208-230/460	215JP	WWE15-36-215JP	\$1,499.17
15	3600	208-230/460	254JP	WWE15-36-254JP	\$1,499.17
15	1800	208-230/460	254JP	WWE15-18-254JP	\$1,565.80
20	3600	208-230/460	256JP	WWE20-36-256JP	\$1,684.44
20	1800	208-230/460	256JP	WWE20-18-256JP	\$1,690.19
25	3600	208-230/460	256JP	WWE25-36-256JP	\$2,131.10
25	3600	208-230/460	284JP	WWE25-36-284JP	\$2,131.10
25	1800	208-230/460	284JP	WWE25-18-284JP	\$2,047.91
30	3600	208-230/460	286JP	WWE30-36-286JP	\$2,234.00
30	1800	208-230/460	286JP	WWE30-18-286JP	\$2,310.02
40	3600	208-230/460	286JP	WWE40-36-286JP	\$2,968.90
40	3600	208-230/460	324JP	WWE40-36-324JP	\$2,968.90
40	1800	208-230/460	324JP	WWE40-18-324JP	\$3,012.92
50	3600	208-230/460	326JP	WWE50-36-326JP	\$3,710.99
50	1800	208-230/460	326JP	WWE50-18-326JP	\$3,745.23

* Prices In This Brochure Are List - Please Call For Your Multiplier



Close-Coupled Pump Three-Phase Motors



ISO9001



CC006A

Close-Coupled Pump Three-Phase Motors



Performance Data


JM Frame						
Model Number	FL Amps 460 V	LRT (%)	BDT (%)	FL Eff. (%)	FL P.F.	S.F.
WWE1-18-143JM	1.5	307	350	82.5	0.71	1.15
WWE1.5-36-143JM	1.9	179	264	82.5	0.86	1.15
WWE1.5-18-145JM	2.1	294	317	84.0	0.74	1.15
WWE2-36-145JM	2.5	177	252	84.0	0.87	1.15
WWE2-18-145JM	2.7	260	280	84.0	0.77	1.15
WWE3-36-145JM	3.6	210	300	85.5	0.86	1.15
WWE3-36-182JM	3.6	210	375	85.5	0.86	1.15
WWE3-18-182JM	3.86	258	331	87.5	0.81	1.15
WWE5-36-184JM	5.65	211	351	87.5	0.88	1.15
WWE5-18-184JM	5.9	251	293	87.5	0.82	1.15
WWE7.5-36-184JM	8.4	241	275	88.5	0.88	1.15
WWE7.5-36-213JM	8.4	145	318	88.5	0.89	1.15
WWE7.5-18-213JM	9.3	169	309	89.5	0.81	1.15
WWE10-36-215JM	11.2	159	329	89.5	0.89	1.15
WWE10-18-215JM	12.4	155	282	89.5	0.83	1.15
WWE15-36-215JM	16.7	230	280	90.2	0.86	1.15
WWE15-36-254JM	16.6	171	273	90.2	0.87	1.15
WWE15-18-254JM	17.7	165	271	91.0	0.84	1.15
WWE20-36-254JM	22.8	150	240	90.2	0.88	1.15
WWE20-36-256JM	22.5	174	254	90.2	0.88	1.15
WWE20-18-256JM	23.8	150	244	91.0	0.84	1.15
WWE25-36-256JM	28	150	240	91.0	0.89	1.15
WWE25-36-284JM	27.9	150	255	91.0	0.87	1.15
WWE25-18-284JM	28.2	158	259	92.4	0.87	1.15
WWE30-36-284JM	32.9	170	280	91.0	0.88	1.15
WWE30-36-286JM	32.9	150	272	91.0	0.89	1.15
WWE30-18-286JM	33.6	173	283	92.4	0.86	1.15
WWE40-36-286JM	45	180	290	91.7	0.88	1.15
WWE40-36-324JM	46.3	189	309	91.7	0.88	1.15
WWE40-18-324JM	46.5	176	341	93.0	0.86	1.15
WWE50-36-324JM	56	220	330	92.4	0.87	1.15
WWE50-36-326JM	56.7	196	311	93.0	0.88	1.15
WWE50-18-326JM	57.3	172	290	93.0	0.86	1.15

JP Frame						
Model Number	FL Amps 460 V	LRT (%)	BDT (%)	FL Eff. (%)	FL P.F.	S.F.
WWE1-18-143JP	1.5	307	350	82.5	0.71	1.15
WWE1.5-36-143JP	1.9	179	264	82.5	0.86	1.15
WWE1.5-18-145JP	2.1	294	317	84.0	0.74	1.15
WWE2-36-145JP	2.5	177	252	84.0	0.87	1.15
WWE2-18-145JP	2.7	260	280	84.0	0.77	1.15
WWE3-36-145JP	3.6	210	300	85.5	0.86	1.15
WWE3-36-182JP	3.6	210	375	85.5	0.86	1.15
WWE3-18-182JP	3.86	258	331	87.5	0.81	1.15
WWE5-36-184JP	5.65	211	351	87.5	0.88	1.15
WWE5-18-184JP	5.9	251	293	87.5	0.82	1.15
WWE7.5-36-184JP	8.4	241	275	88.5	0.88	1.15
WWE7.5-36-213JP	8.4	145	318	88.5	0.89	1.15
WWE7.5-18-213JP	9.3	169	309	89.5	0.81	1.15
WWE10-36-215JP	11.2	159	329	89.5	0.89	1.15
WWE10-18-215JP	12.4	155	282	89.5	0.83	1.15
WWE15-36-215JP	16.7	230	280	90.2	0.86	1.15
WWE15-36-254JP	16.6	171	273	90.2	0.87	1.15
WWE15-18-254JP	17.7	165	271	91.0	0.84	1.15
WWE20-36-254JP	22.8	150	240	90.2	0.88	1.15
WWE20-36-256JP	22.5	174	254	90.2	0.88	1.15
WWE20-18-256JP	23.8	150	244	91.0	0.84	1.15
WWE25-36-256JP	28	150	240	91.0	0.89	1.15
WWE25-36-284JP	27.9	150	255	91.0	0.87	1.15
WWE25-18-284JP	28.2	158	259	92.4	0.87	1.15
WWE30-36-284JP	32.9	170	280	91.0	0.88	1.15
WWE30-36-286JP	32.9	150	272	91.0	0.89	1.15
WWE30-18-286JP	33.6	173	283	92.4	0.86	1.15
WWE40-36-286JP	45	180	290	91.7	0.88	1.15
WWE40-36-324JP	46.3	189	309	91.7	0.88	1.15
WWE40-18-324JP	46.5	176	341	93.0	0.86	1.15
WWE50-36-324JP	56	220	330	92.4	0.87	1.15
WWE50-36-326JP	56.7	196	311	93.0	0.88	1.15
WWE50-18-326JP	57.3	172	290	93.0	0.86	1.15

Close-Coupled Pump Three-Phase Motors



Dimensions



FRAME SIZE	MOUNTING				A	B	C	D	G	J	P	L	AH	AB	EQ	AA	KEY		KEYSET R	U	FLANGE					ET	EM	EL	EP	ER	EN
	E	F	H	BA													WIDTH	THICK			AK	AJ	BF	BB	BD						
143JM	2.75	2	0.34	2.75	7	5	14.92	3.5	0.472	1.45	7.09	7.48	4.25	6.3	0.625	3/4	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	2.875	1	1.155	1.156	4.37	3/8-16
143JP	2.75	2	0.34	2.75	7	5	17.99	3.5	0.472	1.45	7.09	7.48	7.312	6.3	1.563	3/4	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	5.937	1	1.155	1.181	7.429	3/8-16
145JM	2.75	2.5	0.34	2.75	7	6	15.91	3.5	0.472	1.45	7.09	7.48	4.25	6.3	0.625	3/4	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	2.875	1	1.155	1.156	4.37	3/8-16
145JP	2.75	2.5	0.34	2.75	7	6	18.98	3.5	0.472	1.45	7.09	7.48	7.312	6.3	1.563	3/4	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	5.937	1	1.155	1.181	7.429	3/8-16
182JM	3.75	2.25	0.41	3.5	9	6.5	16.97	4.5	0.59	1.97	9.06	10.29	4.25	7.48	0.625	1	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	2.875	1	1.25	1.38	4.25	3/8-16
182JP	3.75	2.25	0.41	3.5	9	6.5	20.04	4.5	0.59	1.97	9.06	10.29	7.312	7.48	1.563	1	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	5.937	1	1.25	1.38	7.185	3/8-16
184JM	3.75	2.75	0.41	3.5	9	7.5	18	4.5	0.59	1.97	9.06	10.29	4.25	7.48	0.625	1	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	2.875	1	1.25	1.38	4.25	3/8-16
184JP	3.75	2.75	0.41	3.5	9	7.5	21.06	4.5	0.59	1.97	9.06	10.29	7.312	7.48	1.563	1	0.188	0.188	0.771	0.875	4.5	5.875	3/8-16	0.15	6.575	5.937	1	1.25	1.38	7.185	3/8-16
213JM	4.25	2.75	0.41	4.25	10.5	7.5	20.51	5.25	0.709	2.36	10.63	12.40	4.25	8.27	0.625	1	0.188	0.188	0.771	0.875	8.5	7.25	1/2-13	0.256	8.90	2.875	1	1.25	1.772	4.496	3/8-16
213JP	4.25	2.75	0.41	4.25	10.5	7.5	24.37	5.25	0.709	2.36	10.63	12.40	8.125	8.27	2.375	1	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	8.90	5.875	1.375	1.75	1.772	8.37	1/2-13
215JM	4.25	3.5	0.41	4.25	10.5	9	22	5.25	0.709	2.36	10.63	12.40	4.25	8.27	0.625	1	0.188	0.188	0.771	0.875	8.5	7.25	1/2-13	0.256	8.90	2.875	1	1.25	1.772	4.496	3/8-16
215JP	4.25	3.5	0.41	4.25	10.5	9	25.866	5.25	0.709	2.36	10.63	12.40	8.125	8.27	2.375	1	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	8.90	5.875	1.375	1.75	1.775	8.37	1/2-13
254JM	5	4.125	0.53	4.25	12.5	10.8	25.157	6.25	0.787	2.76	13.03	15.12	5.25	11.22	0.625	1.5	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	10	3	1.375	1.75	1.772	5.51	1/2-13
254JP	5	4.125	0.53	4.25	12.5	10.8	28	6.25	0.787	2.76	13.03	15.12	8.125	11.22	2.375	1.5	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	10	5.89	1.375	1.75	1.772	8.384	1/2-13
256JM	5	5	0.53	4.25	12.5	12.5	26.89	6.25	0.787	2.76	13.03	15.12	5.25	11.22	0.625	1.5	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	10	3	1.375	1.75	1.772	5.51	1/2-13
256JP	5	5	0.53	4.25	12.5	12.5	29.72	6.25	0.787	2.76	13.03	15.12	8.125	11.22	2.375	1.5	0.252	0.252	1.112	1.250	8.5	7.25	1/2-13	0.256	10	5.89	1.375	1.75	1.772	8.384	1/2-13
284JM	5.5	4.75	0.53	4.75	14	12.5	29	7	0.866	2.76	13.98	16.33	5.25	12	0.625	1.5	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.2	3	1.375	1.75	2.165	5.53	1/2-13
284JP	5.5	4.75	0.53	4.75	14	12.5	31.85	7	0.866	2.76	13.98	16.33	8.125	12	2.375	1.5	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.2	5.875	1.375	1.75	2.165	8.4	1/2-13
360JM	5.5	5.5	0.53	4.75	14	14	29	7	0.866	2.76	13.98	16.33	5.25	12	0.625	1.5	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.2	3	1.375	1.75	2.165	5.53	1/2-13
286JP	5.5	5.5	0.53	4.75	14	14	31.85	7	0.866	2.76	13.98	16.33	8.125	12	2.375	1.5	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.2	5.875	1.375	1.75	2.165	8.4	1/2-13
324JM	6.25	5.25	0.66	5.25	16	14	29.72	8	0.984	2.76	15.55	18.35	5.25	13.4	0.625	2	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.8	3	1.375	1.75	2.36	5.53	1/2-13
324JP	6.25	5.25	0.66	5.25	16	14	32.56	8	0.984	2.76	15.55	18.35	8.125	13.4	2.375	2	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.8	5.875	1.375	1.75	2.36	8.42	1/2-13
326JM	6.25	6	0.66	5.25	16	14	31.3	8	0.984	2.76	15.55	18.35	5.25	13.4	0.625	2	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.8	3	1.375	1.75	2.36	5.53	1/2-13
326JP	6.25	6	0.66	5.25	16	14	34.13	8	0.984	2.76	15.55	18.35	8.125	13.4	2.375	2	0.252	0.252	1.112	1.250	12.5	11	5/8-11	0.25	13.8	5.875	1.375	1.75	2.36	8.42	1/2-13