

# Permanent Split Capacitor Condenser Fan

## 5.0" Diameter, Totally Enclosed Air Over (TEAO)



### APPLICATIONS:

Residential condensing unit fan motor.

### FEATURES:

- 42" Leads
- Shaft Down Mount
- #8-32 Studs (4.82" dia bolt circle)
- Designed for use with 370V Capacitor
- 1/2" Dia. Shaft with Flat
- Reversible Rotation
- Automatic Reset Thermal Overload Protector
- Discount Symbol: DS-3HAC




Figure A




Figure B



### "Clam Shell" Single Speed, Stud Mount, Without Capacitor (Fig A)

HP	RPM	Volts	Catalog Number	List Price	Bearings	Cap. MFD	Amps	Shaft N	Shell XI	Total C	Ship Wgt.	Notes	OEM
1/10	1075	208-230	2243	\$93	Ball	5.0	0.75	2.7	4.1	6.8	9		
1/8	1075	208-230	2249	\$94	Ball	5.0	0.90	2.7	4.1	6.8	10		
1/5	1075	208-230	2246	\$95	Ball	5.0	1.60	2.7	4.1	6.8	10		
1/4	1075	208-230	2250	\$96	Ball	7.5	1.70	2.7	4.1	6.8	11		

### 5.0" Single Speed, Stud Mount, Without Capacitor (Fig B)

HP	RPM	Volts	Catalog Number	List Price	Bearings	Cap. MFD	Amps	Shaft N	Shell XI	Total C	Ship Wgt.	Notes	OEM
1/20	1550	230	1989	\$148	Slv	-	1.3	2.5	3.8	6.3	10	1, 3, 5	CO
1/8	1550	208-230	1176	\$188	Ball	5.0	1.1	2.8	3.7	6.4	9	2	BO
1/6	1550	230	1527	\$161	Slv	-	2.8	2.9	4.3	7.3	13	1, 3, 4	CO
	1075	208-230	1901	\$139	Slv	5.0	1.0	2.0	3.8	5.8	10		LE

Note 1 Shaded Pole Design  
 Note 2 Open Drip Proof  
 Note 3 Open Air Over

Note 4 Special mounting ring  
 Note 5 Shaft-down mounting