


OPERA™

- **Sales Tip:** If an entrance is not large enough to accommodate OPERA™, recommend one or more sections as individual mats. (See pages 35, 36 & 37).
- **Where to Specify:** All large, upscale entrances: offices, hotels, professional buildings.

- A NOTRAX® exclusive: the first of its kind 3 mat system in one beautiful mat design.
- The first 3 to 4 feet of the mat (depending on length of mat) features a looped non-absorbent yarn to scrape debris and moisture from foot traffic.
- The second 3 to 4 feet of the mat combines the looped scraper yarns with absorbent Decalon® looped pile to begin the drying function.
- The final 3 to 4 feet of the mat is pure Decalon® looped pile to complete the drying function.
- All yarns are color-coordinated to combine beauty with functionality.
- A dense combination of yarns ensure maximum performance.
- Overall thickness is 3/8 inch.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#137 OPERA™

Stock Sizes	3' x 10'	3' x 12'	4' X 10'	4' X 12'	6' X 10'	6' X 12'
Weight (lbs.)	26	30	33	39	49	58

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

Burgundy

Brown


Hunter Green

Charcoal Black

Gray


Blue





- **Sales Tip:** Color-coordinated to OPERA™ (page 34) or other component mats (pages 36-37).
- **Where to Specify:** All large, upscale entrances: offices, hotels, professional buildings

- Another NOTRAX® exclusive: a combination scraping and drying mat that marries together looped scraper yarns and Decalon® looped pile absorbent yarns.
- The wide performance strip design runs the width of the mat to scrape against traffic as it passes over.
- All yarns are color-coordinated to combine beauty with functionality.
- This mat is the center section of the OPERA™ mat.
- Overall thickness is 3/8 inch.
- A heavyweight vinyl non-slip backing ensures minimum movement.



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS

#148 INTERMISSION™						
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	4' x 6'	4' x 8'
Weight (lbs.)	7	13	16	19	24	32
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701						



#231




PRELUDE™

- **Sales Tip:** A total of 15 ft of matting is recommended to prevent 85% of moisture and debris from entering the building.
- **Where to Specify:** Outdoor - Main entranceways, all heavy traffic areas.



- A coarse loop-twisted non-absorbent fiber to scrape heavy debris from foot traffic.
- Aggressive fibers resist crushing while entrapping debris and preventing it from entering the facility.
- This mat is the first section of the OPERA™ mat.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the first section (Scraping) of the “Stages” entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for “Green Cleaning” environments. (When used as part of the “Stages” system)



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#146




ENCORE™

- **Sales Tip:** The Encore™ mat construction is 80% Decalon® drying yarn & 20% Prelude™ scraping yarn. The Intermission™ mat (pg 35) is 50% Decalon® drying yarn & 50% Prelude™ yarn.
- **Where to Specify:** Inside foyer area - Main entranceways, all heavy traffic areas.



- A combination of Prelude™ scraping and looped pile Decalon® drying yarns in a linear pattern.
- Can be used alternatively to the Intermission™ mat.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the second section (Scraping & Drying) of the “Stages” entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for “Green Cleaning” environments. (When used as part of the “Stages” system)



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#141




OVATION™

- **Sales Tip:** Color coordinated with Prelude™ #231, and Encore™ #146, to provide a complete entrance matting solution.
- **Where to Specify:** Indoor - Main entranceways, all heavy traffic areas.




- Generously tufted Decalon® looped pile construction that serves as the finishing, drying and cleaning mat in the coordinated series.
- This mat is the third section of the OPERA™ mat.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Can be used as a stand-alone mat, or as the third section (Drying) of the “Stages” entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for “Green Cleaning” environments. (When used as part of the “Stages” system)



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS





#231 PRELUDE™							
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	5	10	12	14	23	19	25
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths	
Weight (lbs.)	144	192	288	.80/sq.ft.	.80/sq.ft.	.80/sq.ft.	
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701							

#146 ENCORE™							
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	5	10	12	14	23	19	25
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths	
Weight (lbs.)	155	205	310	.85/sq.ft.	.85/sq.ft.	.85/sq.ft.	
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701							

#141 OVATION™							
Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	5	11	13	15	24	19	25
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths	
Weight (lbs.)	155	205	310	.85/sq.ft.	.85/sq.ft.	.85/sq.ft.	
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701							

- **Sales Tip:** Indoor use in medium to heavy foot traffic areas
- **Where to Specify:** All large, upscale entrances, reception areas: offices, hotels, professional buildings.

- Combines the classic look of an upscale rug with the function and durability of a high performance entrance mat.
- 24 ounces of twisted nylon fiber per square yard provides superb moisture absorption and retention
- A heavyweight non-slip backing ensures minimum movement.
- Vibrant color designs that won't fade
- 3/8 inch overall thickness



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#170 ORIENTRAX™				
Stock Sizes	3' x 5'	4' x 6'	5' x 8'	4' x 12'
Weight (lbs.)	9	14	24	29
Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701				

Red Cinnamon

Hillcrest Sage


Blue-Gray





- **Sales Tip:** A combination of 4 deniers of yarn make this an extremely long-lasting mat.
- **Where to Specify:** Indoor - Main entranceways; any and all heavy traffic areas.

- A full 38 ounces of needle-punched yarn per square yard provides the highest degree of crush resistance
- 3/8 inch overall thickness makes this heavy-duty mat a long-wearing barrier at the busiest entrances.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS

#118 ARROW TRAX™

Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	6	11	14	17	28	22	29
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths	
Weight (lbs.)	170	226	340	.94/sq.ft.	.94/sq.ft.	.94/sq.ft.	

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

Charcoal

Autumn Brown

Gray

Burgundy



Wine

Hunter Green



- **Sales Tip:** The high-low looped design also serves the purpose of trapping and hiding dirt.
- **Where to Specify:** Indoor - Main entranceways; any and all heavy traffic areas.

- Fashionable high-low looped pile Decalon® captures debris and dries foot traffic while maintaining its attractive appearance.
- A dense 33 ounces of tufted yarn per square yard.
- 3/8 inch overall thickness stands up to the toughest environments.
- A heavyweight vinyl non-slip backing ensures minimum movement.
- Colors coordinate with #139 Boulevard™ for an upscale entrance matting system
- Recommended and approved product as a part of the GreenTRAX™ program for "Green Cleaning" environments.



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#132 ESTES®

Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	5	11	15	16	29	23	30
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes	3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths	
Weight (lbs.)	170	226	340	.92/sq.ft.	.92/sq.ft.	.92/sq.ft.	

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

Blue

Charcoal

Brown

Red / Black

Hunter Green

Burgundy





- **Sales Tip:** Brush Step® is comparable to most competitors' "best" Rib mat.
- **Where to Specify:** Indoor – Entranceways, Lobbies, all light to medium traffic areas

- A lighter-weight double rib high / low design that performs the scraping function of the mat (Note: ribs run length of mat).
- 19 ounces of needle-punched yarn per square yard.
- Overall thickness of 3/8 inch to perform in narrow clearance doorways.
- Vinyl backing helps reduce mat movement.



RESULTS from INDEPENDENT TEST LABS & PRESENTED as COMPARISONS to OTHER NoTRAX® ENTRANCE MATS



#109 BRUSH STEP®

Stock Sizes	2' x 3'	3' x 4'	3' x 5'	3' x 6'	3' x 10'	4' x 6'	4' x 8'
Weight (lbs.)	5	10	11	14	21	19	23
Full Roll & Custom Lengths (Tolerance of -0 / +3" on Custom Lengths)							
Roll Sizes & Custom Sizes		3' x 60'	4' x 60'	6' x 60'	3' Widths	4' Widths	6' Widths
Weight (lbs.)		139	185	278	.77/sq.ft.	.77/sq.ft.	.77/sq.ft.

Shipping Location: Superior Manufacturing Group - Calhoun, GA 30701

Slate Blue

Charcoal

Brown

Red / Black

Hunter Green

