

SPILLTECH

Your Resource for Sorbent Mats,
Kits & Containment Products

Over 130 **NEW**
Products inside!

NEW!
Spill Cart Kit
page 34

SpillTech®
Sorbent Mats
pages 4-20

NEW!
Drip, Rip
and Go™
Tablet
page 20

NEW!
All-In-One
SurvivorSeries™ Mat
page 8

Spill Control Products
page 41

Camouflage
SurvivorSeries™ Mat
page 8

NEW!
Drain Protection
Products
page 42

NEW! Look for the “Helps You Comply” box inside!



Look What's NEW at SpillTech!

It's All Inside Our Biggest Catalog Ever...

SPILLTECH



NEW

Over 130 NEW Products! **Our Largest Offering to Date**

There's something new on nearly every page of this catalog — just look for the red “New” symbol shown at the left. You'll find expanded product lines and an all-new Stormwater Management line, featuring products to help with erosion control and drain protection. Our largest offering ever includes over 350 products!



HYC

NEW Compliance References! **To Help You Meet Federal Regulations**

Look for the green “Helps You Comply” box throughout this catalog for SpillTech® Products that can assist you with regulatory compliance. Each product lists relevant citations, and all cited regulations are summarized on page 48. These new references can help you comply with regs from OSHA, EPA, DOT and more.



NEW Technology & Equipment! **For Bigger, Better Products**

Because SpillTech is always looking for more efficient ways to make top-quality products, we added a new 62" Meltblowing Line to our manufacturing capabilities. This state-of-the-art technology allows us to make new Mat sizes and other innovative products, and delivers the consistent quality that you expect from SpillTech.



Building Technology Into Every Product






SpillTech® Mat Selection Guide

At SpillTech, we manufacture a broad assortment of Mats — each created through a distinctive process. Different manufacturing processes create particular strengths in each Mat to make one better suited for use in specific applications.

To help you select the right Mat for your application, it's important to assess your current situation. Ask yourself these questions: *What liquids do I deal with on a daily basis? Do I have to worry about hazardous liquids? Will I be removing oil from water surfaces? Do I need Mat that will stand up to heavy foot traffic or forklift traffic?* By taking a good look at how you'll use the Mat, you'll be better prepared to match the right SpillTech® Mat to your specific application.

Use this chart to quickly review the varieties of SpillTech® Mat available, and then turn to the page number referenced to find more information about a specific Mat.

	Compatibility			Configurations				Weights			Color					
	Universal	Oil-Only	HazMat	Roll	Split Roll	Pad	King Pad	Heavy	Medium	Single	Camo	Gray	Green	White	Blue	Yellow
FineFiber Mat For foot traffic areas See pages 4 and 6 	●	●	●	●	●	●	●	●	●	●		●	●	●	●	●
SurvivorSeries™ Mat For your toughest jobs See page 8 	●	●		●	●	●		●			●	●		●		
MultiLaminate Mat Stronger to last longer See page 10 	●	●		●	●	●		●	●					●	●	
AirLaid Mat Our most flexible Mat See page 12 	●	●		●	●	●	●	●				●		●		
SonicBonded Mat Controls overspray See page 14 	●	●	●	●	●	●	●	●	●	●		●		●		●
MeltBlown Mat Cleans up oil quickly See page 16 		●		●	●	●	●	●	●					●		

*For further help please contact your local Distributor.

Mats 4-17



- FineFiber Mat/Universal 4
- FineFiber Mat/Oil-Only 6
- SurvivorSeries™ Mat 8
- MultiLaminate Mat 10
- AirLaid Mat 12
- SonicBonded Mat 14
- MeltBlown/Static-Dissipative Mat 16

Mats

HazMat 18-19



- Mats 18
- Socks 18
- Booms 18
- Pillows 18

HazMat

Specialty Products 20-29



- Mats and Accessories 20
- Industrial Rugs 22
- Socks 24
- Pillows and Pans 26
- Loose Sorbents 28
- Outdoor Prevention 29

Specialty Products

Spill Response 30-31



- Booms 30
- PomPoms 31
- NetBags 31
- Folded Sweep 31
- Loose Particulate 31

Spill Response

Spill Kits 32-40



- OverPack Kits 32
- Spill Kaddies and Carts 34
- Portable Kits 35
- Mercury/Battery Acid Kits 35
- Repair Kits 36
- Customize Your Kit 37-40

Spill Kits

Stormwater Management 41-43



- DrainCovers 41
- Spill Berms 41
- GutterGuards® 42
- CurbGuards® 42
- DrainGuards® 42
- Erosion Control 43

Stormwater Management

Containment 44-47



- Leak Diverters 44
- Containment Pools 44
- Workstations™ and Pallets 45
- SpillPal™ Portable Containment 46
- Berms 46
- Poly Products 47

Containment

Product Resources 48-53



- Regulations Page 48
- Product SpecSheet 49-53

Product Resources

FineFiber Mat Grips Floor



Sturdy 3-ply construction gives FineFiber Mat durability and absorbing power for longer wear and fewer changeouts.

Sorbency for Where You Walk to Keep Your Floors Dry

Grips Floor for Safety

Top and bottom layers of FineFiber are built of densely-woven, small-diameter strands of fiber to increase surface area — enabling the Mat to grip the floor and secure it for safer walking. Universal application for oil, coolants, solvents and water.

High Sorbency Means It Stays on the Job Longer

Large-diameter MeltBlown polypropylene fibers create a high-loft inner layer that absorbs up to 33.7 ounces per 15" x 19" Pad and 49.8 gallons per 150' Roll.

Multi-Perforations Save You Money

Rolls are perfed every 7.5" vertically and every 17" horizontally. Pads are perfed vertically at 7.5". Tear off only what you need — save money!

Virtually Indestructible

FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers. 3-ply construction resists heavy foot traffic.

Mat Index

You are here

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

For more help choosing the right sorbent Mat, see our **Mat Selection Guide** on page 3.


Building Technology Into Every Product

The Technology Inside...

FineFiber Mat

Primary Use:
Foot Traffic Areas

Primary Benefit:
Grips Floor for Safer Walking



Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.

Mats



FineFiber Mat/Universal

Green Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GNPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
GNPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
GNRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
GNRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.

Gray Universal Pads (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
NEW GPF1113H	HeavyWeight Pads	11"x13"	100	18.1 gal.
GPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
GPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
GPF100M	MediumWeight Pads	15"x19"	100	20.8 gal.
GPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.

Gray Universal Rolls (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
NEW GRF24150H	HeavyWeight Roll	24"x150'	1	39.8 gal.
GRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.
GRSF150H	HeavyWeight Split Rolls	15"x150'	2	49.8 gal.
GRFF50H	HeavyWeight Folded Roll in Dispenser Box	5"x50'	1	8.4 gal.
NEW GRF150M	MediumWeight Roll	30"x150'	1	39.5 gal.
NEW GRSF150M	MediumWeight Split Rolls	15"x150'	2	39.5 gal.
GRF300S	SingleWeight Roll	30"x300'	1	53.4 gal.
GRSF300S	SingleWeight Split Rolls	15"x300'	2	53.4 gal.

*Oil-Only version also available.
See pages 6-7.*

FineFiber Mat Oil-Only, Repels Water



FineFiber Mat can be used wherever a low-profile sorbent product is needed for catching oil leaks and overspray.

FineFiber Oil-Only Mat Quickly Absorbs Oily Spills and Overspray

High Sorbency Keeps it on the Job Longer

FineFiber Oil-Only Mat is naturally water-resistant (hydrophobic). A random assembly of large-diameter MeltBlown poly fibers creates a lofty inner layer that absorbs up to 33.7 oz. of oil — but not water — per 15" x 19" Pad and 49.8 gallons per 150' Roll.

Grips Surfaces Tightly

Top and bottom layers of FineFiber are built of densely-woven, small-diameter strands of fiber to increase

surface area, enabling the mat to grip surfaces securely.

Virtually Indestructible

FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers, so you can use it almost anywhere.

Multi-Perforations Save You Money

Rolls are perforated every 7.5" vertically and every 17" horizontally. Pads are perforated at 7.5" vertically — saves you money!

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...


FineFiber Mat

Primary Use:

Absorbing Oily Spills and Leaks but not Water

Primary Benefit:

Speeds Cleanup



Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.

Mats



FineFiber Mat/Oil-Only

White Oil-Only Pads (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
NEW WPF1113H	HeavyWeight Pads	11"x13"	100	18.1 gal.
WPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
WPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
NEW WPF100M	MediumWeight Pads	15"x19"	100	20.8 gal.
WPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.

White Oil-Only Rolls (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
NEW WRF24150H	HeavyWeight Roll	24"x150'	1	39.8 gal.
WRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.
WRSF150H	HeavyWeight Split Rolls	15"x150'	2	49.8 gal.
NEW WRF150M	MediumWeight Roll	30"x150'	1	39.5 gal.
NEW WRSF150M	MediumWeight Split Rolls	15"x150'	2	39.5 gal.

Blue Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
BPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
BPF100H-BX	HeavyWeight Pads in Box	15"x19"	100	26.3 gal.
BPKF50H	HeavyWeight King Pads	30"x30"	50	41.6 gal.
BPF200S	SingleWeight Pads	15"x19"	200	28.1 gal.
BRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
BRF100H-BX	HeavyWeight Roll in Box	15"x100'	1	19.3 gal.

*Universal version also available.
See pages 4-5.*

SurvivorSeries™ Mat Strong for the Toughest Jobs

**SpillTech
Exclusive**



All-In-One SurvivorSeries™ Mat is ready for your toughest jobs. Choose Universal Gray or Oil-Only White versions.

Rugged Mat Survives the Punishment of Everyday Wear and Tear

Built-in Layers for Long Lasting Reliability

This innovative Mat features a SpunBond top layer that wicks liquids away into the MeltBlown core where it is trapped to keep the Mat and floors safe and dry. The bottom layer is built of densely-woven strands of FineFiber to increase surface area, enabling the Mat to grip the floor and securing it for safer walking. All layers are ultrasonically bonded together for durability and resistance to wear in high traffic areas.

Strong and long-wearing, SurvivorSeries™ Mat stays on the job so you use less and save money!

Three Mat Versions for Any Application

Camouflage SurvivorSeries™ Mat hides leaks and drips of oils, water and solvents; All-In-One SurvivorSeries™ Mat comes in grunge-hiding Gray for universal jobs or bright White for oil-only applications.

See the next page for more information on each version of SurvivorSeries™ Mat.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

SurvivorSeries™ Mat

Primary Use:
For High-Traffic Areas

Primary Benefit:
Withstands Abuse from Rugged Applications



Mats



Use All-In-One SurvivorSeries™ Mat as a Roll...



... fold along the scores to shape a Sock ...



... or tear it along the perfs to create a Pad.

Camouflage SurvivorSeries™ Mat

Camouflage Design Makes Leaks and Drips Disappear

SpillTech's innovative StealthTechnology makes leaks and drips disappear by drawing and trapping liquids in the inner MeltBlown layer. The top camouflage layer stays clean and dry, so you don't have to replace the Mat as often — and that saves you money!

High Sorbency and Multi-Perforations

Absorbs up to 23.6 ounces per 15" x 19" Pad and up to 49.8 gallons per 150' Roll.

Pads are perfed vertically every 7.5"; Rolls are perfed every 7.5" vertically and every 17" horizontally.



SurvivorSeries™ Mat / Universal

Camouflage (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
SVP100H	HeavyWeight Pads	15"x19"	100	17.9 gal.
SVR150H	HeavyWeight Roll	30"x150'	1	35.8 gal.
SVRS150H-1	HeavyWeight Split Roll	15"x150'	1	17.9 gal.
SVRS150H-2	HeavyWeight Split Rolls	15"x150'	2	35.8 gal.

All-In-One SurvivorSeries™ Mat

Versatile All-In-One Mat is a Roll, Pad and Sock

One product is all you need! Use conveniently-packaged All-in-One SurvivorSeries™ Mat Roll as a Roll, Pad or a Sock. Handy dispenser box keeps Mat clean and can be stored anywhere for easy access.

High Sorbency and Multi-Perforations

Absorbs up to 18.1 gallons per Roll — choose Universal or Oil-Only absorbency. Perfed every 3.75" vertically and every 17" horizontally for increased versatility.

GRSMF100H-BX



NEW

WRSMF100H-BX



NEW

SurvivorSeries™ Mat / Universal

Gray Universal (for oils, coolants, solvents & water)


Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW GRSMF100H-BX	HeavyWeight Roll in Box	15"x100'	1	18.9 gal.

SurvivorSeries™ Mat / Oil-Only

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW WRSMF100H-BX	HeavyWeight Roll in Box	15"x100'	1	18.9 gal.

MultiLaminate Mat Lasts Longer



Use MultiLaminate Mat in places where long life and durability are important; ideal as a liner for oily parts and tools or for use in rugged applications near machinery.

Long-Lasting and Durable for Rugged Applications

Tear-Resistant — Outlasts Standard Mats

Outer layers of tough-skinned, HeavyWeight SpunBond material resist abrasions and tears — can withstand rough handling and won't tear apart when pulled or positioned under equipment.

Low Lint for Sensitive Jobs

Outer SpunBond layers are constructed of continuous strands of polypropylene fibers — interwoven to virtually eliminate fibers from becoming detached and contaminating equipment, tools or parts.

Absorbent Inner Layer

MeltBlown inner layer draws and holds liquids from outer layers. Absorbs up to 37 oz. per 15" x 19" Pad and 54.9 gallons per 150' Roll. Use Gray for universal applications; use White or Blue for oil-only jobs.

Multi-Perforations Save You Money

Rolls are perforated every 7.5" vertically and every 17" horizontally. Pads are perforated vertically at 7.5". Tear off only what you need — save money!

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

MultiLaminate Mat

Primary Use:
Rugged Applications

Primary Benefit:
Lasts Longer to Reduce Replacement Cost



High-loft MeltBlown sorbent is ultrasonically bonded between two (2) layers of lint-free SpunBond fabric.

Mats



MultiLaminate Mat

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
GPL100M	MediumWeight Pads	15"x19"	100	23.4 gal.
GRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.
GRSL150H	HeavyWeight Split Rolls	15"x150'	2	54.9 gal.
GRL150M	MediumWeight Roll	30"x150'	1	44.4 gal.
GRSL150M	MediumWeight Split Rolls	15"x150'	2	44.4 gal.

White Oil-Only / Blue Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
WPL100M	MediumWeight Pads	15"x19"	100	23.4 gal.
WRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.
WRL150M	MediumWeight Roll	30"x150'	1	44.4 gal.
WRSL150M	MediumWeight Split Rolls	15"x150'	2	44.4 gal.
BPL100H	HeavyWeight Pads	15"x19"	100	28.9 gal.
BRL150H	HeavyWeight Roll	30"x150'	1	54.9 gal.

AirLaid Mat For Tight Spaces & Wiping

**SpillTech
Exclusive**



AirLaid Mat crumples and conforms to better suit your tight sorbent or wiping application.

Conforms to Your Application — Unlimited Flexibility

Crumples, Fits or Wraps to Any Job

Resilient, bounce-back polypropylene fibers are “AirLaid” between two layers of tough SpunBond; ideal for tight spots and wrapping pipes and other equipment

High Sorbency Stays on the Job Longer

Inner layer of air-filled polypropylene fibers creates uniform pockets of air that attract and hold liquids. Absorbs up to 39.8 ounces per 15" x 19" Pad and 60 gallons per 150' Roll.

Durable for Everyday Use

Ultrasonic bonding of two abrasion-resistant SpunBond layers around loose fibers gives the Mat added strength.

Perforations Save Money

Rolls are perforated vertically at 7.5" and horizontally every 17". Tear off only what you need — save money! AirLaid Pads are not perforated.

Color-Coded

Use Gray for universal applications; use White for oil-only jobs.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	<i>Our most flexible Mat</i>	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here


HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

AirLaid Mat

Primary Use:
Absorbing in Tight Spaces
and Wiping Applications

Primary Benefit:
Cleans a Variety of Surfaces



Two (2) layers of laminate SpunBond polypropylene are ultrasonically bonded around a high-loft AirLaid polypropylene core.

Mats



AirLaid Mat

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPA100H	HeavyWeight Pads	15"x19"	100	31.1 gal.
GPKA50H	HeavyWeight King Pads	30"x30"	50	49.3 gal.
GRA150H	HeavyWeight Roll	30"x150'	1	60.0 gal.
GRSA150H	HeavyWeight Split Rolls	15"x150'	2	60.0 gal.

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPA100H	HeavyWeight Pads	15"x19"	100	31.1 gal.
WPKA50H	HeavyWeight King Pads	30"x30"	50	49.3 gal.
WRA150H	HeavyWeight Roll	30"x150'	1	60.0 gal.
WRSA150H	HeavyWeight Split Rolls	15"x150'	2	60.0 gal.

SonicBonded Mat Controls Spills and Overspray



Fast-acting SonicBonded Mat starts absorbing on contact. It's the best choice for overspray and soaking up spills.

Absorbs Overspray and Spills — Helps Keep Floors Dry and Safe

Fast-Acting for Quick Response

A layer of MeltBlown polypropylene creates high surface area that enables SonicBonded Mat to quickly soak up liquids.

High Absorbency Keeps It on the Job Longer

A random assembly of large-diameter MeltBlown poly fibers creates a lofty layer. Mat absorbs up to 37.3 oz. per 15" x 19" Pad and 55.2 gallons per 150' Roll. Choose Universal Gray or Oil-Only White versions.

Ultrasonic Bond Points Keep Mat Intact

Ultrasonic bond points fuse layers of fibers together — Mat keeps its shape even when completely saturated. Top layer of SpunBond fabric provides added strength.

Perforations Save Money

SpunBond top layer allows for better-defined perforations and cleaner, easier tear-offs. Rolls are perfered every 7.5" vertically and 17" horizontally. Pads are perfered vertically at 7.5".

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here




Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3), 29 CFR 1910.107(g)(2), 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.

The Technology Inside...

SonicBonded Mat

Primary Use:
Controls Spills and Overspray

Primary Benefit:
Helps Keep Floors Safe and Dry



One (1) layer of lint-free SpunBond fabric is ultrasonically bonded to one (1) layer of MeltBlown sorbent.



**50-Count Bale
Now Available!**

SonicBonded Mat

Gray Universal (for oils, coolants, solvents & water)

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPB100H	HeavyWeight Pads	15"x19"	100	29.1 gal.
NEW GPB50H	HeavyWeight Pads	15"x19"	50	14.6 gal.
GPKB50H	HeavyWeight King Pads	30"x30"	50	45.3 gal.
GPB100M	MediumWeight Pads	15"x19"	100	24.7 gal.
NEW GPB50M	MediumWeight Pads	15"x19"	50	12.4 gal.
GPB200S	SingleWeight Pads	15"x19"	200	31.1 gal.
NEW GPB100S	SingleWeight Pads	15"x19"	100	15.6 gal.
GRB150H	HeavyWeight Roll	30"x150'	1	55.2 gal.
GRSB150H	HeavyWeight Split Rolls	15"x150'	2	55.2 gal.
GRB150M	MediumWeight Roll	30"x150'	1	46.1 gal.
GRB300S	SingleWeight Roll	30"x300'	1	59.1 gal.

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPB100H	HeavyWeight Pads	15"x19"	100	29.1 gal.
NEW WPB50H	HeavyWeight Pads	15"x19"	50	14.6 gal.
WPKB50H	HeavyWeight King Pads	30"x30"	50	45.3 gal.
WPB100M	MediumWeight Pads	15"x19"	100	24.7 gal.
NEW WPB50M	MediumWeight Pads	15"x19"	50	12.4 gal.
WPB200S	SingleWeight Pads	15"x19"	200	31.1 gal.
NEW WPB100S	SingleWeight Pads	15"x19"	100	15.6 gal.
WRB150H	HeavyWeight Roll	30"x150'	1	55.2 gal.
WRSB150H	HeavyWeight Split Rolls	15"x150'	2	55.2 gal.
WRB150M	MediumWeight Roll	30"x150'	1	46.1 gal.
WRSB150M	MediumWeight Split Rolls	15"x150'	2	46.1 gal.
WRB300S	SingleWeight Roll	30"x300'	1	59.1 gal.

MeltBlown Mat Quickly Absorbs Oil



Ideal for outdoor use — MeltBlown Mat provides quick, efficient cleanup to help protect the environment from contamination.

Quick, Effective Cleanup of Oil Spills on Land or Water

Fast-Wicking

Loose stacked-weave design increases surface area on spill. Mat starts wicking on contact to save time in critical situations. Works equally well on land or water — it even floats when fully saturated.

Absorbs Oily Liquids — Repels Water

MeltBlown polypropylene fibers are left in their natural hydrophobic state. These hydrophobic fibers repel water (and float) while only absorbing oils and other hydrocarbons.

High Sorbency Keeps Mat on the Job Longer

Large-diameter MeltBlown polypropylene fibers are randomly assembled to create a lofty Mat — allowing it to absorb up to 42.8 oz. per 15" x 19" Pad and 63.4 gallons per HeavyWeight Roll.

Bright White Color Makes it Easy to See When Mat is Completely Saturated

Oily grunge can't hide on bright White MeltBlown Mat. Makes it easy to see when it's fully saturated — you save money by not throwing it away too soon.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here

For more help choosing the right sorbent Mat, see our **Mat Selection Guide** on page 3.

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), 40 CFR 263.30(a) and 40 CFR 263.31. See page 48 for details.

The Technology Inside...

MeltBlown Mat

Primary Use:
Oil Spills on Land or Water

Primary Benefit:
Quick, Effective Oil-Only Cleanup

MeltBlown

Single layer of hydrophobic (oil-only) polypropylene.



Static-Dissipative Mat Also Available

Specially-treated Mat in easy-to-identify packaging

Ideal for absorbing volatile fuels in cold applications, dry, low-humidity areas or anywhere that the potential for sparking exists. Static-Dissipative Mat comes in a blue wrapper for quick identification when you need Mat where static electricity poses a risk.



Static-Dissipative Mats

White Static-Dissipative (for oils, not water; deters static charges)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPX25H	HeavyWeight Pads	15"x19"	25	8.4 gal.
WPX50S	SingleWeight Pads	15"x19"	50	8.9 gal.
WRX150H	HeavyWeight Roll	30"x150'	1	63.4 gal.
WRSX150H	HeavyWeight Split Rolls	15"x150'	2	63.4 gal.

MeltBlown Mats

White Oil-Only (for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WP100H	HeavyWeight Pads	15"x19"	100	33.4 gal.
WPK50H	HeavyWeight King Pads	30"x30"	50	52.8 gal.
WP100M	MediumWeight Pads	15"x19"	100	26.7 gal.
NEW WP100S	SingleWeight Pads	15"x19"	100	17.9 gal.
WP200S	SingleWeight Pads	15"x19"	200	35.7 gal.
WR150H	HeavyWeight Roll	30"x150'	1	63.4 gal.
WRS150H	HeavyWeight Split Rolls	15"x150'	2	63.4 gal.
WR150M	MediumWeight Roll	30"x150'	1	50.7 gal.
WRS150M	MediumWeight Split Rolls	15"x150'	2	50.7 gal.
WR300S	SingleWeight Roll	30"x300'	1	67.9 gal.
WRS300S	SingleWeight Split Rolls	15"x300'	2	67.9 gal.

HazMat Products For Unknown Liquids



HazMat



HazMat Mat absorbs caustics, hazardous or unknown liquids quickly and efficiently, before they spread.

Mat Index

Mat Name	Description	Page
FineFiber Mat/Universal	Grips floor	4
FineFiber Mat/Oil-Only	Speeds cleanup	6
SurvivorSeries™ Mat	Our toughest Mat	8
MultiLaminate Mat	Lasts longer	10
AirLaid Mat	Our most flexible Mat	12
SonicBonded Mat	Controls spills	14
MeltBlown Mat	Quickly absorbs oil	16
HazMat Mat	For unknown liquids	18

You are here

18

For more help choosing the right sorbent Mat, see our **Mat Selection Guide** on page 3.

HazMat Sorbents for Acids, Bases and Unknown Liquids

When hazardous or unknown liquids spill, use HazMat Sorbent Products for quick, efficient response.

HazMat Pads and Rolls

100% polypropylene absorbs most aggressive or caustic fluids. Sonic-bonded “dimples” add strength and fast-wicking power.

HazMat Socks

Used to contain and absorb hazardous or unknown spills. Keep fluids from spreading to larger areas. Available in 3" diameter with lengths of 4', 8' and 12'.

HazMat Booms

Contain and absorb large-volume spills. Choose 5" or 8" diameters in a 10' length.

HazMat Pillows

Toss on contained liquid. Easy to deploy — quick to absorb. The Pillow's large surface area and sizeable amount of sorbent filler enables you to attack spills with speed and efficiency.

Color-Coded

All HazMat Sorbents are color-coded in Safety Yellow for quick identification.




Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e) and 40 CFR 263.31. See page 48 for details.

The Technology Inside...

HazMat Mat


Primary Use:
Absorbing Caustic and Unknown Fluids

Primary Benefit:
Safety Yellow Color for Quick Identification in an Emergency



HazMat/SonicBonded — One (1) layer of lint-free SpunBond fabric is ultrasonically bonded to one (1) layer of MeltBlown sorbent.

HazMat/FineFiber — Two (2) layers of FineFiber polypropylene are ultrasonically bonded around a high-loft MeltBlown core.



**50-Count Bale
Now Available!**

HazMat

HazMat Mat

Yellow SonicBonded Mat (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPB100H	HeavyWeight Pads	15"x19"	100	29.1 gal.
NEW YPB50H	HeavyWeight Pads	15"x19"	50	14.6 gal.
NEW YPB100M	MediumWeight Pads	15"x19"	100	24.7 gal.
NEW YPB50M	MediumWeight Pads	15"x19"	50	12.4 gal.
YPB200S	SingleWeight Pads	15"x19"	200	31.1 gal.
NEW YPB100S	SingleWeight Pads	15"x19"	100	15.6 gal.
YRB150H	HeavyWeight Roll	30"x150'	1	55.2 gal.
YRSB150H	HeavyWeight Split Rolls	15"x150'	2	55.2 gal.
YRB150M	MediumWeight Roll	30"x150'	1	46.1 gal.

Yellow FineFiber Mat (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPF100H	HeavyWeight Pads	15"x19"	100	26.3 gal.
NEW YPF1113H	HeavyWeight Pads	11"x13"	100	18.1 gal.
YRF150H	HeavyWeight Roll	30"x150'	1	49.8 gal.
YRSF150H	HeavyWeight Split Rolls	15"x150'	2	49.8 gal.

HazMat Socks, Booms and Pillows

Yellow Socks and Booms (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YSO410	HazMat Socks	3"x4'	10	10.0 gal.
YSO430	HazMat Socks	3"x4'	30	30.0 gal.
YSO815	HazMat Socks	3"x8'	15	30.0 gal.
YSO1210	HazMat Socks	3"x12'	10	30.0 gal.
HZ510SN	HazMat Booms	5"x10'	4	30.0 gal.
HZ810SN	HazMat Booms	8"x10'	4	48.0 gal.

Yellow Pillows (for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YPIL818	HazMat Pillows	8"x18"	20	26.8 gal.
YPIL1818	HazMat Pillows	18"x18"	10	29.1 gal.

**Acid Neutralizing Loose Sorbent also available.
See pages 28 and 39.**

Drip, Rip and Go™ Tablet

Handy Rip-Off Sheets for Fast Cleanups

See a drip? Rip off a FineFiber Mat Pad from a handy 20-sheet Tablet — and the spill is history in a snap. Multi-perforations save you money: the 14.25" x 19" Pad is perfed at the bound edge and across the center.

Tablet Hangs Anywhere for Easy Access

Hang tabs let you put it anywhere in your plant for convenience, while rigid cardboard backing allows Tablet to tuck under your arm for on-the-go use. Each box contains nine tablets.



HYC Helps you comply with 29 CFR 1910.120(j)(1) and 29 CFR 1910.1450(e). See page 48 for details.



Drip, Rip and Go™ Tablet

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Tablets/Pkg	Absorbs/Pkg
NEW GPF20S	Drip, Rip and Go™ Tablet	14.25"x19"	9	2.8 gal.

PolyBacked Pads and Rolls

Added Protection for Your Floors

The strength of our signature FineFiber Mats combines with the liquid-stopping power of an impenetrable, chemical-resistant poly backing for liquid- and stain-free floors. Poly backing also provides non-skid characteristics for safety.



HYC Helps you comply with 29 CFR 1910.22(a)(2). See page 48 for details.



PolyBacked Mat

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW PBGP50H	HeavyWeight Pads	15"x19"	50	8.1 gal.
NEW PBGRF100H	HeavyWeight Roll	30"x100'	1	18.0 gal.


DrumTop Pads

Say Goodbye to Messy Drum Tops

Absorb drips from leaking pumps and help keep drum storage areas looking good. Pre-cut bung holes make for easy access to drum.

Pads can be removed and replaced with pumps and valves installed. Made from top-quality FineFiber Mat.

Choose Gray Universal or Blue Oil-Only version.



DrumTop Pads

Gray Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GTOP	Universal DrumTop Pads	23" diam.	25	8.6 gal.

Blue Oil-Only (for oils, not water)

BTOP	Oil-Only DrumTop Pads	23" diam.	25	8.6 gal.
-------------	-----------------------	-----------	----	----------

Sorbent Mat Wringer

Wringer Reclaims Up to 90% of Fluid

Use this Wringer to squeeze and recover up to 90% of absorbed fluids from most sorbent mats. All-steel, rustproof frame is virtually indestructible. Adjustable screws balance pressure over the length of the roller.



Sorbent Mat Wringer

Item #	Description	Size	Units/Pkg	Weight/Pkg
A-WRINGER	Sorbent Mat Wringer	15"Wx12"H	1	16 lbs.

Pad Box

Some carriers upcharge for shipping bales in bags. A simple solution! Our cardboard Pad Box perfectly fits one bale of Pads to both protect the sorbents and eliminate any shipping concerns. Ships in broken down format to your location.



Pad Box

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW A-PADBOX	Pad Box	15.5"Lx19.25"Wx16"H	1	3 lbs.

Free-Standing RollRack

This free-standing RollRack keeps rolls off messy floors for easy access when you need them. Fits any roll up to 40" wide.



Free-Standing RollRack

Item #	Description	Size	Units/Pkg
A-ROLLRACK	Free-Standing RollRack	For rolls up to 40"W	1



NeedlePunch Rug

Heavy-duty Rug Even Survives Forklift Traffic

A tough nonwoven fabric constructed of 100% needle-punched polypropylene. Designed to absorb oil, coolants, solvents and water while standing up to rugged wear and tear. Perfect for areas with heavy foot traffic.

Three Weights to Match Your Application

NeedlePunch Rug comes in 8 oz., 12 oz. and 16 oz. weights so you can use the appropriate weight of Rug for your specific application. Gray color hides grunge so it stays down longer, and saves you money.

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.107(g)(2). See page 48 for details.

NeedlePunch Rug				
Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NPR150H-GR	NeedlePunch Rug - 16 oz. gray	36"x150'	1	54.0 gal.
NEW NPR150M-GR	NeedlePunch Rug - 12 oz. gray	36"x150'	1	40.5 gal.
NPR300S-GR	NeedlePunch Rug - 8 oz. gray	36"x300'	1	54.0 gal.



RagRug

Sturdy — Takes a Beating Even in High-Traffic Areas

This Mat is made from recycled polypropylene and acrylic fibers, making it a great choice for use in areas where steady foot traffic might wear out an ordinary mat or rug that's become soaked with overspray.

Lasts Longer, so You Use and Spend Less

Because this durable Mat stands up to high-traffic abuse longer than regular mat, you can use it longer, which saves you money!

Tough Rug Stands Up to Punishment

No matter where you place this Mat, the high tensile strength lets it take all types of abuse even when it's fully saturated with fluids.

Dark Color Hides Grime

Dark-colored Mats absorb the grunge from oil, coolants, solvents and water without looking dirty.



HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.107(g)(2). See page 48 for details.

RagRug				
Item #	Description	Size	Units/Pkg	Absorbs/Pkg
RRUG36H	RagRug Roll	36"x150'	1	84.6 gal.
RRUG18H	RagRug Split Rolls	18"x150'	2	84.6 gal.



StitchBonded Mat

Ready for Rough Traffic

This tough Mat stays put and won't slide. Constructed from specially-stitched polypropylene to withstand even the roughest foot traffic. A true performer for heavy traffic areas.

Handles Heavy Wear

Because this Mat will take a beating while absorbing all types of fluids, it's ideal for situations where durability is an issue. Place it in walkways and areas that need to be clean, dry and safe all the time.

Tough Construction

This Mat is tough because of its zig-zag stitching. SpillTech took its regular Mat and added tight rows of stitching to create a Mat that stands up to heavy abuse but still provides the hard-working absorption power of regular SpillTech® Mat.

Long Life Saves Money

This is a strong, durable Mat that can stand up to heavy abuse — that means you can leave it down much longer than regular Mat, so you save money!

HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.107(g)(2). See page 48 for details.

StitchBonded Mat

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
MR2069	StitchBonded Mat Roll	33"x150'	1	23.0 gal.



PolyBacked Rug Roll

Absorbent Roll Keeps Floors Dry

A top layer of high-strength needlepunched polypropylene fibers is backed with a liquid barrier to keep fluids from seeping through — also provides non-skid characteristics for safety.



HYC Helps you comply with 29 CFR 1910.22(a)(2), 29 CFR 1910.107(b)(3) and 29 CFR 1910.107(g)(2). See page 48 for details.

PolyBacked Rug Roll

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
PBR100	PolyBacked Rug Roll	36"x100'	1	13.0 gal.



RailRoad Mat

Provides Sorbency and Spill Protection in Rail-Specific Applications

A tier of sorbent MeltBlown material is top-layered with needle-punched felt for strength, and then poly-backed with a chemical-resistant material. 59"-wide Roll fits between rails; 19"-wide Rolls cover ground outside rails for total protection.

HYC Helps you comply with 29 CFR 1910.120(j)(1), 40 CFR 263.30(a) and 40 CFR 263.31. See page 48 for details.

RailRoad Mat

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
RRMAT60	RailRoad Mat Roll	59"x100'	1	59.0 gal.
RRMAT19	RailRoad Mat Rolls	19"x100'	2	38.0 gal.

Sorbent Socks For Fast Containment

Specialty Products



HYC Helps you comply with 29 CFR 1910.120(j)(1), 40 CFR 112.7(c)(1), 40 CFR 263.30(a) and 40 CFR 263.31. See page 48 for details.

Oil-Only Socks



Oil-Only Socks Absorb Oils, Repel Water

For oil-only cleanup, choose these Socks. By selectively absorbing oil and not water, these 100% polypropylene-filled Socks absorb more oil and can be left on the job longer.

HazMat Socks



Use HazMat Socks for Caustic Fluids

These 100% polypropylene-filled Socks soak up nearly any type of caustic or unknown fluid — acids, bases, solvents and chemicals. Color-coded yellow so you know exactly what you're reaching for in an emergency spill situation.

Oil-Only Socks

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WS0410	Oil-Only Socks	3"x4'	10	10.0 gal.
WS0430	Oil-Only Socks	3"x4'	30	30.0 gal.
WS0815	Oil-Only Socks	3"x8'	15	30.0 gal.
WS01210	Oil-Only Socks	3"x12'	10	30.0 gal.

HazMat Socks

(for acids, bases & unknown liquids)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
YS0410	HazMat Socks	3"x4'	10	10.0 gal.
YS0430	HazMat Socks	3"x4'	30	30.0 gal.
YS0815	HazMat Socks	3"x8'	15	30.0 gal.
YS01210	HazMat Socks	3"x12'	10	30.0 gal.

Universal Socks



Universal Socks — A Solid Performer in a Variety of Situations

These durable, universal-application, 100% polypropylene-filled Socks absorb oils, coolants, solvents and water. Use wherever you have a variety of spills and only want to stock one sock to cover everything. Socks easily mold to almost any shape.

Universal Socks

(for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GS0430	Universal Socks	3"x4'	30	30.0 gal.
GS0815	Universal Socks	3"x8'	15	30.0 gal.
GS01210	Universal Socks	3"x12'	10	30.0 gal.

CornCob Socks



CornCob Socks Tackle Tough Jobs and Provide an Affordable Alternative to Messy Clay

These economical and highly efficient Socks can tackle even the toughest jobs. With a tough polypropylene skin and finely ground corn cob filler, these Socks absorb ½ gallon of oil, coolants, solvents and water — nearly twice as much as clay, but without the dust or the mess to clean up afterward. Plus they're incinerable. Unlike clay, you won't need a shovel for this cleanup!

CornCob Socks

(for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
CCS040	CornCob Socks	3"x42"	40	20.0 gal.

Reusable Socks



Reusable Socks — Just Wring Out and Reuse at Least 40 Times

Because this Sock can be used over and over again, it provides more than just great leak and spill containment — it's cost-effective as well. With its long service life, it can do the work of up to 40 regular socks. For universal application in situations with oils, coolants, solvents and water.

Reusable Socks

(for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
1011	Reusable Socks	2"x57"	24	9.7 gal.
1010	Reusable Socks	3"x57"	12	9.8 gal.

Cellulose Socks



Super-Absorbent Cellulose Socks Soak Up More Than One Gallon per 4'

These are very thirsty Socks — a single 4' Sock can absorb more than a gallon of liquid, making this a true top performer. Very flexible construction allows you to place this Sock in a variety of positions around spills or leaking machinery.

Cellulose Socks

(for oils, coolants, solvents & water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GCS0430	Cellulose Socks	3"x4'	30	32.3 gal.
GCS0815	Cellulose Socks	3"x8'	15	32.3 gal.
GCS01210	Cellulose Socks	3"x12'	10	32.3 gal.

Specialty Products

Pillows and Pans For High-Volume Leaks

Specialty Products



Pillows Absorb Fluids in Tight Spaces

Pillows are easy to place in hard-to-reach areas — use under machines and leaky hydraulic hoses or wedge in corners cramped for space.

One Product for a Variety of Uses


Pulls liquids from the floor like a sock. Catches leaks like a pan. Absorbs spills like a pad. It's one versatile product that works for many different jobs.

Absorb Large Quantities ... Quickly

Ideal for spill response. Easy to toss into action. Pillow's large surface area speeds the absorption process and shortens the overall response time.

Color-Coded

Grunge-hiding Gray for universal applications and bright White for oil-only cleanup. Quick to identify and easy to deploy.



See pages 18-19 for HazMat Pillows.

HYC Helps you comply with 29 CFR 1910.120(j)(1), 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 263.30(a) and 40 CFR 263.31. See page 48 for details.



Pillows

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPIL1818	Universal Pillows	18"x18"	10	29.1 gal.
GPIL818	Universal Pillows	8"x18"	20	26.8 gal.

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPIL1818	Oil-Only Pillows	18"x18"	10	29.1 gal.
WPIL818	Oil-Only Pillows	8"x18"	20	26.8 gal.



GPIL1224



GPIL1010

HYC **Helps you comply** with 29 CFR 1910.22(a)(2). See page 48 for details.

Pillow in a Pan

Reusable and Economical

For an economical solution to high-volume leaks and drips, try this Pillow in a Pan. When saturated, you simply replace the Pillow and reuse the Pan.

Efficient, Cost-Effective


Each Pillow absorbs up to 3 quarts of liquid — oils, coolants, solvents and water. This kind of efficiency makes the Pillow in a Pan an ideal choice for catching recurring or continuous high-volume leaks.

Makes a Great “Quick Response” Absorbent

No preparation required. Simply set it in place, and watch it go to work. With high absorbency and a holding depth of 3", the Pillow in a Pan provides the volume capacity you need to handle a variety of sorbency situations.

Pillow in a Pan

Gray Universal (for oils, coolants, solvents & water)				
Item #	Description	Size	Units/Pkg	Absorbs/Pkg
GPIL1224	Universal Pillow in a Pan	10.5" sq. x3"H	12 pans & 24 pillows	20.7 gal.
GPIL1010	Replacement Universal Pillows	10" sq.	40	34.5 gal.
White Oil-Only (for oils, not water)				
NEW WPIL1224	Oil-Only Pillow in a Pan	10.5" sq. x3"H	12 pans & 24 pillows	20.7 gal.
NEW WPIL1010	Replacement Oil-Only Pillows	10" sq.	40	34.5 gal.



DPU-16

DripPan

Low-Profile DripPan for Heavy Leak Areas

Use a high-volume, low-profile DripPan under machines and leaky hydraulic hoses, or just place one under any leak or drip that produces a high volume in a short time. If a mat becomes saturated too quickly, then use a DripPan in its place.

Much Better Than Clay

A DripPan is far more efficient than piling clay on the floor, and a snap to clean up. Just pick it up and dispose of it — no shoveling required!

Absorbs Large Quantities of Liquids ... Quickly

Ideal for quick, efficient spill response. The large surface area and 3" depth provides the volume you need to handle heavy leaks or drips. Also, its wide “footprint” keeps it stable, so you won't accidentally kick it over.

Color-Coded

Use Gray Universal DripPan for general use around your workplace. White Oil-Only DripPan is ideal for outdoor use, where it catches oily drips but repels rainwater.

DripPans


Gray Universal (for oils, coolants, solvents & water)				
Item #	Description	Size	Units/Pkg	Absorbs/Pkg
DPU-16	Universal DripPans	10.5" sq. x3"H	16	12.0 gal.
White Oil-Only (for oils, not water)				
NEW DPO-16	Oil-Only DripPans	10.5" sq. x3"H	16	12.0 gal.

**Gran-sorb™
Loose Sorbent**

Recycled paper waste soaks up oils, coolants, solvents, water, fuels and anti-freeze. Paper waste is completely safe, non-toxic and non-hazardous. A great alternative to clay.



CELL30



Loose CornCob

A great all-purpose “workhorse” sorbent that works well on a variety of fluids — oils, coolants, solvents and water. Made from all-natural coarse corn cob — much lighter than clay.



COB40



**Lite-Zorb
Loose Sorbent**

Recycled paper waste absorbs five times as much as clay, without the dust. Fast wicking, non-abrasive and non-toxic. A great choice for fast and efficient response to leaks and spills in almost any situation.



MR1020




**SuperSorbent
Loose Sorbent**

Instantly soaks up liquids to leave surfaces completely dry and reduce slip and fall injuries. Super-concentrated formula absorbs 10 to 12 times more than clay. 300% increased absorption capacity reduces cleanup time. Environmentally Safe.



SS12



Loose PeatMoss

A natural oil-only sorbent that absorbs oil on land or hard surfaces. Made of bio-degradable peat moss, which has a natural affinity for oils. This product can also be incinerated.



PEAT2



Oil-Only Particulate

White Oil-Only Particulate is made of loose polypropylene pulp for oil leaks and spills. This product floats on water, even when saturated, for absorbing oil spills on water.



WPART



Acid Neutralizing Sorbent

Visible color change signifies complete neutralization of acids; absorbs and solidifies liquids. Not for use with hydrofluoric acid. Environmentally friendly. Handy 5-gallon pail makes it easy to transport and dispense Sorbent.



ANS5



HYC Helps you comply with 29 CFR 1910.22(a)(2). (Applies to all products on this page.) See page 48 for details.

Loose Sorbents

Universal (for oils, coolants, solvents & water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
CELL30*	Gran-sorb™ Loose Sorbent	30-lb. Bag	65	4.0 gal.
COB40*	Loose CornCob	40-lb. Bag	50	8.5 gal.
MR1020*	Lite-Zorb Loose Sorbent	25-lb. Bag	80	5.4 gal.
NEW SS12	SuperSorbent Loose Sorbent	28-oz. Shaker	60	7.0 gal.

Oil-Only (for oils, not water)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
PEAT2*	Loose PeatMoss	2 cu. ft.	50	25.0 gal.
WPART*	Oil-Only Particulate	25-lb. Bag	15	58.1 gal.

HazMat (for acids & unknown liquids)

Item #	Description	Size	Qty/Pallet	Absorbs/Pkg
NEW ANS5	Acid Neutralizing Sorbent	5-gal. Pail	40	2.5 gal.

*Sold only in pallet quantities.



WellHead Socks

Stop Oily Wellhead Problems at the Source

Wrap this 5"W x 42"L Sock around a pump wellhead to stop oily leaks and drips at the wellhead pump site. Easy installation and removal —

each Sock is secured in place by an adjustable piece of Velcro. Oil-Only Sock repels rainwater. Bright White color shows when Sock is saturated and needs to be replaced.

HYC **Helps you comply** with 33 CFR 154.1047(c)(2) and 40 CFR 112.7(c)(1). See page 48 for details.

WellHead Socks

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW WSWH4210	WellHead Socks	5"x42"	10	27.5 gal.

Containment Boom Anchor System and Storage Bin

Non-Absorbent Boom Contains Spills on Water

Boom floats above the water surface to contain and identify the spill location; skirt goes below the surface to contain oil and keep it from escaping. Features semi-flexible internal foam flotation with flexible fabric skirt; extra-heavy hinge points provide stability, float integrity and durability in wave conditions. Sold by the linear foot — order as much or as little as you need.



C-BOOM



C-ANCHOR



C-STORAGE

Fiberglass Storage Unit Holds 100 Feet of C-BOOM

Fiberglass Storage Locker withstands the ravages of salt water spray. Easily moved with fork lifts, motorized units, or on utility trailers or boats. Holds 100' of C-BOOM.

Anchor System Keeps a Deployed Boom in Place for Optimum Containment

Includes a 22 lb. Danforth-type anchor, 3/8" x 8' chain leader with 3/8" shackles, 80' poly rope (yellow) with thimble eyes and 1/2" shackle, Orange A2 Polyform Anchor Buoy with 1/2" shackle, 6' poly rope (yellow) painter line with thimble eyes and 1/2" shackle. Comes pre-assembled for quick and easy deployment.

HYC **Helps you comply** with 33 CFR 154.1047(c)(2) and 40 CFR 112.7(c)(1). See page 48 for details.

Containment Boom, Anchor System & Bin

Item #	Description	Size	Units/Pkg	Weight/Pkg
C-BOOM	Containment Boom	6" float, 12" skirt	1	2 lbs. per linear foot
NEW C-STORAGE	Containment Boom Storage Bin	66"Lx35"W x30"H	1	150 lbs.
NEW C-ANCHOR	Containment Boom Anchor System	22-lb. Anchor	1	43 lbs.

*All items above are drop-shipped from the vendor.

Product Information - All information provided about SpillTech® Products is based upon testing and data believed to be accurate. However, the reliability of this information is not subject to any guarantee.

Handling and Disposal - Liquids absorbed by SpillTech® Products are not rendered less hazardous, less toxic or less flammable by absorption; liquids remain in their original states. Therefore, caution in the handling, storage, disposal or cleaning of SpillTech® Products after use should be in accordance with the original liquids absorbed. Consult the Material Safety Data Sheet of each liquid absorbed for proper handling. SpillTech® Products must be transported and disposed of in compliance with local, state and federal regulations. SpillTech does not recommend specific procedures due to variances in regulations, applications and liquids used.

Warranty - SpillTech will replace any product found to be defective in material or workmanship. This warranty shall only apply where the buyer has issued written notice to SpillTech within thirty (30) days of purchase; it does not extend to product abuse, misuse, neglect or accident, nor to product repaired or altered by any other than SpillTech. This warranty is exclusive and in lieu of all other warranties, expressed or implied.

Limitation of Liability - In no event will SpillTech's liability for its Products exceed the purchase price paid for its Products. SpillTech will not be liable under any circumstances for any special, indirect, consequential, or punitive damages, including, but not limited to loss of profits, loss of business opportunities, or loss of goodwill, even if advised of the possibility of such damages.

Spill Response For Outdoor Oil Spills

Spill Response



Take Control of Outdoor Spills with Booms, Sweeps and Special Sorbents

Use Sock/Net Booms to Absorb and Contain Oil

Strong mesh outer sleeve encases a poly sock skin filled with highly-sorbent polypropylene. Filler won't shed and Booms won't sink, even when saturated with oil. A nylon rope and sturdy hardware ensure long-lasting durability and easy retrieval.

Create Customized Sizes

Sock/Net Booms can be linked together to contain any size spill on water. Clip together with carbon steel connector hardware.

Special-Use Sorbents

Once a spill is contained, it's time for sorbents such as PomPoms, Net Bags, Sweeps and Particulates. These products are used on the surface to absorb spills and surface sheen. Because they're for oil only, they'll absorb the oil but won't become weighed down with water. This means you can leave them in place longer for maximum absorption.

Oil-Only Pads also available. See pages 7, 11, 13, 15 and 17.



WB820SN

Durable, easy-to-use boom connectors provide a simple and efficient way to create a containment system big enough to handle almost any spill.

Booms

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WB510SN	Sock/Net Booms	5'x10'	4	30.0 gal.
WB520SN	Sock/Net Booms	5'x20'	2	30.0 gal.
WB810SN	Sock/Net Booms	8'x10'	4	48.0 gal.
WB820SN	Sock/Net Booms	8'x20'	2	48.0 gal.
WBB818	Bilge Booms	8'x18"	10	18.0 gal.

HYC Helps you comply with 33 CFR 154.1047(c)(2), 40 CFR 112.7(c)(1), 40 CFR 122.26 and 40 CFR 263.31. See page 48 for details.



PomPoms

Thousands of thin strands of polypropylene are joined together to create this high-surface-area sorbent. Heavy oils adhere, water is repelled. Sold as 30 individual PomPoms or as 30 PomPoms connected on a 50' rope.

PomPoms

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
APMPM	PomPoms/30 individual	n/a	30	11.6 gal.
APMPM-R	PomPoms/30 on 50' rope	n/a	1	11.6 gal.



Net Bags

Polypropylene strips encased in a nylon mesh bag — used to absorb larger spills on water. Just toss it on the spill. Floats for easy retrieval — even when saturated.

Net Bags

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPIL10	Net Bags	6"Dx16"Wx21"H	10	37.0 gal.

Spill Response



What's Inside:



Oil-Only Particulate

White Oil-Only Particulate is made of loose polypropylene pulp. Use to absorb oil on the surface of water bodies or on land-based oil spills.

Oil-Only Particulate

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WPART	Oil-Only Particulate	25-lb. bag	1	58.1 gal.



Folded Sweep

Sweep attaches to a sorbent boom to catch oily sheens that linger behind. Sturdy construction features nylon strap securely attached to durable MultiLaminate Mat.

Folded Sweep

(for oils, not water)

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
WSWL100F	Folded Sweep	19"Wx100"L	1	16.2 gal.

Spill Kits For Quick Response



Spill Kits

Be Prepared for Fast Response with SpillTech® Spill Kits

Quick Response is Key

Spills happen no matter how hard you try to avoid them. Forklifts knock over drums, tanks are punctured and transporters leak and drip. That's why it is important to have the right sorbents on-hand when these spills occur. A quick response is the first order of business — and your best weapon — in the fight against spills.

Any Spill, Anywhere

Whether you need to clean up a dangerous chemical spill or eliminate a slip-and-fall

hazard, SpillTech has a Spill Kit for any size and type of spill — anywhere. Over the next eight pages you'll find a wide range of Spill Kits and Accessories to meet your needs. And all SpillTech® Spill Kits are packed with quality SpillTech® Products to help you comply with the regulations listed below.

Customized for You

If you don't see what you're looking for, we can even customize a Spill Kit to your exact specifications! See page 37 for details.

HYC Helps you comply with 29 CFR 1910.120(j)(1), 29 CFR 1910.1450(e), *33 CFR 154.1047(c)(2), 40 CFR 263.30(a), 40 CFR 263.31, 49 CFR 173.3(c)(1). See page 48 for details.

* Applies to Oil-Only Spill Kits only

95-Gallon Spill Kit

Contents pre-packed in X-rated DOT-approved 95-Gallon OverPack (UN 1H2/X295/S, UN 1H2/Y295/S; w/Wheels = UN 1H2/X113/S). Available for Universal, Oil-Only and HazMat use; with or without wheels. Content-only Refill Kit available.

Kit Contents:

- 150 – 15"x19" Pads
- 12 – 3"x4' Socks
- 2 – Pair Nitrile Gloves
- 3 – Tubs Plug & Dike
- 4 – Yellow Disposal Bags & Ties
- 1 – 15"x19" Socks
- 6 – 3"x8' Socks
- 7 – 18"x18" Pillows
- 1 – Spill Kit Label
- 1 – Pair Goggles
- 1 – Emergency Response GuideBook

Absorbs
up to
88.0
Gallons

SPKU-95

95-Gallon Spill Kits

Item #	Description	Refill Kit (contents only)
SPKU-95	95-Gallon Kit/ Universal	RSPKU-95
SPKU-95-WD	95-Gallon Kit/ Universal w/ Wheels	RSPKU-95
SPKO-95	95-Gallon Kit/ Oil-Only	RSPKO-95
SPKO-95-WD	95-Gallon Kit/ Oil-Only w/ Wheels	RSPKO-95
SPKHZ-95	95-Gallon Kit/ HazMat	RSPKHZ-95
SPKHZ-95-WD	95-Gallon Kit/ HazMat w/ Wheels	RSPKHZ-95
A95OVER	Empty 95-Gallon OverPack (see p37)	n/a
A95OVER-WD	Empty 95-Gallon OverPack w/ Wheels (see p37)	n/a

65-Gallon Spill Kit

Contents pre-packed in X-rated DOT-approved 65-Gallon OverPack (UN 1H2/X200/S). Available for Universal, Oil-Only and HazMat use. Content-only Refill Kit available.

Kit Contents:

- 40 – 15"x19" Pads
- 6 – 3"x8" Socks
- 10 – 3"x4' Socks
- 6 – 18"x18" Pillows
- 2 – Pair Nitrile Gloves
- 3 – Yellow Disposal Bags & Ties
- 1 – Spill Kit Label

SPKO-65



50-Gallon Spill Kit

Contents pre-packed in X-rated DOT-approved 50-Gallon OverPack (UN 1H2/X125/S) with two wheels and built-in handle. Available for Universal, Oil-Only and HazMat use. Content-only Refill Kit available.

Kit Contents:

- 100 – 15"x19" Pads
- 6 – 3"x4' Socks
- 4 – 18"x18" Pillows
- 2 – Pair Nitrile Gloves
- 3 – Yellow Disposal Bags & Ties
- 1 – Emergency Response GuideBook
- 1 – 7" Epoxy Putty Stick
- 1 – 6" Light Stick
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label

SPKHZ-50-WD



65-Gallon Spill Kits

Item #	Description	Refill Kit (contents only)
SPKU-65	65-Gallon Kit/ Universal	RSPKU-65
SPKO-65	65-Gallon Kit/ Oil-Only	RSPKO-65
SPKHZ-65	65-Gallon Kit/ HazMat	RSPKHZ-65
A65OVER	Empty 65-Gallon OverPack (see p37)	n/a

50-Gallon Spill Kits

Item #	Description	Refill Kit (contents only)
SPKU-50-WD	50-Gallon Kit/ Universal w/ Wheels	RSPKU-50
SPKO-50-WD	50-Gallon Kit/ Oil-Only w/ Wheels	RSPKO-50
SPKHZ-50-WD	50-Gallon Kit/ HazMat w/ Wheels	RSPKHZ-50
A50OVER-WD	Empty 50-Gallon OverPack w/ Wheels (see p37)	n/a

30-Gallon Spill Kit

Contents pre-packed in X-rated DOT-approved 30-Gallon OverPack (UN 1H2/X100/S). Available for Universal, Oil-Only and HazMat use. Content-only Refill Kit available.

Kit Contents:

- 25 – 15"x19" Pads
- 4 – 3"x4' Socks
- 4 – 18"x18" Pillows
- 1 – Pair Nitrile Gloves
- 3 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Emergency Response GuideBook
- 1 – Spill Kit Label

SPKU-30



20-Gallon Spill Kit

Contents pre-packed in X-rated DOT-approved 20-Gallon OverPack (UN 1H2/X75/S). Available for Universal, Oil-Only and HazMat use. Content-only Refill Kit available.

Kit Contents:

- 25 – 15"x19" Pads
- 4 – 3"x4' Socks
- 2 – 18"x18" Pillows
- 1 – Pair Nitrile Gloves
- 2 – Yellow Disposal Bags & Ties
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label

SPKU-20



30-Gallon Spill Kits

Item #	Description	Refill Kit (contents only)
NEW SPKU-30	30-Gallon Kit/ Universal	RSPKU-30 NEW
NEW SPKO-30	30-Gallon Kit/ Oil-Only	RSPKO-30 NEW
NEW SPKHZ-30	30-Gallon Kit/ HazMat	RSPKHZ-30 NEW
NEW A30OVER	Empty 30-Gallon OverPack (see p37)	n/a

20-Gallon Spill Kits

Item #	Description	Refill Kit (contents only)
SPKU-20	20-Gallon Kit/ Universal	RSPKU-20
SPKO-20	20-Gallon Kit/ Oil-Only	RSPKO-20
SPKHZ-20	20-Gallon Kit/ HazMat	RSPKHZ-20
A20OVER	Empty 20-Gallon OverPack (see p37)	n/a

Spill Kits

5-Gallon Spill Kit

Contents are pre-packaged in a DOT-approved 5-Gallon OverPack (UN 1H2/Y1.5/30) for transporting liquids. Available for Universal, Oil-Only and HazMat use.

Kit Contents:

- 10 – 15" x 19" Pads
- 2 – 3" x 4' Socks
- 1 – Yellow Temporary Disposal Bag & Tie
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 1 – Spill Kit Label



NEW

5-Gallon Spill Kit

Item #	Description	Refill Kit (contents only)
<input checked="" type="checkbox"/> NEW SPKU-5	5-Gallon Kit/ Universal	n/a
<input checked="" type="checkbox"/> NEW SPKO-5	5-Gallon Kit/ Oil-Only	n/a
<input checked="" type="checkbox"/> NEW SPKHZ-5	5-Gallon Kit/ HazMat	n/a
NEW A5OVER	Empty 5-Gallon Pail w/Screw-Top Lid (see p37)	n/a

Spill Kaddie Kit

Back by popular demand, this wheeled Kit makes spill response quick, while interior shelves and easy-view compartments keep supplies at-hand and organized. Features top and bottom handles for carrying or wheeling. Lockable for added safety. Fits through narrow aisles and doorways.

Kit Contents:

- 100 – 11" x 13" Pads (refills can be found on pages 5, 7 and 19)
- 6 – 3" x 4' Socks
- 4 – 8" x 18" Pillows
- 3 – Yellow Disposal Bags & Ties
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 1 – 7" Epoxy Stick
- 1 – Emergency Response GuideBook
- 1 – Spill Kit Label



NEW

SPKHZ-KAD

Spill Kaddie Kit

Item #	Description	Refill Kit (contents only)
<input checked="" type="checkbox"/> NEW SPKU-KAD2	Spill Kaddie Kit/ Universal	RSPKU-KAD NEW
<input checked="" type="checkbox"/> NEW SPKO-KAD2	Spill Kaddie Kit/ Oil-Only	RSPKO-KAD NEW
<input checked="" type="checkbox"/> NEW SPKHZ-KAD2	Spill Kaddie Kit/ HazMat	RSPKHZ-KAD NEW
NEW A-KADDIE	Empty Spill Kaddie (see p37)	n/a

Spill Cart Kit

Easy-to-locate, bright-Yellow 15-cubic foot wheeled container rolls quickly to a spill site. 31" width fits easily through doorways and aisles. Can also be moved with a forklift. Lockable to protect contents. UV-inhibited polyethylene Utility Box with rounded lid can be used outdoors.

Utility Box with 5" wheels is ideal for smooth or indoor surfaces; Utility Box with 8" pneumatic wheels are ideal for outdoor or rough surfaces. Content-only Refill Kits available.



NEW

SPKO-CART5

Universal Kit Contents:

- 160 – 15" x 19" Pads • 30 – 3" x 4' Socks
- 10 – 3" x 8' Socks • 112 – Wipers
- 4 – Yellow Disposal Bags & Ties • 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles • 1 – Spill Kit Label
- 1 – Emergency Response GuideBook
- Absorbs up to 96.6 gallons

Oil-Only Kit Contents:

- 100 – 15" x 19" Pads • 4 – 5" x 10' Booms
- 2 – 8" x 20' Sock/Net Booms
- 4 – 8" x 18" Pillows • 2 – 6" x 16" x 21" Net Pillows
- 4 – Yellow Disposal Bags & Ties • 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles • 1 – Spill Kit Label
- 1 – Emergency Response GuideBook
- Absorbs up to 124.2 gallons

HazMat Kit Contents:

- 100 – 15" x 19" Pads • 15 – 3" x 4' Socks
- 3 – 3" x 8' Socks • 2 – 5" x 10' Sock/Net Booms
- 7 – 18" x 18" Pillows • 4 – Yellow Disposal Bags & Ties
- 1 – Pair Nitrile Gloves • 1 – Pair Safety Goggles
- 1 – Spill Kit Label • 1 – Emergency Response GuideBook
- Absorbs up to 85.5 gallons

Spill Cart Kit

Item #	Description	Refill Kit (contents only)
<input checked="" type="checkbox"/> NEW SPKU-CART5	Spill Cart Kit/ Universal w/ 5" Wheels	RSPKU-CART NEW
<input checked="" type="checkbox"/> NEW SPKU-CART8	Spill Cart Kit/ Universal w/ 8" Wheels	RSPKU-CART NEW
<input checked="" type="checkbox"/> NEW SPKO-CART5	Spill Cart Kit/ Oil-Only w/ 5" Wheels	RSPKO-CART NEW
<input checked="" type="checkbox"/> NEW SPKO-CART8	Spill Cart Kit/ Oil-Only w/ 8" Wheels	RSPKO-CART NEW
<input checked="" type="checkbox"/> NEW SPKHZ-CART5	Spill Cart Kit/ HazMat w/ 5" Wheels	RSPKHZ-CART NEW
<input checked="" type="checkbox"/> NEW SPKHZ-CART8	Spill Cart Kit/ HazMat w/ 8" Wheels	RSPKHZ-CART NEW
NEW A-UTILITYBOX5	Empty Utility Box w/ 5" Wheels	n/a
NEW A-UTILITYBOX8	Empty Utility Box w/ 8" Wheels	n/a

Fleet Kit

Compact Kit has everything needed to handle small spills on the road. Packed in a sturdy Nylon bag for security on the go. Small size is ideal for use in fleet vehicles.

Kit Contents:

- 50 – 11" x 13" Pads (refills sold on page 5, 7 and 19)
- 2 – 3" x 4' Socks
- 1 – Yellow Temporary Disposal Bag & Tie
- 2 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles
- 1 – Tub Plug 'N' Dike Putty
- 3 – Reflective Triangles
- 1 – Pack of Assorted Wooden Plugs
- 1 – Spill Kit Label



Absorbs up to **8.6 Gallons**

NEW

SPKO-FLEET

Fleet Kit			
Item #	Description	Refill Kit (contents only)	
NEW SPKU-FLEET	Fleet Kit/Universal	n/a	
NEW SPKO-FLEET	Fleet Kit/Oil-Only	n/a	
NEW SPKHZ-FLEET	Fleet Kit/HazMat	n/a	
NEW A-YTOTE	Empty Tote Bag (see p37)	n/a	

Trucker Kit

Handle All Types of Spills With This Portable Kit

This handy kit features a compact design that easily fits behind the seat of a truck for quick response. Ideal for the smaller types of spills that truckers encounter on a regular basis. Available in Universal, Oil-Only and HazMat versions.

Absorbs up to **8.8 Gallons**



Kit Contents:

- 20 – 15"x19" Pads
- 3 – 3"x4' Socks
- 1 – Disposal Bag & Tie
- 1 – Pair Nitrile Gloves
- 1 – Pair Safety Goggles

Trucker Spill Kit			
Item #	Description	Refill Kit (contents only)	
NEW SPKU-TRK	Trucker Kit/Universal	n/a	
NEW SPKO-TRK	Trucker Kit/Oil-Only	n/a	
NEW SPKHZ-TRK	Trucker Kit/HazMat	n/a	

5-Gallon HazMat Pouch Kit

Transporting Bottles, Vials or Containers Just Got Easier

LabPack any liquid up to moderate hazard, and the Yellow HazMat Particulate that is sandwiched between a heavy plastic liner and an absorbent spunbond layer will protect it. Use the included ties to close the top, seal inside the UN-approved 5-gallon overpack for transporting liquids, label it (included) and send it anywhere!

Refills sold separately: OP25 includes 5 pouches and 10 ties; OP210 includes 10 pouches and 20 ties.



Absorbs up to **2.2 Gallons**

NEW

SPKHZ-50P

5-Gallon HazMat Pouch Kit				
Item #	Description	Units/Pkg	Absorbs/Pkg	
NEW SPKHZ-50P	5-Gallon Pouch Kit/HazMat	1	2.2 gal.	
NEW OP25	5-Gallon Pouch Kit Refill	5	11.0 gal.	
NEW OP210	5-Gallon Pouch Kit Refill	10	22.0 gal.	
NEW A5OVER	Empty 5-Gallon Pail w/ Screw-Top Lid	1	n/a	

Specialty Kits

Mercury Spill Kit

This highly-effective Spill Kit provides outstanding mercury vapor control. Includes vapor suppressors, a mercury aspirator, PPE and mercury disposal containers. Kit requires no mixing.



MERC-KIT

Battery Acid Spill Kit

Contains everything needed to handle battery acid hazards — even PPE.

Kit Contents:

- 3 - 3" x 4' Socks
- 40 - 15" x 19" Pads
- 3 - 18" x 18" Pillows
- 1 - Pair Neoprene Gloves
- 1 - Pair Safety Goggles
- 2 - 2 lb. Acid Neutralizing Sorbent Shaker Cartons
- 2 - Yellow Disposal Bags & Ties

SPKHZ-BATT

NEW

Absorbs up to **23.8 Gallons**



Specialty Kits			
Item #	Description	Refill Kit (contents only)	
NEW MERC-KIT	Mercury Spill Kit	n/a	
NEW SPKHZ-BATT	Battery Acid Spill Kit	RSPKHZ-BATT	
NEW A20OVER	Empty 20-Gallon OverPak (see p37)	n/a	

Spill Kits

Drum Repair Kit



Repairs Punctures, Cracks, Gashes or Surface Rotting

Drum Repair Kit contains components to make small repairs to containers that can leak liquid or bulk hazardous material. Covers cracks, hairline cracks and small holes in any type of low-pressure vessel. Kit features screw and "T" patches, ball and taper surface plugs, epoxy putty, lead wool, barrier tape, wood plugs and all tools and hardware.

*This item is drop-shipped from vendor.

Drum Repair Kit

Item #	Description	Units/Pkg	Weight/Pkg
NEW R-DRUM	Drum Repair Kit	1	20 lbs.

Leak Repair Kit



Our Most Advanced Leak Control Kit

This advanced Leak Repair Kit employs a quick-application "T" patch and proven ladder patch design to tackle an average forklift-caused puncture. The Kit also contains various plugs and patches for smaller holes and all necessary tools and hardware for effective leak control.

*This item is drop-shipped from vendor.

Leak Repair Kit

Item #	Description	Units/Pkg	Weight/Pkg
NEW R-LEAK	Leak Repair Kit	1	33 lbs.

Pipe Repair Kit

Keep This Kit on Stand-by to Control Pipe Leaks

Contains a complete set of external pipe bandages as well as extra hard and soft neoprene rubber external pipe bandages for help where you may need it. Kit includes all necessary tools and a carrying case for easy handling and usage. Typical uses include water pipes, gas lines, air lines, fuel transfer pipes, chemical transfer lines and sewer pipes. Unlimited uses in municipal departments, chemical plants, manufacturing facilities, hospitals, oil fields, water and sewer treatment plants and anywhere a pipe or line is used.

R-PIPE-S covers pipe sizes from 1/2" - 4", contains 10 patches.

R-PIPE-L covers pipe sizes from 5" - 8", contains 3 patches.



Just wrap bandage around pipe and tighten the clamp.

Pipe Repair Kit

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW R-PIPE-L	Pipe Repair Kit	For 5" to 8" pipes	1	34 lbs.
NEW R-PIPE-S	Pipe Repair Kit	For .5" to 4" pipes	1	22 lbs.

*These items are drop-shipped from vendor.

Customize a Spill Kit with Exactly What You Need

If you don't see a Spill Kit on pages 32-35 that meets your needs, we'll build one for you! You can choose the container you want (see below) and fill it with the contents you need — right down to the last Sock! Just contact your local Distributor with the specifications, and we will do the rest.

There's no upcharge for this service, so take advantage of this easy way to customize your spill response plan. Order exactly what you want and avoid paying for sorbents or PPE that you don't really need. Customize your Kit today ... and don't forget the accessories! (see pages 38-40)

Spill Cart

Large, heavy-duty Carts are forkliftable and lockable. Hinged double-walled lid is sloped to shed rain; closes tightly to keep out water and dirt. Available with 5" rubber wheels for smooth surfaces or 8" pneumatic wheels for rough terrain.



A-UTILITYBOX5

Tote Bag



A-YTOTE

Soft-sided duffel bag is ideal for grab-and-go convenience. Nylon bag with zipper closure. "Spill Responder" printed on one side.

Spill Kaddie



A-KADDIE

Handy kit on wheels for quick response, even through narrow aisles and doorways. Spill Kaddie features interior shelves and compartments to keep supplies organized. Double-wall molded, lockable and water-resistant.

OverPacks vs Salvage Drums

An OverPack is any container that goes over or around another intact, undamaged container. A Salvage Drum meets stricter standards that certify it for material transport. Both types of containers must meet size and volume requirements and pass stack and drop tests. However, a Salvage Drum must also pass a pressure test and be stamped "Salvage" or "Salvage Drum."



OverPacks

DOT-Approved for Salvage

All SpillTech® OverPacks are DOT-approved and X-rated for use as salvage drums. Helps companies conform to federal regulations when shipping damaged or leaking containers of hazardous materials, or absorbents contaminated with hazardous substances.

100% Polyethylene Construction

OverPacks are sturdy and chemical-resistant for years of use. Integrated handles make them easy to lift, move or carry. Also, you can avoid the extra expense of a dolly when you buy a wheeled OverPack, which provides you with great versatility in a single integrated product.



Spill Kits

HYC Helps you comply with 49 CFR 173.3(c)(1), 49 CFR 173.12(b) and 49 CFR 173.12(b)(2)(iv). See page 48 for details.

OverPacks & Containers

Item #	Description	Size	Weight/Pkg
NEW A-KADDIE	Empty Spill Kaddie	40"Hx20"Wx20"D	38 lbs.
NEW A-UTILITYBOX5	Empty Spill Cart w/ 5" Wheels	48"Hx31"Wx31.5"D	129 lbs.
NEW A-UTILITYBOX8	Empty Spill Cart w/ 8" Wheels	48"Hx31"Wx31.5"D	154 lbs.
A95OVER	Empty 95-Gal. OverPack	31.75" diam., 41.5"H	48 lbs.
A95OVER-WD	Empty 95-Gal. OverPack w/ Wheels	32" diam., 47"H	56 lbs.
A65OVER	Empty 65-Gal. OverPack	28.25" diam., 37.37"H	45 lbs.
A50OVER-WD	Empty 50-Gal. OverPack w/ Wheels	24.5" diam., 39.5"H	38 lbs.
NEW A30OVER	Empty 30-Gal. OverPack	23" diam., 30"H	13 lbs.
A20OVER	Empty 20-Gal. OverPack	23" diam., 19"H	10 lbs.
NEW A5OVER	Empty 5-Gallon Pail w/ Screw-Top Lid	12" diam., 16.75"H	4.5lbs.
NEW A-YTOTE	Empty Tote Bag	20"Lx17"Wx8"D	.06 lb.

Neoprene Gloves



A-GLV-NEO

Fully-coated Neoprene Gloves won't fail when exposed to chemicals — even when completely submerged. 2-piece interlock liner for flexibility and integrity. Excellent wet grip. 14" fully-coated gauntlet. Ideal for refinery applications, chemical handling and more.

Nitrile Gloves



A-GLV-NIT

More chemical-resistant than rubber gloves, with better puncture and abrasion resistance than PVC gloves. Heavy-duty non-slip grip. Light, cool and comfortable Gloves are ideal for use in food and chemical processing, machine operations and general maintenance applications.

Dust Mask



A-MASK

An economical, disposable Mask for nuisance dusts such as animal dander, pollen or powders at exposures below OSHA Limits. Constructed of filtration fabric that catches airborne dust and particulates.

HeadGear w/FaceShield



A-FACEGEAR

FaceShield guards against light impact, sparks and splashes; resists chemicals. Adjustable HeadGear has heat-resistant browguard and sweatband. Replacement FaceShield also available.

Level D Protection Coveralls

Coveralls provide a true aerosol and liquid-proof barrier and ensure a >99% holdout of particles down to 0.35 microns. Cloth-like fabric is durable and breathable. Resist water, oil and solvents. Non-sparking zipper front, stand-up collar and elastic wrists and ankles. Level D.



A-COVERALLS

Tychem Coveralls

Multi-layer Saranex® film provides barrier protection from hazardous liquids, toxic chemicals and minute particles. Coveralls feature a non-sparking 26" polyester zipper front with a storm flap that has a sticky tape closure. Elasticized collar, wrists and ankles. High tensile and shear strength in all directions; abrasion and puncture resistant. Level B-C.



A-TYCHEMSUIT

Latex Boots



A-LATEXBOOTS

These Latex Boots go over work boots or shoes for use in spill response and around hazardous and toxic waste. Disposable 0.70 mm gauge Yellow latex rubber protects against harsh liquid splashes. Smooth-finished inside for easy on/off; non-skid sole. Individually packaged pairs.

NOTE: Not for daily wear; dispose of boots after contamination.

Nitrile Apron

Nitrile/cotton blend Apron provides excellent liquid protection against oils, fats, chemicals, acids and greases. Outstanding abrasion and cut resistance. Adjustable neckstrap and waist ties attach to grommets for one-size-fits-all sizing.



A-APRON

Safety Goggles



A-GOG

Light-weight, comfortable design. ANSI-compliant for impact protection. Frame made from sturdy PVC plastic; scratch-resistant polycarbonate lens.

Spill Kit Accessory Items


Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW A-GLV-NEO	Gloves - Neoprene	Large	1 pair	.2 lb.
A-GLV-NIT	Gloves - Nitrile	One Size Fits All	1 pair	.2 lb.
NEW A-MASK	Dust Mask	One Size Fits All	1	.1 lb.
NEW A-FACEGEAR	HeadGear w/FaceShield	Adjustable	1	.8 lb.
NEW A-FACESHIELD	Replacement FaceShield	n/a	1	.4 lb.
NEW A-COVERALLS-M	Coveralls-Level D	Medium	1	.8 lb.
NEW A-COVERALLS-L	Coveralls-Level D	Large	1	.8 lb.
NEW A-COVERALLS-XL	Coveralls-Level D	X-Large	1	.8 lb.
NEW A-TYCHEMSUIT-M	Coveralls-Tychem	Medium	1	1 lb.
NEW A-TYCHEMSUIT-L	Coveralls-Tychem	Large	1	1 lb.
NEW A-TYCHEMSUIT-XL	Coveralls-Tychem	X-Large	1	1 lb.
NEW A-LATEXBOOTS	Latex Boots	X-Large	1 pair	.6 lb.
NEW A-APRON	Apron - Nitrile	One Size Fits All	1	2 lbs.
A-GOG	Safety Goggles	One Size Fits All	1	.2 lb.

Acid Neutralizing Sorbent



Visible color change signifies complete neutralization of acids; absorbs and solidifies liquids. Not for use with hydrofluoric acid. Environmentally friendly.

Emergency Response GuideBook



This Emergency Response GuideBook is a great source of information for responding quickly to spills of all types. Helps identify hazards and materials in an accident. Color-coded and indexed so it's quick and easy to find the information you need.

Broom and Dustpan



Broom Head features low-water absorption polyester bristles. Choose 12" or 24" length Broom Handle with polyester gel-coat and European-thread fitting. One-piece Dustpan features raised handle design with thumb grip.

Epoxy Putty



This versatile Putty can be used to make emergency patches and repairs to a wide variety of materials. It adheres to steel, glass, metals, masonry, wood and many plastics. Sets in 20 minutes — hard as cement in an hour. Store unused Putty in re-sealable tube. Solvent-free, non-toxic.

Non-Sparking Shovel

Specifically designed for spill kits and industrial clean-up applications, this patented two-piece Shovel is constructed of rugged polypropylene for chemical resistance. Will not rust or corrode. Blade contains an anti-static agent to prevent sparking. Disassembles for easy storage. Extended D-grip handle.



SuperSorbent Loose Sorbent



SuperSorbent Loose Sorbent instantly soaks up liquids to leave surfaces completely dry and reduce slip and fall injuries. Super-concentrated formula absorbs 10 to 12 times more liquid than traditional clay products. Won't harm the environment.

pH Tester Kit



Direct-reading, general-purpose pH paper gives instant pH checks over the entire range as it changes to 14 brilliant, distinct colors on 1 paper. Kit includes color chart, dispenser and polyethylene case.

Plug & Dike Epoxy



Non-toxic, non-flammable blend forms an immediate seal when applied. Works with fuels, solvents, paints, and water-based chemicals.

Wooden Plugs



Plugs are edged and pre-shaped. Can be covered with a sorbent pad and pushed into a leak zone; the wood and pad expand together to fill the hole. Assorted sizes; nine Plugs per package.

Spill Kit Accessory Items

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW ANS1	Acid Neutralizing Sorbent	2-lb. Shaker	1	.2 gal.
NEW ANS12	Acid Neutralizing Sorbent	2-lb. Shakers	12	2.4 gal.
NEW ANS5	Acid Neutralizing Sorbent	5-gal. Pail	1	2.5 gal.
NEW SS1	SuperSorbent Loose Sorbent	28-oz. Shaker	1	.6 gal.
NEW SS12	SuperSorbent Loose Sorbent	28-oz. Shakers	12	7.0 gal.
NEW A-PHTEST	pH Tester Kit	50'L Tape	1	n/a
A-EGB	Emergency Response GuideBook	384 Pages	1	n/a
A-EPOXY	Epoxy Putty	7" Stick	1	n/a
A-P&D	Plug & Dike Epoxy	3.5" diam., 2.5"H, 1lb.	1	n/a
NEW A-WOODPLUGS	Wooden Plugs	Assorted	9	n/a
NEW A-DUSTPAN	Dustpan	12.5"Lx 11.5"Wx2"H	1	n/a
NEW A-BROOM-L	Broom w/ Long Handle	1.5"Lx9.5"Wx24"H	1	n/a
NEW A-BROOM-S	Broom w/ Short Handle	1.5"Lx9.5"Wx12"H	1	n/a
NEW A-SHOVNS	Non-Sparking Shovel	Blade: 10.5"Wx14"H Overall: 43.5"H	1	n/a

Turn the page for more Spill Kit accessories.

FineFiber Mat

These sorbent Pads are specially sized for stocking your SpillTech® Spill Kit. FineFiber Mat has a layer of MeltBlown polypropylene ultrasonically sandwiched between two FineFiber layers, so it's virtually indestructible. Increased surface area enables the mat to grip surfaces securely.

WPF1113H



Wipers

General-purpose quarterfold Wiper provides cloth-like softness and excellent liquid absorption that's ideal for most tasks. Quickly absorbs spills and leaks and handles routine industrial cleaning and maintenance with ease.

NEW A-WIPER



Reflective Triangles

Highly reflective Triangles alert traffic of a hazard or emergency. Features three hi-visibility 17½" plastic edges with reflectors on both sides; weighted base. Withstands 40 mph wind test. Meets DOT FMV55125. Storage case included.



A-TRI

Safety LED Light

Emits super-bright beacon light in all directions; can be seen for miles. Features nine flash patterns and solid-on mode. High-grade military polymer shell can withstand being run over by a truck. Battery operated; Can be used in hot or freezing temperatures and underwater.




A-POWERFLARE

This item drop ships from vendor.

Light Stick

Disposable Light Stick requires no batteries or electricity, and contains no toxic chemicals. Just bend Stick to illuminate; glows for hours.



A-LIGHTSTICKS

Light Stick when lit

Hazard Labels Set

Paper Labels with pressure-sensitive adhesive. Printed with light-fast inks for high durability. 4"x 4" Labels read: "Flammable Liquid," "Flammable Solid," "Corrosive" and "Oxidizer"; 6"x 6" Label reads "Hazardous Waste." Set includes one of each label.



A-LABELS

Temporary Disposal Bag

Large-size Disposal Bag is printed with "Caution Handle with Care".

3-mil thick to resist punctures. Ideal for use with 55-gallon drums. Includes self-locking ties. Compatible with oil, water and solvents.



A-DISP BAG

Spill Station Sign



A-SIGN

Vinyl construction with adhesive backing sticks to smooth, curved and irregular surfaces. Identifies spill kit locations so they can be easily located in the event of a spill.

Spill Kit Accessory Items

Item #	Description	Size	Units/Pkg	Absorbs/Pkg
NEW WPF1113H	FineFiber/Oil-Only HeavyWeight Pads	11"x13"	100	18.1 gal.
NEW GPF1113H	FineFiber/Universal HeavyWeight Pads	11"x13"	100	18.1 gal.
NEW YPF1113H	FineFiber/HazMat HeavyWeight Pads	11"x13"	100	18.1 gal.
NEW A-WIPER	Wipers	14.4"x12.5"	56	n/a
NEW A-TRI	Reflective Triangle	17.5" sides, 16.5"H	3	n/a
NEW A-POWERFLARE	Safety LED Light	Red LED/ Yellow Shell	1	n/a
A-LIGHTSTICKS	Light Stick	6"L	1	n/a
NEW A-LABELS	Hazard Labels Set	Assorted	5	n/a
NEW A-DISP BAG	Temporary Disposal Bag	30"Wx 6"Dx60"H	1	n/a
A-SIGN	Spill Control Station Sign	7"Hx10"W	1	n/a

DrainCovers



Tough, Reversible DrainCovers in Two Sizes

These tough but easy-to-handle DrainCovers are made of solid polyurethane. They're tacky on both sides, so either side can be used for forming a tight seal to block contaminants.

Reusable DrainCovers are Chemical-Resistant

More chemical-resistant than rubbers or plastics, DrainCovers stand up to a wide range of chemicals, solvents and oils. Reusable; can be washed and stored in the handy, portable box.

HYC Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 48 for details.

DrainCovers

Item #	Description	Size	Units/Pkg
ADC36-R	36" DrainCover	36"Lx36"Wx.25"H	1
ADC42-R	42" DrainCover	42"Lx42"Wx.25"H	1

SpillCurb Containment Berm

Non-absorbent Berm Diverts Liquids

This sturdy, flexible 100% polyurethane Berm stands up to oils, coolants, solvents and water. The tacky bottom grips smooth surfaces. Ideal for applications where you want to divert or redirect liquids without absorbing them.

Keep it Handy

Store near spill-prone areas since it's quick and easy to deploy. Cleans easily with soap and water for reuse.


Customize Your Curb

Combine 10' lengths of SpillCurb with Corners and Connectors to fit any area.

SpillCurb

Item #	Description	Size	Units/Pkg
MR8014	SpillCurb	10'Lx3.75"Wx2.25"H	1
MR8018	SpillCurb Corner	4"Lx4"Wx2.25"H	1
MR8019	SpillCurb Connector	4"Lx2.25"W	1

Connectable Spill Berm



Simple, versatile design makes this Berm a "snap" to use when connecting several Berms together to contain larger spills.

Easily Bends to Fit any Angle or Curve

Made of flexible 100% polyurethane elastomer so it's non-absorbent and resistant to a wide variety of chemicals and fluids.


Sturdy and Reusable

Interlocking ends connect individual sections to create longer lengths so you can contain almost any spill. Just clean it with soap and water and it's ready to reuse.

HYC Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 48 for details.

Connectable Spill Berm

Item #	Description	Size	Units/Pkg
SPB10C	Connectable Spill Berm	10'Lx2.25"Wx1.375"H	1



HYC Helps you comply with 40 CFR 112.7(c)(1) and 40 CFR 263.30(a). See page 48 for details.



Ultra-DrainGuard®

Ultra-DrainGuard® removes waste from stormwater before it can become a problem in the water system. This oil and sediment filtering product removes up to .87 gallons of hydrocarbons as well as dirt, sand and other contaminants.

Designed for use in industrial facilities, construction sites, retail facilities and parking lots where polypropylene geotextiles collect oil, fuel and other contaminants that drip from cars.

This item drop ships from vendor.



Helps you comply with 40 CFR 122.26. See page 48 for details.

Ultra-DrainGuard®

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ULT9217	Ultra-DrainGuard® - Oil & Sediment	48"Lx36"Wx18"H	1	2 lbs.
NEW ULT9218	Ultra-DrainGuard® - Oil & Sediment	48"Lx36"Wx18"H	10	20 lbs.



Ultra-GutterGuard®

Use in areas with high stormwater flow to prevent pollutants and debris from entering storm drains. Unique, multi-dimensional outer filter combined with rigid inner frame maintains a low profile

to prevent damage from vehicular traffic. Allow 12" overlap on each side of drain. *This item drop ships from vendor.*



Helps you comply with 40 CFR 122.26. See page 48 for details.

Ultra-GutterGuard®

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ULT9320	Ultra-GutterGuard®	9" diam. x 8'L	1	19 lbs.
NEW ULT9321	Ultra-GutterGuard®	9" diam. x 10'L	1	24 lbs.
NEW ULT9322	Ultra-GutterGuard®	9" diam. x 12'L	1	28 lbs.



Ultra-CurbGuard®

For use with curb openings without street grates, Ultra-CurbGuard® conforms to the shape of the curb for maximum performance. Patented design allows clean

water to flow through while trapping sediment and oil. Built-in overflow capabilities. Order length to exceed inlet opening by 2'.

This item drop ships from vendor.



Helps you comply with 40 CFR 122.26. See page 48 for details.

Ultra-CurbGuard®

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ULT9266-OS	Ultra-CurbGuard® - Oil & Sediment	4" diam. x 8'L	1	18 lbs.
NEW ULT9267-OS	Ultra-CurbGuard® - Oil & Sediment	4" diam. x 10'L	1	20 lbs.
NEW ULT9268-OS	Ultra-CurbGuard® - Oil & Sediment	4" diam. x 12'L	1	24 lbs.



NEW

Commercial Silt Fence

Commercial-Grade Silt Fencing Allows Water to Pass While Trapping Valuable Soil

Premium quality Commercial Silt Fence is specially designed to impede silt and sediment (very fine soil particles) from washing away from the “protected” area during storm events or other water-related or erosion-related events. The Fence allows water to pass through while retaining silt and other matter, thereby protecting streams, lakes and other waterways from build up of silts and sediments.

Durable construction

It also keeps adjoining roadways and properties from the same buildup and dispersion of eroded soils. Constructed from 72 gsm. UV stabilized black “tape-tape” commercial-grade fabric; made from 100% polypropylene. The fabric is identified using red marker yarns, also UV stabilized. 36" x 100' Fence includes 11 hardwood stakes. The fence is attached to stakes using 5 staples per stake.



NEW

Orange Safety Fence

Ideal for Temporary Enclosures

This strong, highly visible Fence is the ideal choice for construction sites, industrial facilities, crowd control, delineation, debris control and as a visual barrier. Lightweight yet durable, 100% high-visibility Orange polypropylene construction makes this Fence ideal for temporary enclosures.

UV-Stabilized Fence is Easy to Install

Reusable Fence resists sagging and is UV stabilized for long outdoor life. 48" H x 100' L. Can be cut to size. Easy to install; installation of Safety Fence does not require wooden stakes. The product can be installed by attaching it to metal posts and securing it with wire ties (posts and ties not included).

Commercial Silt Fence

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ERO36100	Commercial Silt Fence	36"Hx100'L w/ 11 stakes	1	23.8 lbs.

Orange Safety Fence

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ERO48100	Orange Safety Fence	48"Hx100'L	1	5 lbs.

TreeSaver Safety Fence

Protect Delicate Landscaping by Creating a Strong Barrier Around It

Constructed of woven polypropylene, this highly visible orange fabric fence is used to identify planted areas and prevent destruction to planted trees.

This fabric can also be used for highlighting particular areas in construction sites or for crowd control.

48" H x 100' L fence is easy to install with included hardwood stakes.



NEW

TreeSaver Safety Fence

Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ERO48100-TR	TreeSaver Safety Fence	48"Hx100'L w/ 11 stakes	1	27.6 lbs.

Stormwater Management

Roof and Pipe Leak Diverters



Roof Leak Diverters

Large, vinyl-coated fabric catches roof leaks and channels them away from offices and equipment through a standard hose hookup. Lightweight material is also flame retardant.

LD1010 is 10'L x 10'W;
LD55 is 5'L x 5'W.

Pipe Leak Diverters

Keep fluid leaks off the floor while eliminating slip hazards and chemical exposure. Large 18" diameter opening captures pipe leaks and channels them away from plant personnel and machinery.

*These items are drop-shipped from vendor.



All Leak Diverters are designed to easily connect to a standard garden hose which can be directed to a proper drainage point.

Roof and Pipe Leak Diverters

	Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW	LD1818	Pipe Leak Diverter	18"Lx18"W	1	3 lbs.
NEW	LD55	Roof Leak Diverter	5'Lx5'W	1	4 lbs.
NEW	LD1010	Roof Leak Diverter	10'Lx10'W	1	11 lbs.

Prowler™ Spill Containment Pools



Step 1: Remove and open Prowler™ Pool.



Step 2: Position Pool underneath spill source.



Step 3: Pool contains up to 150 gallons of liquid.

Containment Pools

Compact and portable, Prowler™ Pools are ideal for containing spills when you're on the road or anywhere you spring a leak. Constructed of high-density polyethylene tapes, Pools offer excellent resistance to many chemicals. Available in four sizes.

Store your Prowler™ Pool in a Poly-Edge Storage Unit. See page 47.

ENP5



HYC Helps you comply with 40 CFR 263.30(a). See page 48 for details.

Prowler™ Pools

Item #	Description	Size	Sump Capacity
ENP5920	Prowler™ Pool	28" base x 13"H x 18" opening	20.0 gal.
ENP5966	Prowler™ Pool	48" base x 14"H x 36" opening	66.0 gal.
ENP5900	Prowler™ Pool	48" base x 18"H x 32" opening	100.0 gal.
ENP5950	Prowler™ Pool	60" base x 18"H x 44" opening	150.0 gal.

Workstations™



ENP5115

PLEASE NOTE: Workstation units are not designed to be used with forklifts.



ENP5110

ENP5111

Easy-to-Load Workstations™

These 6"-high, low-profile Workstations™ are easy to load when used with the optional Ramp. Ample sump capacity means longer time between pump-outs. Tough polyethylene construction cannot rust or corrode, stands up to heavy use.

Accessories Add Versatility

Replacement Grates are available if old ones become worn or contaminated; Ramp can be attached almost anywhere to allow easy access. Join several stations with Link-Lock™ Connectors (sold in pairs).

These items drop ship from vendor.



ENP5112

Link-Lock™ Connectors let you join stations together.



ENP7006

Use Replacement Grates if old grates become contaminated.

Workstations™ and Accessories

Item #	Description	Size	Load Capacity	Sump Capacity
NEW ENP5117	2-Drum Workstation™	53"Lx28.5"Wx6"H	2400 lbs.	22.0 gal.
NEW ENP5116	4-Drum Workstation™	52.5"Lx53"Wx6"H	6000 lbs.	43.0 gal.
ENP5115	6-Drum Workstation™	76.5"Lx53"Wx6"H	7000 lbs.	61.0 gal.
ENP5110	8-Drum Workstation™	100"Lx53.25"Wx6"H	8000 lbs.	77.0 gal.
ENP7006	Replacement Grates	48"Lx23"Wx1.75"H	n/a	n/a
ENP5111	Multi-Purpose Work Ramp™	25.5"Lx48"Wx6.25"H	1000 lbs.	n/a
ENP5112	Link-Lock™ Connectors (sold in pairs)	9.6"Lx7.13"Wx3.5"H	n/a	n/a

Ultra-SpillPallets®/Economy Model



ULT1113

Low-Profile and Heavy Load Capacity

4-Drum Pallets have a low profile (11¾"H) and can hold up to 3,000 lbs. 2-Drum Pallets stand at 16½"H and have a load capacity of 1,500 lbs.

Meets Containment Requirements

Each Pallet provides a 66-gallon polyethylene sump to protect and help keep you in compliance — in the event of a small leak or complete drum failure.

Strong, Durable and Long-Lasting

All-polyethylene construction makes these Pallets lightweight and resistant to chemicals. Won't rust or corrode.



ULT2505



Helps you comply with 40 CFR 264.175. See page 48 for details.

Ultra-SpillPallets®/Economy Model

Item #	Description	Size	Load Capacity	Sump Capacity
ULT2505	2-Drum w/ Drain	53"Lx29"Wx16.5"H	1500 lbs.	66.0 gal.
ULT2504	2-Drum w/o Drain	53"Lx29"Wx16.5"H	1500 lbs.	66.0 gal.
ULT1113	4-Drum w/ Drain	53"Lx53"Wx11.75"H	3000 lbs	66.0 gal.
ULT1112	4-Drum w/o Drain	53"Lx53"Wx11.75"H	3000 lbs	66.0 gal.

SpillPal™ Portable Spill Containment



Replacement Grates (ENP7006) sold separately.

Affordable, Convenient Temporary Storage

It's hard to find comparable products on the market that are any easier to use than the flexible-sidewall SpillPal™ Portable Spill Containment. Anytime you need temporary storage in a hurry, reach for this product to meet your containment needs.

Quick, Easy Set-up

As an alternative to hard polyurethane pallets that must be moved with a forklift, the SpillPal™ is easy to move and has light foam sidewalls that spring back to their original shape after any type of pressure is applied to the product.

These items drop ship from vendor.

Easy Set-Up and Take-Down:



SpillPal™ Containment is reusable — when you're done, just fold and store. Versatile design frees up valuable floor space.

Everything you Need in a Single Package

No ramps or accessories are needed with the SpillPal™

Portable Containment deck. Flexible sidewalls spring back to form, so you can drive over them safely.

SpillPal™ Portable Spill Containment

Item #	Description	Size	Load Capacity	Sump Capacity
ENP5760	4-Drum SpillPal™	4'Lx4'Wx4"H	n/a	40.0 gal.
ENP5755	2-Drum SpillPal™	2'Lx4'Wx4"H	n/a	20.0 gal.
ENP7006	Replacement Grates	4'Lx23'Wx1.75"H	1000 lbs.	n/a

Containment Berm and Accessories

Containment Berm

Large-sized Berm is ideal for large-scale spill containment beneath tanker trucks, roll-off containers and more. Easy-to-assemble, one-piece design permits immediate response, compact storage and transport.

Features excellent rip, tear and puncture resistance for demanding applications and rough terrain. Durable and sturdy unit is constructed of chemical-resistant materials. Berm is repairable and portable. Compatible with acids, water, oils and solvents, the Berm can be cleaned after use and stored for future use.

These items drop ship from vendor.

Ground Cover

Lightweight and reusable, this Ground Cover protects Berms from truck wheels or rough terrain. The Cover is placed underneath the Berm, directly on the ground and prevents underside punctures from sharp objects.

Track Guard

Heavy-duty and reusable Track Guards protect your Containment Berm from tire abrasion. Placed inside the Berm, Track Guards allow trucks to drive in and out while protecting the berm from punctures and tears. Includes 2 Track Guards per package.



PAC1212

Fold down the sidewalls and drive right in for immediate containment. Our largest Berm holds up to 4,488 gallons of liquid!

Containment Berm & Accessories

Item #	Description	Size	Sump Capacity
NEW PAC48	Containment Berm	4'Lx8'Wx12"H	239.0 gal.
NEW PAC88	Containment Berm	8'Lx8'Wx12"H	478.0 gal.
NEW PAC1212	Containment Berm	12'Lx12'Wx12"H	1077.0 gal.
NEW PAC1212-CVR	Ground Cover for 12'x12'	15'Lx14'W	n/a
NEW PAC1212-TRK	Track Guard for 12'x12'	24'Lx12'W	n/a
NEW PAC1225	Containment Berm	12'Lx25'Wx12"H	2244.0 gal.
NEW PAC1225-CVR	Ground Cover for 12'x25'	15'Lx27'W	n/a
NEW PAC1225-TRK	Track Guard for 12'x25'	24'Lx25'W	n/a
NEW PAC1250	Containment Berm	12'Lx50'Wx12"H	4488.0 gal.
NEW PAC1250-CVR	Ground Cover for 12'x50'	15'Lx52'W	n/a
NEW PAC1250-TRK	Track Guard for 12'x50'	24'Lx50'W	n/a

HYC Helps you comply with 40 CFR 263.30(a) and 40 CFR 264.175. See page 48 for details.

Poly-Collector™ and Accessories



Poly-Drum Funnel™ — ENP3004

Fits both closed-head and open-head 55-gallon drums and other containers. Just set it in place and forget it. Features a high sidewall and bung-fitting holders.

These items drop ship from vendor.

Poly-Collector™ — ENP8075

Strong, tough 100% polyurethane outer shell holds 66 gallons. The Poly-Collector™ with the Poly-Drum Funnel™ in place prevents overspills while allowing multiple oil filters, cans or pails to drain at the same time. UV-stabilized for a long, productive work life.

These items drop ship from vendor.

Drum Dolly — ENP8050

Stout Drum Dolly has castored wheels to support the Poly-Collector™ even when it's fully loaded. Allows easy movement of drums for dispensing and emptying.

These items drop ship from vendor.

Funnel/Poly-Collector™/Dolly			
Item #	Description	Size	Units/Pkg
ENP3004	Universal Poly-Drum Funnel™	26" diam., 5.5"H	1
ENP8075	Poly-Collector™	32.5" diam., 31"H	1
ENP8050	Drum Dolly	27.5" diam., 5.5"H	1

Poly-Dolly® Portable Dispensing Station



Makes Old-Style Dispensers Obsolete

With a built-in 80-gallon sump, this amazing product virtually eliminates the need for old-style dispensers that offer no sump capacity.

Dispensing is no Longer a Risky Business

Poly-Dolly® provides a safe and easy way to transport and dispense from 55-gallon drums. 100% polyethylene design with 10" wheels.

This item drop ships from vendor.

HYC Helps you comply with 40 CFR 264.175. See page 48 for details.

Poly-Dolly®				
Item #	Description	Size	Load Capacity	Sump Capacity
NEW ENP5300	Poly-Dolly®	69"Lx32.5"Wx26.5"H	600 lbs.	80.0 gal.

Poly-Edge™

Perfect for storing Prowler™ Pools. See page 44.



Multi-Functional Storage Unit Offers Transportable Convenience

The Poly-Edge™ can be used as a truck-mounted carrier spill response unit or mounted to a wall. Lockable large-capacity unit offers versatile storage for tools, absorbents and other equipment.



Built to Last


100% polyethylene will not rust or corrode. Slotted footprint makes mounting easy. A special weather and water-resistant gasket keeps stored items dry. Offers 4,800 cubic inches of storage or 20 gallons of sump capacity. Compatible with acid, water, oils and solvents.

This item drop ships from vendor.

Poly-Edge™				
Item #	Description	Size	Units/Pkg	Weight/Pkg
NEW ENP1601	Poly-Edge™	34.75"Lx20"Wx15"H	1	14 lbs.

Containment

SpillTech® Products Can Help You Comply



Below you'll find brief summaries of the regulations encountered most often by SpillTech customers, along with a list of relevant SpillTech® Products that can help

you comply. For full information on specific compliance requirements, please refer to the Code of Federal Regulations at: www.gpoaccess.gov/cfr/index.html.

29 CFR – OSHA (Occupational Health & Safety Administration)

SpillTech® Products that Help You Comply: Mats & Sorbents (see pages 4-29) • OverPacks & Spill Kits (see pages 32-37)

29 CFR 1910.22(a)(2)

SUMMARY: Floors in your workplace should be “maintained in a clean and, so far as possible, a dry condition.”

29 CFR 1910.107(b)(3)

SUMMARY: Combustible floors in a spray booth or work area “shall be covered with noncombustible material to facilitate the safe cleaning and removal of residues.”

29 CFR 1910.107(g)(2)

SUMMARY: OSHA requires spraying areas to be “kept as free from the accumulation of deposits of combustible residues as practical.”

29 CFR 1910.120(j)(1)

SUMMARY: Commonly known as HAZWOPER, requires DOT containers and proper absorbents be kept available and used wherever spills, leaks or ruptures may occur.

29 CFR 1910.1450(e)

SUMMARY: OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

33 CFR – USCG (United States Coast Guard)

SpillTech® Products that Help You Comply: Booms • PomPoms • Net Bags • Sweeps (see pages 30-31)

33 CFR 154.1047(c)(2)

SUMMARY: Concerning navigation and navigable waters, a facility which handles, stores or transports Group V

petroleum oils must identify response plan resources such as containment booms or other methods.

40 CFR – EPA (Environmental Protection Agency)

SpillTech® Products that Help You Comply: Spill Kits (see pages 32-37)

40 CFR 112.7(c)(1)

SUMMARY: Facilities must have “appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course.”

40 CFR 122.26

SUMMARY: Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 263.30(a)

SUMMARY: Requires immediate action, such as diking the discharge area, by transporter if hazardous waste is accidentally discharged during transportation.

40 CFR 263.31

SUMMARY: A transporter must clean up any hazardous waste discharges that occur during transportation.

40 CFR 264.175

SUMMARY: A hazardous waste container must not sit in its own spill, and it must be able to hold 10% of total volume of liquid or 100% of largest container, whichever is greater.

49 CFR – DOT (Department of Transportation)

SpillTech® Products that Help You Comply: OverPacks (see pages 32-37)

49 CFR 173.3(c)(1)

SUMMARY: If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping by air, highway, rail or water.

49 CFR 173.12(b)

SUMMARY: A labpacking container must be “a UN 1A2 or UN 1B2 metal drum, a UN 1D plywood drum, a UN 1G fiber drum or a UN 1H2 plastic drum tested and marked for the Packing Group III performance level.”

49 CFR 173.12(b)(2)(iv)

SUMMARY: When labpacking, “Inner packagings ... must be surrounded by a chemically compatible absorbent material in sufficient quantity to absorb the total liquid contents.”



Manufacturing/Warehousing

Mobile
Brookley Industrial Complex
1627 O'Donoghue Street
Mobile, AL 36615

Hastings
Hastings Area Industrial Park
233 HAIDA Avenue
Hastings, PA 16646

Houston
7350 Mykawa Road
Houston, TX 77033

Indianapolis
450 Enterprise Drive
Westfield, IN 46074

Seattle
22122 76th Avenue S
Kent, WA 98032

Sales & Marketing Offices

5440 McGinnis Village Place
Suite 102
Alpharetta, GA 30005

www.spilltech.com

Distributed By:

