NON-ELECTRIC CONDENSATE PUMPS

PMPF Pressure Motive Pump



Model	PMPF
Body	Carbon Steel
Cover	Carbon Steel
Check Valves	Stainless Steel
PMO Max. Operating Pressure	200 PSIG
TMO Max. Operating Temperature	388⁰F
PMA Max. Allowable Pressure	250 PSIG @ 650 [°] F

TYPICAL APPLICATIONS


The **PMPF** pressure motive pump body & cover are manufactured from <u>carbon steel</u>. These tanks are fabricated with 1/8" corrosion allowance and receive the ASME "UM" code stamp. This pump is typically used when liquids must be moved to higher elevation, higher pressure or extended distances.

FEATURES

- Equipped with our <u>Patented</u> "Snap-Assure" Mechanism which <u>extends the useful life of the pump</u>
- Mechanism incorporates heat-treated stainless steel wear items
- All stainless steel internals for ultimate corrosion resistance
- Dual compression springs made from Inconel-X-750 for high-temperature corrosive service.
- Operates using steam, air, nitrogen or other pressurized gases as the motive force
- Non-Electric can be used in remote locations or NEMA 4, 7, 9 & hazardous areas

SAMPLE SPECIFICATION

The non-electric pressure powered pump shall be capable of operating with a maximum motive pressure of 200 psig provided by steam, air or other gas supply. The pump body shall be fabricated carbon steel and certified with the ASME "UM" code stamp. The pump mechanism shall be float operated with a patent-pending "snap-assure" feature constructed of all stainless steel materials with all load bearing points hardened for extended service life. The mechanism shall feature two Inconel springs used in compression with hardened motive & vent valves to 40c Rockwell.



DIMENSIONS – inches/pounds					
Size (Inlet x Outlet)	А	В	С	Weight (lbs)	
1″ x 1″	30 ¹ /2	6	6	215	
1 ¹ /2″ x 1″	31 ³ /4	71/2	6	220	
2″ x 1″	32	8	6	225	
2" x 1 ¹ /2"	33 ¹ /2	8	71/2	230	
2″ x 2″	33 ³ /4	8	8	235	
3″ x 2″	351/4	91/4	8	240	

MATERIALS			
Body & Cover	Carbon Steel		
Cover Gasket	Grafoil		
Cover Bolts	Steel		
Inlet Valve	Hardened Stainless Steel 40 Rc		
Vent Valve	Hardened Stainless Steel 40 Rc		
Mechanism Yoke	304 Stainless Steel		
Ball Float	304 Stainless Steel		
Check Valves	Stainless Steel		
Springs	Inconel-X-750		
Other Internal Comp	Stainless Steel		

Snap-Assure Patent No. 6572340

