

**SANUS** | SYSTEMS®

# TAKE A CLOSER LOOK.

**NEW PRODUCT GUIDE 2009**

**WHAT'S INSIDE**

SUPER SLIM MOUNTS

AV RACKS

HDMI CABLES

HD PRO





# NEW VISIONMOUNT® FULL-MOTION MOUNTS

Our two new full-motion mounts feature post-installation height and leveling adjustments, plus a major innovation: an in-arm cable management channel that even allows cables to run through the joint for a truly flawless look. The LF228 and XF228 come with pre-assembled interfaces, so they're easier than ever to install.



Open wall-plate design provides generous space for cable management



FollowThru™ in-arm cable management channel protects and completely conceals all cables without inhibiting movement, even through the joint



ProSet™ height and level adjustments ensure TV is perfectly positioned after installation



Patent-pending adjustment ring allows TV to move easily while maintaining tension, so it's simple to find and keep the perfect viewing angle

## FULL-MOTION MOUNTS

## ALL-WEATHER FULL-MOTION MOUNT



MODEL.....LF228  
TV SIZE RANGE.....37" – 58"  
WEIGHT CAPACITY.....135 lbs.  
EXTENSION.....28"  
**AVAILABLE.....Now**



MODEL.....XF228  
TV SIZE RANGE.....42" – 63"  
WEIGHT CAPACITY.....200 lbs.  
EXTENSION.....28"  
**AVAILABLE.....Now**



MODEL.....VXF220  
TV SIZE RANGE.....42" – 65"  
WEIGHT CAPACITY.....200 lbs.  
EXTENSION.....20"  
**AVAILABLE.....Jan 2010**

# NEW VISIONMOUNT® SOUND BAR

The new VMA202 soundbar speaker mount was specially engineered to fit VisionMount XF228, VXF220, LF228, VLF220 and VLF210 mounts for an optimal listening experience. This great space-saving solution is easy to install and requires no additional drilling. ProSet™ height and level adjustments allow easy vertical and horizontal correction for perfect speaker positioning.

## SOUND BAR




MODEL.....VMA202-B1  
COMPATIBLE WITH.....XF228, VXF220,  
LF228, VLF220  
VLF210  
WEIGHT CAPACITY.....35 lbs.  
**AVAILABLE.....Feb 2010**

# NEW VISIONMOUNT® MOTORIZED MOUNT



Our new motorized full-motion mount offers fully automated extension up to 9" from the wall with the touch of a button. The easy-to-install VLMF109 can shift left and right after mounting to ensure perfect TV placement, and its open wall plate design allows ample room for cable management.



Smooth, motorized movement quietly positions the TV for the perfect viewing angle



Motorized mount allows fully automated extension up to 9" from the wall



Retracts to just 2" from wall in home position



Open wall plate design allows ample room for cable management

## MOTORIZED MOUNT



MODEL.....VLMF109  
TV SIZE RANGE.....37" – 56"  
WEIGHT CAPACITY.....130 lbs.  
AVAILABLE .....Jan 2010

# NEW VISIONMOUNT® FULL-MOTION MOUNTS

Engineered for the most intuitive installation possible, our new full-motion mounts extend up to 20" from the wall and feature exclusive technologies that make them even easier to use. Post-installation level adjustment allows TVs to rotate up to 6° clockwise and counterclockwise to ensure they are perfectly level, and FollowThru™ in-arm channels conceal cables the entire length of the arm, even through the joint.



FollowThru™ in-arm cable management channel protects and completely conceals all cables without inhibiting movement, even through the joint



Virtual Axis™ tilting technology allows effortless viewing angle adjustment without the use of tools



TV can be rotated up to 6° clockwise or counterclockwise after mounting to ensure it's perfectly aligned with its surroundings



Open wall-plate design provides generous space for cable management



Patent-pending adjustment ring allows TV to move easily while maintaining tension, so it's simple to find and keep the perfect viewing angle

## FULL-MOTION MOUNTS




MODEL..... VLF220  
TV SIZE RANGE..... 37" – 56"  
WEIGHT CAPACITY..... 130 lbs.  
AVAILABLE ..... Jan 2010



MODEL..... VMF220  
TV SIZE RANGE..... 26" – 46"  
WEIGHT CAPACITY..... 100 lbs.  
AVAILABLE ..... Jan 2010

# NEW VISIONMOUNT® FULL-MOTION MOUNT


Our latest large full-motion mount offers up to 10" of extension, making it perfect for rooms with limited space. Virtual Axis™ tilting technology allows effortless viewing angle adjustment without the use of tools, and its open wall plate provides ample room for in-wall cable installation and maintenance.



Virtual Axis™ tilting technology allows effortless viewing angle adjustment without the use of tools



Open wall-plate design provides generous space for cable management



Mount can shift left and right on wall plate after installation to ensure perfect placement, even with off-center studs




TV can be rotated up to 6° clockwise or counterclockwise after mounting to ensure it's perfectly aligned with its surroundings



In-arm cable management channel protects and conceals cables the length of the arm for a clean installation

## FULL-MOTION MOUNT



MODEL..... VLF210  
TV SIZE RANGE..... 37" – 56"  
WEIGHT CAPACITY..... 150 lbs.  
AVAILABLE..... Jan 2010


# NEW VISIONMOUNT®

## SUPER SLIM LOW-PROFILE MOUNTS

Our new Super Slim mounts emphasize ultra-thin TVs by placing them just over half an inch from the wall. The VisionMount ML11 and LL11 also offer exclusive features that make them incredibly easy to install and use. ClickStand™ technology holds the bottom of the TV away from the wall for easy cable access, and ProSet™ post-installation height and leveling adjustments allow perfect TV positioning after hanging.



Super Slim low-profile mounts place TVs just .55" from wall—less than the width of a die



Rail design allows TV to shift left and right for perfect placement with off-center studs



Innovative ClickStand™ holds TV away from wall for easy cable access without having to remove TV



Convenient quick-release tabs on mounting brackets stay hidden, but easily pull down to unlock TV from wall plate for cable access



ProSet™ post-installation height and leveling adjustments allow TV to be perfectly positioned after hanging

### SUPER SLIM LOW-PROFILE MOUNTS




MODEL..... ML11-B1  
 TV SIZE RANGE..... 26" – 46"  
 WEIGHT CAPACITY..... 100 lbs.  
 AVAILABLE..... Now Shipping



MODEL..... LL11-B1  
 TV SIZE RANGE..... 37" – 65"  
 WEIGHT CAPACITY..... 150 lbs.  
 AVAILABLE..... Now Shipping

# NEW VISIONMOUNT® SUPER SLIM TILTING MOUNT

The VLT1 Super Slim tilting mount offers the best of both worlds: it places TVs just .86" from the wall, yet still allows up to 10° of tilting capability. Its revolutionary Adjustable Virtual Axis™ technology was exclusively engineered by Sanus to compensate for today's variety of flat-panel TV depths.




Super Slim tilting mount sits just .86" from wall to complement the sleek look of ultra-thin TVs



ProSet™ post-installation height and leveling adjustments allow TV to be perfectly positioned after hanging




Adjustable Virtual Axis™ tilts TV to desired angle, then secures into place



Convenient quick-release tabs easily pull down to unlock TV from wall plate for cable access



Innovative ClickStand™ holds TV away from wall for easy cable access without having to remove TV



Wall plate mounting holes designed to accommodate 16" or 24" on-center studs

## SUPER SLIM TILTING MOUNT



MODEL..... VLT1-B1  
TV SIZE RANGE..... 37" – 65"  
WEIGHT CAPACITY..... 150 lbs.  
AVAILABLE ..... Jan 2010

STEEL CONSTRUCTION



RELIABILITY



FLEXIBILITY

VENTED



QUALITY



SECURITY



EASY INSTALLATION

## **RACK & ROLL**

ROCK-SOLID AV RACK SYSTEMS  
ENGINEERED FOR RELIABILITY,  
SECURITY AND EASY INSTALLATION.

Introducing new additions to the Sanus AV Component Series. Designed with high performance and structural integrity in mind, our racks feature heavy-gauge steel construction and vented back panels for increased airflow. Removable casters allow in-cabinet integration or freestanding installation for the ultimate in quality and flexibility.

HIGH PERFORMANCE

# NEW AV FOUNDATIONS™ BASIC SERIES

Expertly crafted for high performance and superior value, our new AV Foundations Basic Series brings a contemporary feel to the Sanus AV Foundations line. This solid piece features tempered glass for added strength and shatter resistance, open architecture for unrestricted airflow, and generous cable management channels to support even the largest AV systems.



Tempered-glass shelves are strong and shatter resistant



Generous cable management channels support even the largest AV systems



Open architecture allows unrestricted airflow, keeping AV components cool for optimum performance



Adjustable feet ensure the furniture is level on any surface

## BASIC SERIES



MODEL.....BFV145-B1  
WEIGHT CAPACITY.....150 lbs.  
AVAILABLE.....Jan 2010

# NEW AV FOUNDATIONS™ FLOOR STAND FOUNDATIONS

Introducing new flat-panel TV mounting solutions that offer the stability of a TV stand and the clean, low profile look of a tilting wall mount. The FS46 and FS56 attach to the wall like a standard mount, but are also supported by two strong pillars, sharing the weight of the TV. This allows mounts to be anchored to the wall in any location without requiring wood studs, so your TV can be placed in the best location for your lifestyle and room décor.



Offers the sleek look of a wall-mounted TV without requiring wood stud installation



Two strong steel pillars are finished in a sophisticated aged bronze



Wood back panel conceals and routes all cables and wires against wall; included are cherry, mocha, black and paintable white panels to match any décor

## FLOOR STAND FOUNDATIONS



MODEL.....FS46  
TV SIZE RANGE.....26" – 46"  
WEIGHT CAPACITY .....100 lbs.  
AVAILABLE .....Oct 2009



MODEL.....FS56  
TV SIZE RANGE.....32" – 56"  
WEIGHT CAPACITY.....150 lbs.  
AVAILABLE .....Oct 2009

# NEW AV FOUNDATIONS™

## JAVA SERIES

The new Java Series JFV60 can be placed on the floor, attached to a TV backdrop or even mounted on the wall, making it the most versatile AV cabinet on the market. To provide installers with ultimate flexibility, this unique piece includes a steel back plate for mounting the unit to wall studs and removable feet for placing it on the floor. Three spacious shelves support up to 275 lbs of AV equipment when the unit is on the floor, and rear cable management channels easily conceal and route cabling for a flawless appearance.



Three spacious shelves allow storage for multiple AV components



Sliding glass doors use premium nylon glides with steel bearings to allow smooth and easy access to AV components



Convection cooling system allows heated air to escape through top as cooler air is drawn in through bottom, keeping AV components at a proper temperature



Includes a steel back plate for mounting the unit to wall studs and removable feet for placing it on the floor, providing installers with ultimate flexibility

### JAVA SERIES



MODEL.....JFV60  
 AVAILABLE .....Jan 2010

WEIGHT CAPACITY	Wall	Floor
TOP SHELF.....	50 lbs.	275 lbs.
MIDDLE SHELF.....	50 lbs.	50 lbs.
BOTTOM SHELF.....	50 lbs.	75 lbs.

# NEW AV FOUNDATIONS™ PLATINUM SERIES

Our updated Platinum Series furniture features a sleek, modern design to accommodate large flat-panel TVs and AV components with style. Available in a durable black powder-coated finish, each piece offers strong tempered-glass shelves and extra-large cable management channels. Smoked glass side panels offer an enclosed feel while open architecture keeps components cool for optimal performance.



Extra-large cable management channels conceal and route complex cable arrangements



Open architecture allows unrestricted airflow to keep components cool



Adjustable tempered-glass shelves provide added strength and safety



Sleek smoked glass and black powder-coated finish make these modern pieces a great addition to any home theater

## PLATINUM SERIES



MODEL.....PFAV30  
WEIGHT CAPACITY..... 100 lbs.  
AVAILABLE ..... Oct 2009



MODEL.....PFV48  
WEIGHT CAPACITY..... 150 lbs.  
AVAILABLE ..... Oct 2009



MODEL.....PFV60  
WEIGHT CAPACITY..... 150 lbs.  
AVAILABLE ..... Oct 2009

# NEW SANUS ELEMENTS™

## ACCESSORIES

---



### ALL-IN-ONE IR REPEATER

- » Effectively replicates infrared signals from remote controls to reach components stored remotely or hidden in enclosed cabinets
- » Filters interference from sunlight and Plasma TVs to provide flawless signals
- » LED status lights provide power and IR signal indication
- » Frequency Range: 30KHz – 60KHz
- » All-in-one kit contains all necessary elements to control 4 components
- » Tabletop and hole mounting options included in package

MODEL .....ELM501

AVAILABLE .....Oct 2009


---

### CABLE TUNNEL TRUCK PACK

- » Cable tunnel truck pack makes it easy for installers to conceal and route the most complex cable arrangements
- » Extra-long 4' ABS channels can be painted to match room décor and cut to specific lengths
- » Simply attach wall clips to wall, fasten cables into place and snap tunnels onto wall mounts for a seamless appearance
- » Two included 90° joints connect inside or around outside corners
- » Unique wall clips secure the most complex cable arrangements, discreetly concealing them under cable tunnels

MODEL .....ELM303

AVAILABLE .....Now Shipping



### LOW-VOLTAGE IN-WALL BOX

- » Routes low voltage cables and wires through wall for a flawless home theater installation
- » Great accompaniment to accessories with ClickFit™ compatibility; also can be installed without
- » Recessed in-wall box offers 56 cubic inches to allow room for jack packs to hold smaller client boxes
- » Features cable routing holes, single-gang low voltage pass-through and low voltage power inlet/outlet opening
- » Features easy-to-use work tabs to simplify installation in pre-existing walls

MODEL .....ELM803

AVAILABLE .....Nov 2009

# NEW SANUS ELEMENTS™

## HDMI CABLES

Sanus Elements HDMI cables are designed to meet the highest performance standards for HD image and sound. Available in a variety of lengths, our cables feature an innovation sure to please installers: a pivoted head swivels 90° up or down, making it easy to connect to hard-to-reach ports in tight places and behind TVs mounted on low-profile wall mounts.



Flexible cable material is easy to bend during installation



10', 15' and 30' cables are rated for in-wall use



Available in a variety of lengths to suit any need, including 2.5, 5, 10, 15 and 30 feet



Less than 1-inch deep, the pivoted head swivels 90° up or down, making it easy to connect to hard-to-reach ports in tight places and behind TVs mounted on low-profile mounts



Gold-plated connectors improve the quality of connectivity

### HDMI CABLES

**2.5 Feet**  
**MODEL**..... ELM402-G1  
**AVAILABLE** ..... Oct 2009

**5.0 Feet**  
**MODEL**..... ELM405-G1  
**AVAILABLE** ..... Oct 2009

**10.0 Feet**  
**MODEL**..... ELM410-G1  
**AVAILABLE** ..... Oct 2009

**15.0 Feet**  
**MODEL**..... ELM415-G1  
**AVAILABLE** ..... Oct 2009

**30.0 Feet**  
**MODEL**..... ELM430-G1  
**AVAILABLE** ..... Oct 2009



**ProSet™ Technology**

Height and leveling adjustments allow TV to be perfectly positioned after installation

**Super Slim**

Positions TVs just .55" from wall — less than the width of a die!

**Here's the skinny.**

**INTRODUCING THE VISIONMOUNT® LL11 SUPER SLIM LOW-PROFILE MOUNT**

Specially designed to highlight ultra-thin flat-panel TVs, this low-profile wall mount positions your TV just .55" from the wall. The LL11 supports TVs 37"– 65" and up to 150 lbs., and it's the **ONLY** mount on the market that offers exclusive post-installation adjustment and cable-maintenance features at this depth. Sleek, sturdy and super slim, it takes low-profile to a whole new level.

800.359.5520 [www.sanus.com](http://www.sanus.com)



The LL11



**Universal Design**

Wall plate mounting holes designed to accommodate 16" or 24" on-center studs

**Lateral Shift**

Rail design allows TV to shift left and right for perfect placement with off-center studs

**Innovative ClickStand™**

Holds TV away from wall for easy cable access without removing TV