





Selective Call Intercom System

Seamlessly blending leading edge technology with stunning design, Selective Call is the most advanced intercom in the industry. The system allows broadcast or room-to-room communication at the touch of a button, and enables up to three simultaneous, private conversations – the only intercom in the industry to do so. And it's all based on efficient Cat 5 wiring – just what you'd expect from the industry leader.





System Features and Benefits


- Up to 32 locations per system
- Simple, intuitive user interface
- Up to three simultaneous conversations
- 96 customizable room names
- 20 built-in digital door tones
- High resolution color LCD interface
- Hands-free reply
- Four LCD skins
- Convenient RJ45 connection
- One-person installation via remote unit announcement

COLORS

Indoor



Outdoor



RELATED PRODUCTS



IC5003-XX
Selective Call Intercom
Video Door Unit



IC5002-XX
Selective Call Intercom
Door Unit




IC5004-XX
Selective Call Intercom
Patio Unit



IC5400-XX
Selective Call Intercom 4-Location Kit

WIRING DIAGRAM




SELECTIVE CALL INTERCOM INSTALLATION AT-A-GLANCE

1. Run a single Cat 5 cable to each location where an intercom unit will be installed.
2. Install units in double-gang boxes 56" from the floor at each location and connect Cat 5 via an RJ45 connection.
3. Run each cable back to On-Q enclosure and connect to the intercom module.
4. Connect the power supply and wait for a few seconds as the system auto-discovers.




COMMUNICATIONS/Selective Call Intercom System

SELECTIVE CALL INTERCOM KIT

PRODUCT	PART #	DESCRIPTION
<p>Selective Call Intercom 4-Location Kit</p> 	<p>IC5400-LA IC5400-WH</p>	<p>The Selective Call Intercom System combines innovative technology with elegant design. This four-room kit enables broadcast or room-to-room communication, and allows up to three simultaneous, private conversations. Based on the innovation you'd expect from On-Q, installation is simple and efficient, with unit auto-discovery and a convenient RJ45 connection.</p> <p>Kit Contains: 4 Room Units 1 Module Power Supply</p> <p>Bracket included. Door unit sold separately.</p>

SELECTIVE CALL INTERCOM COMPONENTS






PRODUCT	PART #	DESCRIPTION
<p>Selective Call Intercom Video Door Unit</p> 	<p>IC5003-AB IC5003-BS IC5003-OB IC5003-SB IC5003-WH</p>	<p>Housed in an attractive weatherproof finish, this innovative door unit includes a wide-angle color camera for front door monitoring. When integrated with the On-Q camera system LCD, the doorbell press enables the image from the door unit to appear on the LCD screen. The image can also appear on any TV connected to a TV display port. The door unit supports 20 digital door tones, as well as door and gate release. The camera provides color video, but also performs well in low-light conditions.</p>

COLOR OPTIONS





SELECTIVE CALL INTERCOM COMPONENTS

PRODUCT	PART #	DESCRIPTION	DIMENSIONS
Selective Call Intercom Room Unit 	IC5000-GB IC5000-LA IC5000-TI IC5000-WH	Available in four contemporary colors, the room unit features a high-resolution LCD interface and simple, intuitive user navigation. The system allows unmatched personalization, such as 96 room names and attractive LCD skin selections.	5" H x 5" W
Selective Call Intercom Door Unit 	IC5002-AB IC5002-BS IC5002-OB IC5002-SB IC5002-WH	Housed in an attractive weatherproof finish, the selective call door unit supports 20 high-quality digital door tones as well as door and gate release.	5" H x 4.5" W
Selective Call Intercom Patio Unit 	IC5004-AB IC5004-BS IC5004-OB IC5004-SB IC5004-WH	The only selective call patio unit in the industry, this unit can be disabled from any indoor unit as needed, and features a stylish metal design that complements outdoor living areas.	5" H x 4.5" W
Selective Call Intercom 8-Location Distribution Module 	IC5001	This selective call module supports up to eight selective call units, with the ability to cascade up to four modules for support of 32 units. It also allows integration with the LyriQ Audio System to support audio interrupt during an intercom page. Bracket Included. Power supply required (see page 41).	3" H x 6.5" W
Selective Call Back Box 	IC5006-BK	The rounded corners of this box match the unique look of the Studio collection products, allowing an attractive surface mount of exterior units.	5" Hx4.5" W x 2" D

COLOR OPTIONS

