

## EXT-DVIAUD-2-HDMI



## DVI WITH DIGITAL AUDIO TO HDMI ADAPTER

Converts DVI with a digital audio signal to HDMI




### FEATURES:

- Supports resolutions up to 1080p/60 and 1920x1200
- Allows you to combine DVI signals with digital audio to an HDMI signal
- Plug-and-play installation
- HDMI 1.2 compliant
- HDCP pass-through

### SPECIFICATIONS:

- Maximum Pixel Clock: 165 MHz (HDMI and DVI)
- HDMI Output Connector: (1) Type A 19 pin female
- DVI Input Connector: (1) DVI-I 29 pin female
- Audio Input Connector: (1) Coaxial (S/PDIF)
- Power Supply: 5V DC
- Power Consumption: 5 Watts (max)
- Dimensions: 3.2" D x 3.7" W x 1" H
- Shipping Weight / Unit Weight: 2 lbs. / 1 lb

## EXT-HDMI-2-DVIAUD



## HDMI TO DVI DIGITAL AUDIO CONVERTER

Convert an HDMI signal to DVI and digital audio



### FEATURES:

- Supports resolutions up to 1080p/60 and 1920x1200
- Allows you to extract a DVI signal with analog audio from an HDMI signal
- Built in EDID selection for audio support
- HDMI 1.2 compliant
- HDCP pass-through

### SPECIFICATIONS:

- Maximum Pixel Clock: 165 MHz (HDMI and DVI)
- HDMI Input Connector: (1) Type A 19 pin female
- DVI Output Connector: (1) DVI-I 29 pin female
- Audio Output Connector: (1) Optical (TOSLINK)
- Power Supply: 5V DC
- Power Consumption: 5 Watts (max)
- Dimensions: 3.2" D x 3.4" W x 1" H
- Shipping Weight / Unit Weight: 2 lbs. / 1 lb

## EXT-VGA-2-DVISP



## VGA TO DVI SCALER PLUS

Convert an analog VGA signal to digital DVI with scaling



### FEATURES:

- Input resolutions up to 1920 x 1200, 1080p/60
- Outputs resolutions up to 1920 x 1200, 1080p/60
- Digital enhancement and color correction
- Aspect ratio control for native and full view modes
- On-screen OSD for easy navigation of features
- Front panel push-button control
- Optimal output resolution is automatically set by connected display's EDID (can be changed in the OSD)
- Optional IR control (EXT-RMT-SR-IR)
- Supports DDWG standard for DVI monitors

### SPECIFICATIONS:

- Maximum Pixel Clock: 165 MHz (DVI)
- Maximum Video Bandwidth: 350 MHz (VGA)
- Input DDC Signal: 5 Volts p-p (TTL)
- DVI Output Connector: (1) DVI-I 29 pin female
- VGA Input Connector: (1) HD-15 VGA female
- Power Supply: 5V DC
- Power Consumption: 10 Watts (max)
- Dimensions: 4.1" D x 5.8" W x 1" H
- Shipping Weight / Unit Weight: 3 lbs. / 1 lb