
ACOUST-XTM DECORATIVE NOISE REDUCING WALL PANELS







WALL SOLUTIONS

ALPRO ACOUST-X noise-reducing wall panels provide effective acoustical relief and decorative appeal for busy spaces. Square, multi-faceted panels reflect light, creating a 3-D illusion, while absorbing reverberant noise.

ACOUST-X panels, available in a variety of sizes and finishes, can be used in groupings to create your own acoustical wall arrangements, or hung individually for optimal acoustical performance and space utilization.

DESIGN

ACOUST-X panels are modular acoustical panels fabricated of 22 gauge perforated, smooth galvanized steel and contain PVC encapsulated sound insulation. Panels are fully assembled and ready for hanging on the hanger strips provided.

All panels are 2" thick to accommodate the 2" x 1.5 lb density sound insulation.

SIZES	Weight (lbs.) / each:
18" x 18"	5.5
24" x 24"	8.0
30" x 30"	11.75
36" x 36"	16.0
48" x 48"	26.25

If acoustics are not required, non-perforated panels are available.

FINISHES

Unlike fabric panels, the powder coat finish on ACOUSI-X panels is easily cleaned and durable, making them practical for any environment.

- Standard Powder Coat
- ACROGUARD® High Performance Powder Coat
- REVELATION™ Wood and Stone Finishes
- Custom






APPLICATIONS

ACOUST-X panels provide effective sound attenuation as well as an attractive decorative appearance to rooms and spaces where aesthetics are important, such as:

- Lobbies
- Reception Areas
- Conference Rooms
- Waiting Rooms
- Lounges
- Restaurants



DETAILS





GREEN BY DESIGN

- LEED® 1 credits available
- Finishes
 - o No phosphate / biodegradable pre-treatment
 - No hazardous waste

 - No VOC'sNo heavy metals



5023 HAZEL JONES ROAD, BOSSIER CITY, LA 71111 888.733.3836 800.877.8746 FAX SALES@ALPROACOUSTICS.COM ALPROACOUSTICS.COM



¹ LEED® is a registered trademark of the U.S. Green Building Council.