


# Fan and Blower - Direct Drive, PSC

## Open Air Over, Resilient Ring, Thru-Bolt Mount

### Features:

- Open frames and brackets (except X011 and X012 have enclosed shaft end bracket)
- **Single and multi-speed models as noted**
- Grommeted lead exit
- Weather resistant reversing plug
- 2-1/4" resilient ring mounting except where noted (base not included, see Accessories section)
- 2 1/2" adapter rings supplied, shipped loose in box
- Extended thru-bolts on shaft end
- 30" long leads
- Automatic reset thermal protector
- Ball bearings
- UL Recognized and CSA Certified
- **Capacitor not included, see Accessories section**



HP	RPM	VOLTS	FRAME	CAT. NO.	MODEL NO.	STOCK	LIST PRICE	MULT. SYMB.	F.L. AMPS	FRAME LENGTH	SHAFT DIM.	FOOT NOTES
<b>1/5</b>	1075/3	115	48Y	X219	48A11O2047	★	\$123	F1	3.5	4	1/2 x 4	39
<b>1/4</b>	1625/3	115	48Y	X013	48A17O152	★	\$135	F1	2.9	5	1/2 x 4	32
	1625/3	208-230	48Y	X014	48A17O154	★	\$137	F1	1.8-1.35	4 1/4	1/2 x 4	32
	1625/1	208-230	48Y	X012	48A17O2006	★	\$137	F1	1.8-1.8	4 1/2	1/2 x 6	34,44
	1075/3	115	48Y	X000	48A11O1798	★	\$129	F1	3.4	4 1/4	1/2 x 4	32
	1075/3	208-230	48Y	X001	48A11O1799	★	\$133	F1	1.5-1.5	4 1/2	1/2 x 4	32
	1075/3	208-230	48Y	X1001	48A11OB1799	★	\$133	F1	1.5-1.5	4 1/2	1/2 x 4	d,4,32
	1075/3	277	48Y	X018	48A11O1350	★	\$139	F1	1.6	4 1/4	1/2 x 4	32
	1075/1	208-230	48Y	X006	48A11O2001	★	\$127	F1	2.0-2.0	4 1/4	1/2 x 4	32
	1075/1	208-230	48Y	X417	48A11O2051	★	\$136	F1	2.0-2.2	4 1/4	1/2 x 6	51,116
<b>1/3</b>	1625/3	115	48Y	X015	48A17O151	★	\$143	F1	4.0	4 3/4	1/2 x 4	32
	1625/3	208-230	48Y	X011	48A17O2005	★	\$147	F1	2.3-2.3	4 3/4	1/2 x 6	34,44
	1075/4	115	48Y	X236	48A11O699	★	\$161	F1	6.4	4 3/4	1/2 x 6	39
	1075/4	208-230	48Y	X237	48A11O694	★	\$164	F1	4.8-4.8	5 1/4	1/2 x 6	39
	1075/3	115	48Y	X002	48A11O1769	★	\$139	F1	4.6	4 3/4	1/2 x 4	32
	1075/3	208-230	48Y	X003	48A11OB2042	★	\$141	F1	3.3-3.3	4 3/4	1/2 x 4	32
	1075/3	277	48Y	X019	48A11O1351	★	\$148	F1	2.7	4 3/4	1/2 x 4	32
	1075/1	208-230	48Y	X418	48A11O2052	★	\$144	F1	3.1-3.1	4 1/2	1/2 x 6	51,116
	825/1	230	48Y	X209	48A8O183	★	\$177	F1	2.8	5 3/4	1/2 x 5 1/2	34,43
<b>1/2</b>	1625/3	115	48Y	X016	48A17O153	★	\$160	F1	5.0	5 1/4	1/2 x 4	32
	1625/3	208-230	48Y	X017	48A17O155	★	\$162	F1	4.1-4.1	5 1/4	1/2 x 4	32
	1075/4	115	48Y	X033	48A11O1674	★	\$135	F1	6.1	5	1/2 x 5	31,73
	1075/3	115	48Y	X004	48A11O1755	★	\$156	F1	6.2	5 1/2	1/2 x 4	32
	1075/3	208-230	48Y	X005	48A11O1756	★	\$158	F1	2.65-2.6	5 1/2	1/2 x 4	32
	1075/3	277	48Y	X020	48A11O1352	★	\$165	F1	3.6	5 1/2	1/2 x 4	32
	1075/1	208-230	48Y	X419	48A11O2053	★	\$161	F1	4.2	5 1/4	1/2 x 6	51,116
<b>3/4</b>	1625/3	230	48Y	X022	48A17O174	★	\$178	F1	3.7	5 1/2	1/2 x 5 1/2	39,43
	1075/4	208-230	48Y	X241	48A11O697	★	\$207	F1	5.4-5.4	5 1/2	1/2 x 6	39
	1075/3	115	48Y	X009	48A11O787	★	\$182	F1	10.2	5 3/4	1/2 x 4	32
	1075/3	115	48Y	X1009	48A11OB787	★	\$182	F1	10.2	5 3/4	1/2 x 4	d,4,32
	1075/3	208-230	48Y	X010	48A11O2046	★	\$185	F1	5.6	5 1/2	1/2 x 4	32
	1075/3	208-230	48Y	X1010	48A11OB2046	★	\$185	F1	5.6	5 1/2	1/2 x 4	d,4,32
	1075/3	277	48Y	X021	48A11O1353	★	\$190	F1	5.0	5 3/4	1/2 x 4	32
<b>1</b>	1625/2	208-230	48Y	X211	48A17O125	★	\$231	F1	6.2	6 1/4	1/2 x 2 1/2	39,42,43
	1075/3	230	48Y	X023	48A11O1583	★	\$211	F1	5.3	6 1/2	1/2 x 5	34
	1075/3	208-230	48YZ	X242	48A11O756	★	\$351	F1	6.2	7 1/4	5/8 x 4	39,51