





## Cast Iron Drainage Fittings

<b>FIGURE 731*</b> <b>90° Reducing Long Turn</b> <b>Y-Branch Tee Pattern</b>	Size		A		B		C		Unit Weight	
	NPS	DN	in	mm	in	mm	in	mm	Black	
									lbs	kg
	2 x 2 x 1 1/2	50 x 50 x 40	5 3/4	146	4 3/8	111	1 5/16	24	5.23	2.37

<b>FIGURE 734</b> <b>45° Y-Branch</b>	Size		A		B		C		Unit Weight			
	NPS	DN	in	mm	in	mm	in	mm	Black		Galv.	
									lbs	kg	lbs	kg
	1 1/2	40	5 1/2	140	3 5/8	92	3 5/8	92	4.03	1.83	4.03	1.83
	2	50	6 1/2	165	4 3/8	111	4 3/8	111	5.56	2.52	5.56	2.52
	3	80	9	229	6 3/16	157	6 3/16	157	12.00	5.44	12.00	5.44
	4	100	10 7/8	276	7 11/16	195	7 11/16	195	24.51	11.12	24.51	11.12

<b>FIGURE 735</b> <b>45° Reducing Y-Branch</b>	Size		A		B		C		Unit Weight			
	NPS	DN	in	mm	in	mm	in	mm	Black		Galv.	
									lbs	kg	lbs	kg
	2 x 2 x 1 1/2	50 x 50 x 40	5 7/8	149	4 1/8	105	4 1/16	103	4.83	2.19	4.83	2.19
	4 x 4 x 3	100 x 100 x 80	9 1/4	235	7 3/16	183	6 7/8	175	20.63	9.36	-	-

<b>FIGURE 736</b> <b>45° Double Y-Branch</b>	Size		A		B		C		Unit Weight	
	NPS	DN	in	mm	in	mm	in	mm	Black	
									lbs	kg
	1 1/2	40	5 1/2	140	3 5/8	92	3 5/8	92	5.09	2.31

\*Inlets tapped, pitched .25" (6mm) to the foot. Inlets of reducing fittings are always the smallest openings.