

Speed Queen®

Multi-Housing

25 lb (11.34 kg) RouteMaster™ Tumble Dryer

25 lb Single Tumble Dryer with Hinged Lint Door

25 lb Single Tumble Dryer with Standard Lock Lint Door



Commercial Built to Last Longer

RouteMaster™ Tumble Dryers, Coin or Card Operated

The community laundry room as an efficient amenity? It's a novel concept, but so is Speed Queen's Quantum™ System. This cutting-edge microprocessor control gives building owners and property managers unparalleled ability to reduce water and energy costs through advanced programmability. Speed Queen laundry service providers deliver further value with Quantum's™ management capabilities, which offer automated secured audit reports on machine use and collections, helping them better manage this aspect of their business.

Where Quantum™ truly excels is in creating an amenity to help attract and retain residents. Not only does the control work in concert with Speed Queen washers and dryers to help residents complete their cycles quickly, it also offers a variety of features and premium wash settings that enable them to tailor cycles to their specific needs.

Quantum™ is the total package, offering the options and wash quality residents demand along with the management tools for tracking machine activity by location and expediting service to machines.



To fully harness the operational benefits of the Quantum system and create greater convenience for residents, Speed Queen commercial laundry equipment comes prepped for card payment systems. Laundry service providers are able to configure units with the card reader of their choosing.




Space Saver Dimensions

- Height under 64".
- Best diameter-to-length ratio.
- Improves process speed.
- More efficient drying.
- Narrowest width at 28".

Concentrated Airflow

- Axial airflow provides concentrated drying.
- Sealed cylinder rims guarantee that every Btu enters the cylinder and passes through clothes, providing the most energy efficient drying.



Lint Compartment

- Maintains maximum airflow.
- Promotes efficient drying.
- Fine mesh lint screen cleans itself automatically by depositing lint into large storage area.
- Eliminates need to manually clean filter after each use.



Simplicity and Compatibility

- 50% fewer moving parts means fewer maintenance problems.
- Each component designed to perform a singular task resulting in less wear.
- Control box swings out for easy maintenance and accessibility. It also can be interchanged between different models.



Stainless Steel Door

- Will not chip.
- Extra-wide door hinges withstand continuous opening and closing.
- Durable latch secures door for entire cycle, preventing unwanted opening.

Superior Fit and Finish

- Narrow 28" (711 mm) width saves space, allowing the installation of more tumble dryers in a given space.
- Innovative paint system includes nine stages of pretreat, increasing corrosion resistance on embossed steel. Paint is electrostatically applied and baked onto equipment for superior bonding.



Quantum™ Control

Micro-DISPLAY Control

Control Features

Our advanced Quantum™ and Micro-DISPLAY Control™ (MDC) panels make it easy for customers to locate vend price, cycle times and cycle selections.

Customers will appreciate knowing the status of their laundry and the ability to be more efficient with their time.

Tumble dryer activates when start button is pressed and stops when door is opened. To resume, simply close door and press start. Illuminated light informs user of drying cycle status.

Activation Features



Electronic Coin Drop

Speed Queen offers many activation options to meet your specific market needs.

The coin drop, with its all-metal design, reduces coin jamming and provides superior coin validation.



Dual Coin Drop

Dual coin drop options are available for various coin denominations.



World Coin Drop

Using electronic signature recognition technology, the World Coin Drop kit offers the highest level of coin validation and comes pre-programmed to accept coins and/or metallic tokens for your market.



Card Reader

The card reader offers the convenience and safety of a cashless operation.
(North America only)

Tumble Dryer Specifications

Cylinder Volume - cu. ft. (liters)	25 lb Tumble Dryer 7.7 (217)
Cylinder Depth - in (mm)	24" (610)
Cylinder Diameter - in (mm)	26 1/2" (673)
Width - in (mm)	28" (711)
Depth - in (mm)	40 7/8" (1038)
Height* - in (mm)	63 7/8" (1622)
Weight - lb (kg)	299 (135)
Shipping Weight - lb (kg)	332 (151)
Shipping Dimensions - in (mm)	W 30" (762) D 43" (1092) H 69" (1753)
Dry Capacity - lb (kg)	25 (11.3)
Filling Ratio - lb (kg)	20:1 = 24 (10.9)
Airflow - cfm (liters/sec.)	60 Hz: 500 (236) 50 Hz: 430 (203)
Motor HP	1/4 - 1/4
Energy Data	Gas: 64,000 Btu/hr (18.8 kW) Steam: At 100 psi (6.9 bar): 3.9 BHP, 135,000 Btu/hr (39.6 kW) Electric: 12.0 kW
Electrical Specifications	Gas and Steam: 120/208-240/60/1; 2W/3W+G 100/200-220/60/1; 2W+G 100/200/50/1; 2W+G 230-240/50/1; 2W+G 200-208/240/60/3; 3W+G 200/50/3; 3W+G 230-240/50/3; 3W+G 380/400-415/50/3; 3W+G 380/60/3; 3W+G 460-480/60/3; 3W+G Electric: 208/60/1; 3W+G 240/60/1; 3W+G 200/60/1; 2W+G 200/50/1; 2W+G 230-240/50/1; 2W+G 200-208/60/3; 3W+G 200/50/3; 3W+G 230-240/50/3; 3W+G 240/60/3; 3W+G 380/50/3; 3W+G 380/60/3; 3W+G 400-415/50/3; 3W+G 460-480/60/3; 3W+G
Plumbing Connections - in (mm)	Gas: 1/2" NPT Steam: 3/4" NPT
Agency Approval	cCSAus, CE, Australia Gas,
Colors	White

* Also available in optional heights of 72 1/4" (1835 mm) and 76 1/4" (1937 mm).

Tumble dryer models are made to suit a variety of electrical service characteristics. See your Speed Queen laundry service provider for specifications. Door opening – 22.68" (576 mm). Air outlet diameter on 0250S – 6" (152 mm). For further details on installation, refer to Installation, Operation and Maintenance instructions supplied with the tumble dryer.

At Speed Queen, we're so confident that our heavy-duty commercial products are Commercial Built to Last Longer, that we're offering the following limited warranty to prove it: Through three years† — Any part of the washer, dryer, washer-extractor or tumble dryer.

† Parts only. Labor not included. See Speed Queen Warranty Bond for specifics.

For the most accurate information, the installation guide should be used for all design and construction purposes. Due to continuous product improvements, design and specifications subject to change without notice. The quality management system of Alliance Laundry Systems' Ripon facility are registered to ISO 9001:2000.

©Copyright 2010 Alliance Laundry Systems LLC