# **Commercial Boxed Wall Hydrants**

6" STAINLESS STEEL DIAMETER CORED HOLE BOX TYPE QUARTER TURN NON-FREEZE WALL HYDRANT WITH CONCEALED HOSE CONNECTION





## FIG. # 5509QT-R

Cored Hole Hydrant and Stainless Steel Box

### **FUNCTION:**

This round box hydrant is designed to fit into a 6" hole drilled into a concrete wall with a 6" diameter core drill. The stainless steel recessed hydrant box conceals the nozzle and operating mechanism of the 5609QT hydrant making for a clean and simple installation. The stainless steel box comes complete with a vertical hinge avoiding pinched fingers caused by standard horizontal latch type covers. The hinged locking cover opens 180° for clear hydrant access and prevents unauthorized use.

## **PRODUCT FEATURES:**

- · Quarter-turn full-flow feature
- 3/4" (19) inlet and hose connection
- Removable "T" handle key
- Non-freeze hydrant with integral vacuum breaker
- Fits 6" dia. cored drill hole
- Flush installation to eliminate catch points
- Frame, cover & housing are made of 16 gauge, type 304 stainless steel
- Locking hinged cover opens 180°
- Simple & easy to install in cored drill concrete wall
- Replacement parts are available in kit HPRK-7

Wall Thickness -2 5/8(67) 7 (180) SQUARE 2 5/16 1 1/2 (59) (38) Integral Vacuum Breaker SMITH Assembly **L**  $\bigcirc$ Key 3/4 (19) Hos /2 (13) Female-NPT Inlet Connection 5 7/8 50 (148) DIA 3/4 (19) Male Hinged NPT Inlet Locking Adiustable Cover Wall Clamp (Specify-WC) 16 Gauge Continuous Frame and Stainless Cover FIG. 5509QT-R Steel Face Hinge

#### **Regularly Furnished:**

Bronze Nickel Plated Quarter Turn Non-Freeze Hydrant with Hose Connection, Integral Vacuum Breaker, "T" Handle Key, and Stainless Steel Box with Full 180° Cover Opening

#### Variations:

- Adjustable Wall Clamp -WC
- Cylinder Lock -CL
- 1" (25) Hose Connection -HC1
- 1" (25) Male NTP Inlet Connection -IC1
- "Water" On Cover -W

NOTE: Dimensions shown in parentheses are in millimeters.

1 JAY R. SMITH MFG. CO. 800.467.6484 www.jrsmith.com