



VNS2081 - In-Wall / In-Ceiling Public Address Speaker



The **VNS2081 In-Wall / In-Ceiling Public Address Speaker** is designed to provide intelligible voice paging and tone signaling for indoor bell and public address system applications.

The VNS2081 is controlled by the **VNS2200** wireless audio/visual controller. This makes it an ideal solution for applications where a hard-wired speaker is impractical, or when a simple, reliable and cost-effective alternative solution is required when being compared to traditional wired PA systems.

The VNS2081 includes a mounting template.

Key Features:

- **Easy In-Wall or In-Ceiling Installation**
- **Up to 30W Continuous Power**
- **Polypropylene 5.25" Woofer**
- **Paintable Grill and Frame**
- **Robust Mounting Clamps**
- **Speaker Cable can Extend Up to 150' from Controller**

Options, Accessories and Complementary Products:

Part Number	Description
VNS2200	Wireless Audio/Visual Controller

Specifications:

Dimensions	8.1" x 2.8" (W x D)	Humidity	0% - 95%, Non-Condensing
Weight	1.9 lbs.	Frequency Response	70 Hz - 21 KHz
Power	30 Watts Continuous, 50 Watts peak	Sound Level	90 dB @ 1 meter
Color	White	Impedance	8 Ohms
Frame	ABS and Aluminum Anodized Grill	Speaker Cable	16 Gauge, 3' Supplied, Up to 150' Extension
Operating Temperature	14° - 130°F	Limited Warranty	One Year Parts and Labor

*Specifications Are Subject to Change Without Notification