

Model #: SPS415HGULTRA

4-outlet, Medical-Grade Power Strip with Surge Suppression for Use in Patient-Care Areas



Highlights

- Full UL 60601-1/60950-1 compliance
- Approved for use within 6-ft. of patient-care areas
- 4 outlets, 15-ft. cord with NEMA 5-15P hospital-grade plug
- 1410 joules of surge suppression
- 15A resettable circuit breaker
- Switchless design prevents accidental shutoff
- Integrated locking outlet safety covers guard against contact with unused outlets
- Diagnostic LED indicates that power is present and surge protected (with no ground faults or line/neutral reversals)
- US Patent #7,375,939 and others pending

Description

The SPS415HGULTRA is the first Medical-Grade Outlet Strip with Surge Suppression and full UL 60601-1/60950-1 compliance. Tested to U.S. and Canadian safety standards, it is the first of its kind to be agency approved for use in patient-care areas, including physicians' offices, imaging centers, laboratories and more. The SPS415HGULTRA is ideal for protecting electrical equipment from damaging surges and spikes within patient vicinity. Features include switchless design to prevent accidental shutoff, four NEMA 5-15R-HG hospital-grade outlets with safety covers, 1410 joules of surge suppression, NEMA 5-15P-HG hospital-grade plug and 15A resettable circuit breaker.

Applications

- AC power distribution surge suppression with hospital-grade receptacles and plug in healthcare applications where durability and reliability are required, including areas where NEC requires hospital-grade receptacles
- Patient rooms, treatment rooms, exam rooms, etc.

Package Includes

- SPS415HGULTRA Medical-Grade Outlet Strip wtih Surge Suppression
- Owner's manual with warranty information

Features

- Surge protection
- Approved for use in Patient-Care Areas
- Rugged all-metal housing stands up to the most demanding environments
- 4 x NEMA 5-15R-HG outlets with safety covers
- 1410 joules of surge suppression
- 15-ft. cord with NEMA 5-15P-HG plug
- Switchless design prevents accidental shutoff
- 15A circuit breaker
- Multiple installation options with integral mounting flanges and slots
- UL60601-1 and UL 60950-1 compliant
- U.S. Patent No. 7,375,939

Specifications

| OVERVIEW | | |
|---------------------------------------|--|--|
| Model Type | For Patient-Care Areas | |
| OUTPUT | | |
| Frequency compatibility | 50 / 60 Hz | |
| Circuit Breaker (amps) | 15 | |
| Overload protection | 15A resettable circuit breaker | |
| Outlet quantity / type | 4 NEMA 5-15R-HG | |
| Outlet safety covers | Yes | |
| Outlet orientation | Single row of 4 | |
| INPUT | | |
| Nominal Input Voltage(s) Supported | 120V AC | |
| Recommended Electrical Service | 15A 120V | |
| Input connection type | NEMA 5-15P-HG | |
| Input cord length (ft.) | 15 | |
| Input cord length (m) | 4.572 | |
| Voltage compatibility (VAC) | 120 | |
| Maximum Surge Amps | 60000 | |
| LEDS ALARMS & SWITCHES | | |
| LED Indicators | Proper wiring and surge protection working | |
| SURGE / NOISE SUPPRESSION | | |
| AC suppression joule rating | 1410 | |
| PHYSICAL | | |
| Unit Dimensions (HWD/in) | 1.5 x 13.75 x 2.5 | |
| Unit Dimensions (HWD/cm) | 3.8 x 34.9 x 6.4 | |
| Unit weight (lbs) | 3.2 | |
| Unit weight (kg) | 1.5 | |
| Material of construction | Metal | |
| Integrated keyhole mounting tabs | Yes | |
| Receptacle Color | White | |
| AC line cord color | White | |
| SPECIAL FEATURES | | |
| Appearance | Attractive all-white color scheme | |
| CERTIFICATIONS | | |
| Approvals | TUV tested to UL 60601-1 and UL 60950-1 (USA); TUV tested to CAN/CSA-C22.2 No. 601.1-M90 and 60950-1-03 (Canada) | |
| WARRANTY | | |

Product Warranty Period (Worldwide)

Lifetime limited warranty

Related Items

Optional Products

| Related Model | Description | Qty. |
|---------------|----------------------------|------|
| PSCLAMP | Power Strip Mounting Clamp | 1 |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4843.

Copyright © 2012 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.