



CEILING PROJECTOR MOUNTS

RPA ELITE® SERIES PROJECTOR MOUNT FEATURES



MICROZONE™ ADJUSTMENTS
 Makes projector registration fast and precise. Mounting options include 1 ½" NPT, 0.25" (6 mm) threaded rod and flush installations.



CENTRIS® TECHNOLOGY
 Enables effortless fingertip positioning and self-adjusts to support different projector weights.



CABLE MANAGEMENT
 Route cables through the top of the mount without additional accessories.



QUICK CONNECT/DISCONNECT
 Disconnecting maintains registration without affecting pre-set adjustments.



SECURITY
 Keyed locking options (A/B/C/D) and steel-into-steel locking hardware at all connection points to protect against theft.



INTERFACE OPTIONS
 Choose a custom or universal interface bracket.



RPMA RPA ELITE® PROJECTOR MOUNT



Chief's elite ceiling projector mounts are packed with easy-to-use features that save time and provide projector security.

Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
50 lbs (22.7 kg)	3°, 20°, 360°	2.7 x 6.5 x 5.5" (69 x 165 x 140 mm)	W S B



RPMA1 RPA ELITE® SECURITY MOUNT



Designed for high-risk installations, this mount provides integrated security in a compact, universal design.

Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
50 lbs (22.7 kg)	3°, 20°, 360°	3.9 x 14.7 x 12.2" (99 x 374 x 310 mm)	B W



KITES003 SUSPENDED CEILING KIT

Bundled kit includes:

- RPMAU Elite Universal Projector Mount
- CMS003 3" (76 mm) Extension Column
- CMS440 Lightweight Suspended Ceiling Kit
- Available in Black



KITEZ006 SUSPENDED CEILING KIT

Bundled kit includes:

- RPMAU Elite Universal Projector Mount
- CMSZ006 Fully Threaded Extension Column 0 - 6" (0 - 152 mm)
- CMS440 Lightweight Suspended Ceiling Kit
- Available in Black, White & Silver



KITES003P SUSPENDED CEILING KIT

Bundled kit includes:

- RPMAU Elite Universal Projector Mount
- CMS003 3" (76 mm) Fixed Extension Column
- CMS440 Suspended Ceiling Kit
- CMA470 Plenum Rated Above-Tile Storage Accessory
- Available in Black



RSMA MINI ELITE® PROJECTOR MOUNT



Ideal for smaller projector models, these miniature versions of the RPA Elite mounts include all the same great features in almost half the size.



Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
25 lbs (11.3 kg)	3°, 15°, 360°	1.8 x 4.4 x 5.1" (46 x 111 x 129 mm)	

KITMD003 CEILING PROJECTOR MOUNT KIT

Bundled kit includes:

- RSMAU Mini Elite® Universal Projector Mount (Lock A)
- CMS003 3" (76 mm) Fixed Extension Column
- CMS115 6" (152 mm) Speed-Connect Ceiling Plate
- Available in Black & White



KITMZ006 SUSPENDED CEILING KIT

Bundled kit includes:

- RMAUS Mini Elite® Universal Projector Mount
- CMSZ006 6" (152 mm) Fully Threaded Extension Column
- CMS440 Lightweight Suspended Ceiling Kit
- Available in Black, White & Silver






KITMA0305 CEILING PROJECTOR MOUNT KIT




Bundled kit includes:

- RSMAU Mini Elite® Universal Projector Mount (Lock A)
- CMS0305 3 - 5' (91 - 152 cm) Adjustable Extension Column
- CMA395 Angled Ceiling Plate
- Available in Black & White



RPA® SERIES CEILING MOUNTS FEATURES

- 
INDEPENDENT ADJUSTMENTS
 Includes roll, pitch and yaw adjustments for quick and precise projector alignment.
- 
QUICK CONNECT/DISCONNECT
 Disconnecting maintains registration without affecting pre-set adjustments.
- 
ALL-POINTS SECURITY
 Exclusive steel-into-steel locking hardware at all connection points to protect against theft.



- 
MULTIPLE INSTALLATION OPTIONS
 Mounting options include: flush mount to ceiling, use 0.25" (6 mm) threaded rods or use a 1 1/2" NPT threaded extension column.
- 
INTERFACE OPTIONS
 Choose a custom or universal interface bracket.
- 
KEYED SECURITY
 Keyed locking options (A/B/C) and steel-into-steel locking hardware at all connection points to protect against theft.

RPA PROJECTOR MOUNT



The top-selling ceiling projector mount in the industry! This standard ceiling projector mount is installed in more offices, schools and homes than any other mount.





Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
50 lbs (22.7 kg)	4°, 25°, 360°	1.8 x 6.5 x 5.5" (44 x 165 x 140 mm)	 

RPAA1 RPA SECURITY MOUNT



Designed for high-risk installations, this mount provides integrated security in a compact, universal design.



Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
50 lbs (22.7 kg)	4°, 25°, 360°	3.4 x 16.2 x 12.1" (86 x 411 x 307 mm)	 

KITPS003 SUSPENDED CEILING KIT

Bundled kit includes:

- RPAU Universal Projector Mount
- CMS003 3" (76 mm) Fixed Extension Column
- CMS440 Lightweight Suspended Ceiling Kit
- Available in Black & White



KITPA018024 ANGLED CEILING KIT

Bundled kit includes:

- RPAU Universal Projector Mount
- CMS018024 18-24" (457-610 mm) Adjustable Extension Column
- CMA395 Angled Ceiling Plate
- Available in Black



RSA MINI RPA PROJECTOR MOUNT



Offers a compact design for smaller projectors with all the same great features as the standard RPA Series.



Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Colors
25 lbs (11.3 kg)	3°, 20°, 360°	1.4 x 4.4 x 4.4" (37 x 111 x 112 mm)	

KITAS003 SUSPENDED CEILING KIT

Bundled kit includes:

- RSAU Universal Projector Mount
- CMS003 3" (76 mm) Fixed Extension Column
- CMS440 Lightweight Suspended Ceiling Kit
- Available in Black & White



KITAB003 SUSPENDED CEILING KIT

Bundled kit includes:

- RSAU Mini Universal Projector Mount
- CMS003 3" (76 mm) Fixed Extension Column
- CMA455 Suspended Ceiling Tile Replacement Kit
- Available in Black



APPLICATION SPECIFIC CEILING PROJECTOR MOUNTS

LCDA NON-INVERTED UNIVERSAL MOUNT



A solution for installations requiring upright LCD/DLP projectors. Dimensions vary by model; see website for details.

Weight Capacity	Roll, Pitch and Yaw	Max Dimensions (HxWxD)	Color
50 lbs (22.7 kg)	5°, 90°, 360°	10.8 - 16" (274 - 406 mm) x 14.13 - 19.6" (359 - 498 mm) x 22.25" (565 mm)	



VCM HEAVY DUTY MOUNT



Heavy-duty steel mount for mounting heavy LCD projectors. Micro adjustments allow you to quickly achieve registration.

Weight Capacity	Roll, Pitch and Yaw	Dimensions (HxWxD)	Color
250 lbs (113.4 kg)	5°, 20°, 360°	3.8 x 17 x 9.3" (97 x 432 x 235 mm)	





CEILING PROJECTOR MOUNT ACCESSORIES

	CMA105	Weight Capacity	
	Ceiling Plate - 4" (102 mm)	500 lbs (226.8 kg)	
	CMA110	Colors	Weight Capacity
	Ceiling Plate - 8" (203 mm)	W S B	500 lbs (226.8 kg)
	CMA115	Colors	Weight Capacity
	Ceiling Plate - 6" (152 mm)	W S B	500 lbs (226.8 kg)
	CMA101	Colors	Weight Capacity
	Designer Ceiling Plate	W S B	500 lbs (226.8 kg)
	CMS115	Colors	Weight Capacity
	Speed-Connect™ Ceiling Plate	W S B	500 lbs (226.8 kg)
	CMA330	Weight Capacity	
	Offset Ceiling Plate - 8" (203 mm)	500 lbs (226.8 kg)	
	CMA345	Weight Capacity	
	Shock Absorption Ceiling Plate	500 lbs (226.8 kg)	
	CMA395	Colors	Weight Capacity
	Angled Ceiling Plate	B W	500 lbs (226.8 kg)
	CMA360	Weight Capacity	
	I-Beam Clamp	250 lbs (113.4 kg)	


	CMA365	Weight Capacity	
	Truss Ceiling Adapter	250 lbs (113.4 kg)	
	CMS390/391	Weight Capacity	
	Dual Joist Ceiling Adapters - 16" (406 mm) / 24" (609 mm)	500 lbs (226.8 kg)	
	CMA362	Weight Capacity	
	C-Clamp	250 lbs (113.4 kg)	
	CMA366	Weight Capacity	
	Architectural Spanning Adapter	250 lbs (113.4 kg)	
	CMA347	Weight Capacity	
	Vibration Isolating Coupler	35 lbs (15.9 kg)	
	CMA440	Weight Capacity	
	Above-Tile Suspended Ceiling Kit	50 lbs (22.7 kg)	
	CMS440	Weight Capacity	
	Speed-Connect Above-Tile Suspended Ceiling Kit	50 lbs (22.7 kg)	
	CMS440P	Weight Capacity	
	Suspended Ceiling Kit w/ Power	50 lbs (22.7 kg)	
	CMS495	Weight Capacity	
	Angled Suspended Ceiling Adapter	50 lbs (22.7 kg)	


CEILING PROJECTOR MOUNT ACCESSORIES


	CMA470	Compatibility
	Above-Tile Storage Accessory	CMS440, CMA440, CMA450 and CMA455 ceiling kits

	CMA471	Compatibility
	Large Above-Tile Storage Accessory	CMS440, CMA440, CMA450 and CMA455 ceiling kits


	CMA472	Compatibility
	Plenum Rated Above-Tile Storage Accessory	CMS440, CMA440


	CMA473	Compatibility
	XL Plenum Storage Enclosure	CMS440, CMA440


	CMS490	Weight Capacity
	Above-Tile Storage Accessory	50 lbs (22.7 kg)


	CMA450	Weight Capacity
	Heavy Duty Suspended Ceiling Kit	250 lbs (113.4 kg)


	CMA455	Weight Capacity
	Suspended Ceiling Tile Replacement Kit	250 lbs (113.4 kg)


	CMS445	Weight Capacity
	Speed-Connect Suspended Ceiling Tile Replacement Kit	50 lbs (22.7 kg)


	CMS445P	Weight Capacity
	Suspended Ceiling Replacement Kit with Power Outlet Conditioner	50 lbs (22.7 kg)

	CMA290	Quantity
	Wire Suspension Locks	10 pack

	CMS Fixed Columns		Weight Capacity	
	Fixed 1 1/2" NPT extension columns available in black, silver and white†		500 lbs (226.8 kg)	
	Model	Length	Model	Length
	CMS003*	3" (76 mm)	CMS024	2' (0.6 m)
	CMS006*	6" (152 mm)	CMS036	3' (0.9 m)
	CMS009	9" (229 mm)	CMS048	4' (1.2 m)
	CMS012	12" (305 mm)	CMS060	5' (1.5 m)
	CMS018	18" (457 mm)	CMS072	6' (1.8 m)
* Steel construction. † All part numbers listed are black. To order alternate colors add an S (silver) or W (white) to the end of the part number.				

	CMSZ006	Colors	Weight Capacity
	0-6" (152 mm) Fully Threaded Column	S B	500 lbs (226.8 kg)

	CMS Adjustable Columns		Weight Capacity	
	Adjustable 1 1/2" NPT extension columns available in black, silver and white†		500 lbs (226.8 kg)	
	Model	Length	Model	Length
	CMS006009	6-9" (152-229 mm)	CMS0507	5-7' (1.5-2.1 m)
	CMS009012	9-12" (229-305 mm)	CMS0608	6-8' (1.8-2.4 m)
	CMS012018	12-18" (305-457 mm)	CMS0709	7-9' (2.1-2.7 m)
	CMS018024	18-24" (457-610 mm)	CMS0810	8-10' (2.4-3.1 m)
	CMS0203	2-3' (0.6-0.9 m)	CMS0911	9-11' (2.7-3.4 m)
	CMS0305	3-5' (0.9-1.5 m)	CMS1012*	10-12' (3.1-3.7 m)
	CMS0406	4-6' (1.2-1.8 m)		
* Cannot ship by UPS due to length. † All part numbers listed are black. To order alternate colors add an S (silver) or W (white) to the end of the part number.				

	CMA274/275	Compatibility
	Quick-Snap Cable Covers - (Qty 1 / Qty 3) 4" (101 mm) long	1 1/2" & 2" NPT Columns



CMA273	Compatibility
Threaded End Cap	1 1/2" NPT Columns



CMA278	Compatibility
Vinyl End Cap (Qty 10)	1 1/2" NPT & CPA Columns



CMA640	Compatibility	Colors
Decorative Ring, 1.9" (48 mm) ID	1 1/2" NPT & CPA Columns	



CMA643	Compatibility
Decorative Ring, 2.44" (62 mm) ID - Silver	CMS Outer Adjustable Columns



CMA700	Colors	Weight Capacity
6" (152 mm) Ceiling Plate with Adjustable Column		500 lbs (226.8 kg)



CMA100	Colors	Weight Capacity
8" (203 mm) Ceiling Plate with Adjustable Column		500 lbs (226.8 kg)



CMS261	Colors	Weight Capacity
CMS Column Cut-Off Adapter		500 lbs (226.8 kg)



CMA151	Weight Capacity
Adapter/Reducer 1 1/2" NPT to 1" NPT	250 lbs (113.4 kg)



CMSH3	Colors	Weight Capacity
Column Height Adjustment Accessory, 3" (76 mm)		25 lbs (11.3 kg)



CMA502	Weight Capacity
Single Electric Power Outlet Coupler	500 lbs (226.8 kg)



CMA504	Weight Capacity
Dual Electric Power Outlet Coupler	500 lbs (226.8 kg)



CMA351	Weight Capacity
Heavy Duty Swivel Adapter	500 lbs (226.8 kg)



CMA152	Weight Capacity
Threaded Pipe Coupler with Cable Slot	500 lbs (226.8 kg)



CMA270	Color	Weight Capacity
Threaded Pipe Coupler		500 lbs (226.8 kg)



CMA106	Weight Capacity
Junction Box Assembly Ceiling Plate	50 lbs (22.7 kg)



PX2W	Compatibility
Power Conditioner Outlet	Rated for 2160 joules and 15 amps





CMA170	Weight Capacity
Storage Accessory	25 lbs (11.3 kg)





CMA480	Weight Capacity
Column Storage Shelf	25 lbs (11.3 kg)


CEILING PROJECTOR MOUNT ACCESSORIES


	CMA160	Weight Capacity
	Installation Job Box Coupler	250 lbs (113.4 kg)


	LSB100	Weight Capacity
	RPA Projector Lateral Shift Bracket	0-3" (0-76 mm) = 50 lbs (22.7 kg) 3-5.25" (76-133 mm) = 15 lbs (6.8 kg)


	LSB101	Weight Capacity
	Lateral Shift Bracket for RPM	50 lbs (22.7 kg)

	PG1A	Max Equipment Size (HxWxD)	Colors
	Large Projector Guard	7.5 x 20 x 20.4" (191 x 508 x 518 mm)	B W


	PG2A	Max Equipment Size (HxWxD)	Colors
	Small Projector Guard	7.5 x 16 x 16" (191 x 406 x 406 mm)	B W


	PG3A	Max Equipment Size (HxWxD)	Colors
	Extra Large Projector Guard	11.4 x 25 x 24.9" (288 x 635 x 633 mm)	B W


	PL1	Lock Options
	RPA Large Projector Lock	A/B/C

	PL2	Lock Options
	RPA Small Projector Lock	A/B/C


	SA1
	Security Anchor


	HC1	Includes
	Heavy-Duty Cable system	SA1, cable, padlock, security pads, super glue


	LC1	Includes
	Security Cable Lock Kit	coiled cable, padlock, security pads, super glue


	PL4	Includes
	Projector Security Cable Lock	cable, security pad, lock housing


SSC			
Secure Screw Cover kits			
Model	Compatibility	Model	Compatibility
SSC1	Covers screws up to #10 (M5)	SSC3	Covers screws up to 0.31" (M8)
SSC2	Covers screws up to 0.24" (M7)	SSC4	Includes three SSC1 and two SSC3

	PMSC	Includes
	Security Cable Lock	two cable and lock sets


	SEC2	Compatibility
	Security Cable Kit for SLBU	RSMA and RSA Mounts and RPA and RPA Elite Security Series

	LCD2C	Compatibility
	Dual Projector Ceiling Stacker	Requires two RPA or RPM projector mounts


	LCD2TS	Compatibility
	Dual Projector Table Stand Stacker	Requires two RPA or RPM projector mounts




Lcdb	Weight Capacity
Stacker Base	100 lbs (45.5 kg)




Lcdpa	Compatibility
Stacker Arm	RPA and RPM projector mounts




Lcdcp	Weight Capacity
Stacker Ceiling Plate	100 lbs (45.5 kg)




CMA250	Weight Capacity
LCD A Flush Mount Adapter	500 lbs (226.8 kg)



CMSI
Interactive Ceiling-Mounted Projector Solution



TMA100	Weight Capacity
Projector Tripod Mount	25 lbs (11.3 kg)



LPK1	Compatibility
VCM Flush mount Adapter	VCM