

ROTATING & PULL-OUT RACKS

RAXXESS™ ROTATING & PULL-OUT RACK FEATURES

RACKBUILDER™

Customize this rack in RackBuilder to your exact specifications. Details on page 154.

HEAVY DUTY DESIGN

Rated to carry up to 300 lbs (136 kg) of equipment. HD models allow for greater weight capacity.

ACCESSIBLE

Pull out racks provide easy access to equipment and wiring when space is at a premium.

CABLE MANAGEMENT

Included cable management system keeps wiring organized when the rack is pulled out for service.

SAFETY

Bottom cover panel keeps the rack from being pulled out accidentally.

ROTR PULL-OUT ROTATING RACK WITH 18.9" DEPTH

In-wall pull out rotating rack. Designed for flush cabinet door installations.

Assembly required.

Overall Depth	Usable Depth	Width
18.9" (480 mm)	18.4" (467 mm)	19.25" (489 mm)

Model	Rack Height	Height
ROTR-8	8 space	17.5" (445 mm)
ROTR-9	9 space	19.3" (489 mm)
ROTR-10	10 space	21" (533 mm)
ROTR-11	11 space	22.8" (578 mm)
ROTR-12	12 space	24.5" (622 mm)
ROTR-13	13 space	26.3" (667 mm)

Model	Rack Height	Height
ROTR-14	14 space	28" (711 mm)
ROTR-15	15 space	29.8" (756 mm)
ROTR-16	16 space	31.5" (800 mm)
ROTR-17	17 space	33.3" (845 mm)
ROTR-18	18 space	35" (889 mm)
ROTR-19	19 space	36.8" (934 mm)
ROTR-20	20 space	38.5" (978 mm)
ROTR-21	21 space	40.3" (102.2 cm)
ROTR-22	22 space	42" (106.7 cm)
ROTR-23	23 space	43.8" (111.1 cm)



Model	Rack Height	Height
ROTR-24	24 space	45.5" (115.6 cm)
ROTR-xx	Custom space	Order rack rail separately

ROTR-XL PULL-OUT ROTATING RACK WITH 22.9" DEPTH

In-wall pull out rotating rack. Designed for recessed cabinet door installations. Assembly required.

Overall Depth	Usable Depth	Width
22.9" (582 mm)	18.4" (467 mm)	19.25" (489 mm)

Model	Rack Height	Height
ROTR-XL-8	8 space	17.5" (445 mm)
ROTR-XL-9	9 space	19.3" (489 mm)
ROTR-XL-10	10 space	21" (533 mm)
ROTR-XL-11	11 space	22.8" (578 mm)

Model	Rack Height	Height
ROTR-XL-12	12 space	24.5" (622 mm)
ROTR-XL-13	13 space	26.3" (667 mm)
ROTR-XL-14	14 space	28" (711 mm)
ROTR-XL-15	15 space	29.8" (756 mm)
ROTR-XL-16	16 space	31.5" (800 mm)
ROTR-XL-17	17 space	33.3" (845 mm)
ROTR-XL-18	18 space	35" (889 mm)
ROTR-XL-19	19 space	36.8" (934 mm)

Model	Rack Height	Height
ROTR-XL-20	20 space	38.5" (978 mm)
ROTR-XL-21	21 space	40.3" (102.2 cm)
ROTR-XL-22	22 space	42" (106.7 cm)
ROTR-XL-23	23 space	43.8" (111.1 cm)
ROTR-XL-24	24 space	45.5" (115.6 cm)
ROTR-XL-XX	Custom space	Order rack rail separately

ROTR-HD 24U+ PULL-OUT ROTATING RACK WITH 23.5" DEPTH


In-wall pull out rack. Designed for heavy duty rack installations. Assembly required.

Overall Depth	Usable Depth	Width	Min. Sill Height*
23.5" (597 mm)	18.5" (470 mm)	19.25" (489 mm)	4" (102 mm)

* Adjustable to 6" (152 mm) with included hardware.

Model	Rack Height	Height
ROTR-HD-24	24 space	48.4" (122.9 cm)
ROTR-HD-25	25 space	50.1" (127.3 cm)
ROTR-HD-26	26 space	51.9" (131.8 cm)
ROTR-HD-27	27 space	53.6" (136.1 cm)
ROTR-HD-28	28 space	55.4" (140.7 cm)
ROTR-HD-29	29 space	57.1" (145 cm)
ROTR-HD-30	30 space	58.9" (149.6 cm)

Model	Rack Height	Height
ROTR-HD-31	31 space	60.6" (154 cm)
ROTR-HD-32	32 space	62.4" (158.5 cm)
ROTR-HD-33	33 space	64.1" (162.8 cm)
ROTR-HD-34	34 space	65.9" (167.4 cm)
ROTR-HD-35	35 space	67.6" (171.7 cm)
ROTR-HD-36	36 space	69.4" (1724 cm)
ROTR-HD-37	37 space	71.1" (176.3 cm)
ROTR-HD-38	38 space	72.9" (185.2 cm)
ROTR-HD-39	39 space	74.6" (189.5 cm)
ROTR-HD-40	40 space	76.4" (194.4 cm)
ROTR-HD-41	41 space	78.1" (198.4 cm)
ROTR-HD-42	42 space	79.9" (202.9 cm)
ROTR-HD-43	43 space	81.6" (207.3 cm)



Model	Rack Height	Height
ROTR-HD-44	44 space	83.4" (211.8 cm)
ROTR-HD-xx	Custom space	Order rack rail separately

ROTATING & PULL-OUT RACK ACCESSORIES



ROTRS	Compatibility
Racks Component Shelf	ROTR and ROTR-XL

More universal rack accessories available on page 174.

RAXXESS™ ON-WALL RACK

FEATURES



RACKBUILDER™ DELIVERED

Order this rack preloaded through RackBuilder™ Delivered. Details on page 154.

EASY INSTALLATION

Enclosed wall-mounted racks come with horizontal keyhole slots to make hanging the back panel simple.

INCLUDED HARDWARE

Racks ship with all required hardware to mount to wood studs, steel studs or concrete.

W2 Series FIXED WALL RACK

This fixed wall rack includes a reversible locking front door and a ventilated bottom panel. Steel flanged blanking panel at the top is easily removed to accept any 3U fan or panel. Weight capacity is 150 lbs (68 kg).



Model	Rack Height	Height	Overall Depth	Usable Depth	Width
NW2F818	8 space	18.43" (468 mm)	18.11" (460 mm)	16.54" (420 mm)	22.12" (562 mm)
NW2F1218	12 space	25.43" (646 mm)			

W1 Series HINGED WALL RACK

This hinged wall rack can be installed to swing to either side for easy access to cabling. Steel flanged blanking panel at the top is easily removed to accept any 3U fan or panel. Weight capacity is 300 lbs (136 kg). Solid, perforated or Plexi doors ordered separately.



Model	Rack Height	Height	Overall Depth	Usable Depth	Width
NW1F1218	12 space	28.85" (733 mm)	18" (457 mm)	16" (406 mm)	25.13" (638 mm)
NW1F1223			23" (584 mm)	21" (533 mm)	
NW1F2018	20 space	42.85" (109 cm)	18" (457 mm)	16" (406 mm)	
NW1F2023			23" (584 mm)	21" (533 mm)	
NW1F2818	28 space	56.85" (144 cm)	18" (457 mm)	16" (406 mm)	
NW1F2823			23" (584 mm)	21" (533 mm)	
NW1F2828			28" (711 mm)	26" (660 mm)	
NW1F3618	36 space	70.85" (180 cm)	18" (457 mm)	16" (406 mm)	
NW1F3623			23" (584 mm)	21" (533 mm)	
NW1F3628			28" (711 mm)	26" (660 mm)	

SWR SECTIONAL WALL RACK

Sectional design allows access to rear of rack for cabling and maintenance. Doors and center rack section can be hinged to open in either direction, with shallower depth options than the W1 Series. Weight capacity is 150 lbs (68 kg). Solid, perforated or Plexi doors ordered separately.



Model	Rack Height	Height	Overall Depth	Usable Depth	Width
SWR-10-12	10 space	24.4" (620 mm)	15.5" (394 mm)	12" (305 mm)	22.25" (565 mm)
SWR-10-17			20.5" (521 mm)	17" (432 mm)	
SWR-18-12	18 space	38.4" (975 mm)	15.5" (394 mm)	12" (305 mm)	
SWR-18-17			20.5" (521 mm)	17" (432 mm)	
SWR-24-17	24 space	48.9" (124 cm)	20.5" (521 mm)	17" (432 mm)	

RWM RELAY WALL RACK

A fixed wall rack that ships flat. Easy assembly in minutes. Weight capacity is 50 lbs (22.6 kg).



Model	Rack Height	Height	Overall Depth	Usable Depth	Width
RWM-13-18	13 space	26.25" (667 mm)	18" (457 mm)	18" (457 mm)	19.4" (493 mm)
RWM-24-18	24 space	45.5" (115.6 cm)			
RWM-42-18	42 space	77" (195.6 cm)			

RFM RELAY FLOOR RACK

Bolt-to-floor relay frame rack in three height options. Add RCM cable managers (shown in picture) to keep large bundles of cables organized.

Model	Rack Height	Height	Overall Depth	Width
RFM-24	24 space	47.5" (120.6 cm)	17" (432 mm)	19.4" (493 mm)
RFM-35	35 space	66.75" (169.5 cm)		
RFM-42	42 space	79" (200.6 cm)		



PWR PIVOT WALL RACK

This pivoting wall rack rests on the floor and firmly attaches to the wall. Door can be hinged to open in either direction. Weight capacity is 300 lbs (136 kg). Solid, perforated or Plexi doors ordered separately.

Model	Rack Height	Height	Overall Depth	Usable Depth	Width
PWR-40-24	40 space	89" (226.1 cm)	23.25" (591 mm)	16.5" (419 mm)	22.87" (580 mm)



ON-WALL RACK ACCESSORIES



W1 Sectional Wall Rack Door Options		
Model	Rack Height	Type
NWID12S	12 space	Solid Steel
NWID12F	12 space	Perforated Steel
NWID12P	12 space	Plexi
NWID20S	20 space	Solid Steel
NWID20F	20 space	Perforated Steel
NWID20P	20 space	Plexi
NWID28S	28 space	Solid Steel
NWID28F	28 space	Perforated Steel
NWID28P	28 space	Plexi
NWID36S	36 space	Solid Steel
NWID36F	36 space	Perforated Steel
NWID36P	36 space	Plexi



NAWS1	Weight Capacity
Wall Shelf with Wooden Sides	50 lbs (22.7 kg)



WMS	Compatibility
Steel Wall Mounted Shelf	Can also be used to wall hang ER-4, ER-6, ER-8, ER-10 and ER-12



RCM	Compatibility
RFM Cable Manager	RFM



PWR Rack Door Options		
Model	Rack Height	Type
PWRD-40	40 space	Solid Steel
PWRD-40P	40 space	Perforated Steel
PWRD-40PLX	40 space	Plexi



Accessories available to order preloaded via RackBuilder™ Delivered.

More universal rack accessories available on page 174.

RAXXESS™ FREESTANDING RACK

FEATURES

BACK TO BASICS

Clean, efficient rack design for audio and video gear.

INSTALLER FRIENDLY

Ships knocked down to assemble in minutes.

ER ECONOMY RACK

An economical rack available in heights from 4 space to 20 space and 16" (403 mm) or 18" (454 mm) depths.

Model	Rack Height	Height	Overall Depth	Usable Depth	Overall Width
ER-4	4 space	8.6" (219 mm)	15.9" (403 mm)	15" (381 mm)	20.4" (772 mm)
ER-6	6 space	12.1" (308 mm)			
ER-8	8 space	15.6" (397 mm)			
ER-10	10 space	19.1" (486 mm)			
ER-12	12 space	22.6" (574 mm)			
ER-14	14 space	26.1" (664 mm)			
ER-16	16 space	29.6" (753 mm)			
ER-20	20 space	36.6" (930 mm)	17.9" (454 mm)	17" (431 mm)	20.4" (772 mm)
ER-8-18	8 space	15.6" (397 mm)			
ER-12-18	12 space	22.6" (574 mm)			
ER-16-18	16 space	29.6" (753 mm)			
ER-20-18	20 space	36.6" (930 mm)			



ERS SLANTED ECONOMY RACK

Slanted racks make it convenient to easily see the equipment used.

Model	Rack Height	Height	Overall Depth (bottom)	Overall Depth (top)	Overall Width
ERS-10	10 space	20.4" (518 mm)	16.5" (419 mm)	12.5" (138 mm)	20.4" (772 mm)
ERS-18	18 space	38.8" (984 mm)	18" (457 mm)		
ER-12\8†	12 space (slanted) + 8 space (vertical)	39" (991 mm)	15.8" (400 mm)	8.6" (219 mm)	
ER-12\16†	12 space (slanted) + 16 space (vertical)	53" (134.6 cm)			



† Semi-slanted racks.

ERK ELITE RACK

Sectional design allows access to rear of rack for cabling and maintenance.

Doors can be hinged to open in either direction. Weight capacity is 150 lbs

(68 kg). All racks over 8 space include casters. Plexi front doors and solid rear doors can be ordered separately.

Model	Rack Height	Height	Height w/ Casters	Overall Depth	Usable Depth	Overall Width	Color																							
ERK-4-16M	4 space	9"	11.9"	16"	14"	20.4"	M																							
ERK-4-16B		(229 mm)	(302 mm)				(406 mm)	(356 mm)	B																					
ERK-8-20M	8 space	16.9"	19.8"	20"	18"		772 mm)	M																						
ERK-8-20B		(429 mm)	(502 mm)					(508 mm)	(457 mm)	B																				
ERK-12-20M	12 space	23.9"	26.8"					20"	18"	772 mm)	M																			
ERK-12-20B		(606 mm)	(680 mm)								(508 mm)	(457 mm)	B																	
ERK-16-20M	16 space	30.9"	33.8"								20"	18"	772 mm)	M																
ERK-16-20B		(784 mm)	(857 mm)											(508 mm)	(457 mm)	B														
ERK-20-20M	20 space	37.9"	40.8"											20"	18"	772 mm)	M													
ERK-20-20B		(962 mm)	(103.5 cm)														(508 mm)	(457 mm)	B											
ERK-12\8-20M†	12 space (slanted)	40.9"	43.6"														20"	18"	772 mm)	M										
ERK-12\8-20B†	+ 8 space (vertical)																			(103.8 cm)	(110.8 cm)	(508 mm)	(457 mm)	B						
ERK-16-20MSL*	16 space	33.3"	36.1"																	20"	18"	772 mm)	M							
ERK-16-20BSL*		(845 mm)	(918 mm)																				(508 mm)	(457 mm)	B					
ERK-20-20MSL*	20 space	40.3"	43.1"																				20"	18"	772 mm)	M				
ERK-20-20BSL*		(102.2 cm)	(109.5 cm)																							(508 mm)	(457 mm)	B		
ERK-24-20MSL*	24 space	47.1"	50"																							20"	18"	772 mm)	M	
ERK-24-20BSL*		(119.7 cm)	(127 cm)																										(508 mm)	(457 mm)

† Semi-slanted rack.

* Slanted rack.



FREESTANDING RACK ACCESSORIES



ER Plexi Economy Rack Door Options		
Model	Non Slanted Rack Height	Type
ERD-8	8 space	Plexi
ERD-12	12 space	Plexi
ERD-16	16 space	Plexi
ERD-20	20 space	Plexi



ER Perforated Economy Rack Door Options		
Model	Non Slanted Rack Height	Type
ERD-8P	8 space	Perforated Steel
ERD-12P	12 space	Perforated Steel
ERD-16P	16 space	Perforated Steel
ERD-20P	20 space	Perforated Steel



Solid Steel Security Door Options		
Mounts to rack rails and can be used to cover select RU location.		
Model	Non Slanted Rack Height	Type
SCDR-8	8 space	Solid Steel
SCDR-12	12 space	Solid Steel
SCDR-16	16 space	Solid Steel
SCDR-20	20 space	Solid Steel



S-10	Compatibility
ERS Swivel Base	ERS



ERK Rack Front Door Options		
Model	Rack Height	Type
ERKD-8	8 space	Plexi
ERKD-12	12 space	Plexi
ERKD-16	16 space	Plexi
ERKD-20	20 space	Plexi



ERK Rack Rear Door Options		
Model	Rack Height	Type
ERKD-8MR	8 space	Maple M
ERKD-8BR	8 space	Ebony B
ERKD-12MR	12 space	Maple M
ERKD-12BR	12 space	Ebony B
ERKD-16MR	16 space	Maple M
ERKD-16BR	16 space	Ebony B
ERKD-20MR	20 space	Maple M
ERKD-20BR	20 space	Ebony B



CASTER-ER/ERK	Compatibility
Casters	ER Racks, ERS Racks and ERK-4 and ERK-8

RAXXESS™ ELITE CONVERTA RACK

FEATURES

SECURITY

A locking Plexi front door and locking rear solid door are included. ECR-12\16ST includes locking steel front door.

MOBILITY

Smooth rolling casters make transporting equipment easy.

ECR Series ELITE CONVERTA RACK & POP-UP MIXER

Converta rack that includes mixer pop-up rack on top. Available in walnut and cherry finishes.

Model	Rack Height	Height	Overall Depth	Usable Depth	Width	Height with Casters	Color
ECR-10\10CH	10* + 10 space	31" (787 mm)	24" (609 mm)	18" (457 mm)	20.75" (527 mm)	31" (787 mm)	CH
ECR-10\10WT							WT
ECR-10\16CH	16* + 10 space	41.5" (105.4 cm)				41.5" (105.4 cm)	CH
ECR-10\16WT							WT

* Popup mixer spaces are 5" (127 mm) deep.



ECR Series ELITE CONVERTA RACK & POP-UP MIXER

Steel construction Converta rack includes mixer pop-up rack on top. Optional pop-up side shelf accessory is also available.

Model	Rack Height	Height	Overall Depth	Usable Depth	Width	Height with Casters	color
ECR-12\16ST	16* + 12 space	38.56" (979 mm)	27.5" (699 mm)	24" (610 mm)	22.13" (562 mm)	41.5" (105.4 cm)	S B

* Mixer spaces are 5" (127 mm) deep.



ELITE CONVERTA RACK ACCESSORIES



ECR-CH/SHELF
ECR Side Shelf for Elite Converta Rack, Cherry



ECR-WT/SHELF
ECR Side Shelf for Elite Converta Rack, Walnut



ECR-ST-SHELF
ECR Side Shelf for ECR-12\16ST



ECR-12\16STPS
ECR Podium Shelf for ECR-12\16ST

RAXXESS™ ELITE ROLL TOP DESKS

FEATURES

SECURE

Locking doors restrict access to equipment and wiring.

HIGHLY CUSTOMIZABLE

Fully assembled desks come with single or dual rack locations below and optional pull out shelf above.

ERT Series ELITE ROLL TOP DESK

Secure locking roll top and locking doors keep equipment safe. Order with or without cutout for seating (wood versions only). Slide out rack and top pull out shelf available as optional accessories.

Model	Rack Height	Height	Overall Depth	Usable Depth	Width	Height w/ Casters	Color
ERT-CH	14 + 14 space	39.5" (100 cm)	30" (762 mm)	23.5" (597 mm)	20.75" (527 mm)	41.4" (105 cm)	CH
ERT-CHSD	14 space & seating cutout						
ERT-WT	14 + 14 space						WT
ERT-WTSD	14 space & seating cutout						
ERT-ST	14 + 14 space						S



ERT-WTSD

ELITE ROLL TOP DESK

ACCESSORIES



ERT-SLRKCH
ERT slide out rack, Cherry



ERT-SLRKWT
ERT slide out rack, Walnut



ERT pull out shelf	
Model	Finish
ERT-SHLFCH	Cherry
ERT-SHLFWT	Walnut
ERT-SHLFST	Black


OTHER RAXXESS™ RACK ACCESSORIES



Accessories available to order preloaded via RackBuilder™ Delivered.



	NACF-
RackBuilder Delivered database continually updated to add new faceplates.	



	NACS Custom Mounting Shelves		
Model	Rack Height	Depth	
NACS214	2 space	14" (355 mm)	
NACS218	2 space	18" (457 mm)	
NACS314	3 space	14" (355 mm)	
NACS318	3 space	18" (457 mm)	
NACS414	4 space	14" (355 mm)	
NACS418	4 space	18" (457 mm)	
NACS514	5 space	14" (355 mm)	
NACS518	5 space	18" (457 mm)	
NACS614	6 space	14" (355 mm)	
NACS618	6 space	18" (457 mm)	



CMK-CBS Component Clamping Bars for Custom Mounting Shelves	
Works with NACS selves to secure products in place. Includes soft foam protective strips.	



NAB Branding Panel	Compatibility
Customized logo panel puts company information out front while preserving rack space.	Works in E1, G1, S1, W1 & W2 racks.



	FSK-B Aluminum Trim Strip	Contents
Can be cut in the field to cover screws and rack rail to dress up any installation. Two are required for racks taller than 20U.		Includes 25 screws, 25 snap washers and 8 end caps.



	UNS-1*	Rack Height	Depth
Universal Rack Shelf		1 space	10" (254 mm)



	UTS-1*	Rack Height	Depth
Utility Shelf		1 space	11" (279 mm)



	UTS-2*	Rack Height	Depth
Utility Shelf		2 space	14.5" (368 mm)



Shelf Multi-Pack Accessories		
Model	Type	Quantity
UNS-1-MP10	Punched shelf bottom	10 per pack
UTS-1-MP10	Solid steel	10 per pack
UTS-2-MP5	Solid steel	5 per pack




	UTS-3	Rack Height	Depth
Utility Shelf		3 space	14.5" (368 mm)



	UTS-4	Rack Height	Depth
Utility Shelf		4 space	14.5" (368 mm)



	UTVS-3-14	Rack Height	Depth
Vented Shelf		3 space	14" (355 mm)



	UTVS-3-18	Rack Height	Depth
Vented Shelf		3 space	18" (457 mm)



VCS-2	Rack Height	Depth
Cantilevered Shelf	2 space	18" (457 mm)



	WDS3-14	Rack Height	Depth
Wide Shelf		3 space	14" (355 mm)



	WDS3-18	Rack Height	Depth
Wide Shelf		3 space	18" (457 mm)

* Also available in a multi-pack, see above.

OTHER RAXXESS™ RACK ACCESSORIES



Accessories available to order preloaded via RackBuilder™ Delivered.



TR Trap Shelf		
Model	Rack Height	Depth
TR-2	2 space	14.5" (368 mm)
TR-3	3 space	14.5" (368 mm)
TR-4	4 space	14.5" (368 mm)



ATS-16-26	Rack Height	Depth	Weight Capacity
Adjustable Telescoping Shelf	1 space	16 - 26" (406 - 606 mm)	300 lbs (136 kg)



EXS Extendable Shelf		
Model	Usable Depth	Weight Capacity
EXS-2	21 - 28" (533-711 mm)	300 lbs (136 kg)
EXS-2-16	16 - 23" (406-584 mm)	300 lbs (136 kg)



SLE-1	Rack Height	Depth
Economy Sliding Shelf	1 space	13.75" (349 mm)



SLS-1	Rack Height	Depth
Sliding Shelf	1 space	14.25" (362 mm)



SLS-1.5	Rack Height	Depth
Sliding Shelf	2 space	14.5" (368 mm)



AFG Aluminum Flanged Panel		
Model	Rack Height	Type
AFG-1	1 space	Black Anodized Aluminum
AFG-ICL	1 space	Clear Anodized Aluminum
AFG-2	2 space	Black Anodized Aluminum
AFG-2CL	2 space	Clear Anodized Aluminum
AFG-3	3 space	Black Anodized Aluminum
AFG-3CL	3 space	Clear Anodized Aluminum
AFG-4	4 space	Black Anodized Aluminum
AFG-4CL	4 space	Clear Anodized Aluminum



AFT Aluminum Flat Panel		
Model	Rack Height	Type
AFT-1	1 space	Black Anodized Aluminum
AFT-ICL	1 space	Clear Anodized Aluminum
AFT-2	2 space	Black Anodized Aluminum
AFT-2CL	2 space	Clear Anodized Aluminum
AFT-3	3 space	Black Anodized Aluminum
AFT-3CL	3 space	Clear Anodized Aluminum
AFT-4	4 space	Black Anodized Aluminum
AFT-4CL	4 space	Clear Anodized Aluminum



EFG Economy Steel Flanged Panel		
Model	Rack Height	Type
EFG-1	1 space	Black Powder Coat
EFG-2	2 space	Black Powder Coat
EFG-3	3 space	Black Powder Coat
EFG-4	4 space	Black Powder Coat



EFT Economy Steel Flat Panel		
Model	Rack Height	Type
EFT-1	1 space	Black Powder Coat
EFT-2	2 space	Black Powder Coat
EFT-3	3 space	Black Powder Coat
EFT-4	4 space	Black Powder Coat



SFG Steel Flanged Panel		
Model	Rack Height	Type
SFG-1^	1 space	Black Wrinkle Coat
SFG-2^	2 space	Black Wrinkle Coat
SFG-3^	3 space	Black Wrinkle Coat
SFG-4^	4 space	Black Wrinkle Coat
SFG-5	5 space	Black Wrinkle Coat
SFG-6	6 space	Black Wrinkle Coat
SFG-7	7 space	Black Wrinkle Coat

^ Also available in a multi-pack, see next page.



OTHER RAXXESS™ RACK ACCESSORIES



Accessories available to order preloaded via RackBuilder™ Delivered.



SFT Steel Flat Panel		
Model	Rack Height	Type
SFT-1 [^]	1 space	Black Wrinkle Coat
SFT-2 [^]	2 space	Black Wrinkle Coat
SFT-3 [^]	3 space	Black Wrinkle Coat
SFT-4 [^]	4 space	Black Wrinkle Coat
SFT-5	5 space	Black Wrinkle Coat
SFT-6	6 space	Black Wrinkle Coat
SFT-7	7 space	Black Wrinkle Coat



EVP Economy Vent Panel		
Model	Rack Height	Type
EVP-1 [^]	1 space	Black Powder Coat
EVP-2 [^]	2 space	Black Powder Coat
EVP-3 [^]	3 space	Black Powder Coat



Panel Multi-Pack Accessories			
Model	Quantity	Model	Quantity
SFG-1-MPIO	10 per pack	SFT-2-MPIO	10 per pack
SFG-2-MPIO	10 per pack	SFT-3-MPIO	10 per pack
SFG-3-MPIO	10 per pack	SFT-4-MPIO	10 per pack
SFG-4-MPIO	10 per pack	EVP-1-MPIO	10 per pack
SFT-1-MPIO	10 per pack	EVP-2-MPIO	10 per pack
SFT-2-MPIO	10 per pack	EVP-3-MPIO	10 per pack
SFT-3-MPIO	10 per pack		



PVP Perforated Vent Panel		
Model	Rack Height	Type
PVP-1	1 space	Black Powder Coat
PVP-2	2 space	Black Powder Coat
PVP-3	3 space	Black Powder Coat
PVP-4	4 space	Black Powder Coat



HVP Hinged Vent Panel		
Model	Rack Height	Type
HVP-2	2 space	Black Powder Coat
HVP-3	3 space	Black Powder Coat
HVP-4	4 space	Black Powder Coat
HVP-6	6 space	Black Powder Coat



LSC Locking Security Cover		
Model	Rack Height	Type
LSC-2	2 space	Solid Steel
LSCP-2	2 space	Plexi
LSCF-2	2 space	Perf Panels
LSC-4	4 space	Solid Steel
LSCP-4	4 space	Plexi
LSCF-4	4 space	Perf Panels
LSC-8	8 space	Solid Steel
LSCP-8	8 space	Plexi
LSCF-8	8 space	Perf Panels



PSC Fine Perforated Steel Security Cover		
Model	Rack Height	Type
PSC-1	1 space	Black Powder Coat
PSC-2	2 space	Black Powder Coat
PSC-3	3 space	Black Powder Coat



FVP Fine Perforated Vent Panel		
Model	Rack Height	Type
FVP-1	1 space	Black Powder Coat
FVP-2	2 space	Black Powder Coat
FVP-3	3 space	Black Powder Coat
FVP-4	4 space	Black Powder Coat

SEC Perforated Security Cover		
Model	Rack Height	Type
SEC-1	1 space	Black Powder Coat
SEC-2	2 space	Black Powder Coat
SEC-3	3 space	Black Powder Coat

[^] Also available in a multi-pack.

OTHER RAXXESS™ RACK ACCESSORIES



ESD Economy Sliding Drawers			
Model	Rack Height	Locking	Type
ESD-2	2 space	No	Black Powder Coat
ESD-2-L	2 space	Yes	Black Powder Coat
ESD-3	3 space	No	Black Powder Coat
ESD-3-L	3 space	Yes	Black Powder Coat
ESD-4	4 space	No	Black Powder Coat
ESD-4-L	4 space	Yes	Black Powder Coat



FSD Locking Sliding Drawer		
Model	Rack Height	Type
FSD-2	2 space	Black Powder Coat
FSD-2A	2 space	Black Anodized Aluminum
FSD-2ACL	2 space	Clear Anodized Aluminum
FSD-3	3 space	Black Powder Coat
FSD-3A	3 space	Black Anodized Aluminum
FSD-3ACL	3 space	Clear Anodized Aluminum
FSD-4	4 space	Black Powder Coat
FSD-4A	4 space	Black Anodized Aluminum
FSD-4ACL	4 space	Clear Anodized Aluminum
FSD-8	8 space	Black Powder Coat
FSD-8A	8 space	Black Anodized Aluminum

FSD-8-FH	Compatibility
File Hanging Kit	FSD-8, FSD-8A



DL	Compatibility
Foam Drawer Liners	ESD, SDR and FSD



FDI	Compatibility
Foam Drawer Inserts	ESD, SDR and FSD
Model	Rack Height
FDI-2	2 space
FDI-3	3 space
FDI-4	4 space



LOCK	Compatibility
Drawer Lock	ESD, SDR



Accessories available to order preloaded via RackBuilder™ Delivered.



CDP	Compatibility
CD Partition	ESD-3, ESD-4



DVDP	Compatibility
DVD Partition	SDR, ESD-3, ESD-4



FL	Compatibility
Floor Levelers	Compatibility E1, G1, (S1 ships with floor levelers)



NAC25H	Compatibility
Heavy Duty Casters	E1, G1, S1



PTSW-(X)	
Rack Screws	
Model	Quantity
PTSW25	Package of 25
PTSW50	Package of 50
PTSW100	Package of 100
PTSW500	Reuseable bucket of 500



PNTX-(X)		Compatibility
Security Screws		All Racks
Model	Quantity	
PNTX-25	Package of 25, includes one security bit	
PNTX-50	Package of 50, includes one security bit	
PNTX-100	Package of 100, includes one security bit	
PNTX-B	Extra Security Screw Bit	



STSW-25	Quantity
Stainless Steel Screws	25 per package


NATPBW	Color
Touch up paint	Black Wrinkle


NATPBS	Color
Touch up paint	Black Smooth


OTHER RAXXESS™ RACK ACCESSORIES





 NALRBW	Compatibility
Rack Light	Included 12VDC power supply accepts 120/240 and 50/60Hz





	TB
Horizontal tie bars for organizing cables	
Model	Description
TBA	1" (25 mm) Wide Aluminum
TBL	0.5" L-Shaped
TBLO	4" (102 mm) Offset L-Shaped
TBS	0.25" (6 mm) Round Rod
TBO	4" (102 mm) Offset Round Rod





	LCS Cable Lacing Strips	
Vertical lacing strips can be field cut to size		
Model	Width	Length
LCS	2" (50.8 mm)	77" (196 cm)
LCS-1	1" (24.4 mm)	77" (196 cm)



	NAG Brush Grommet	
Model	Rack Height	
NAG1BW	1 space	
NAG2BW	2 space	





	CT	
Nylon zip ties in packs of 100		
Model	Length	
CT-100-4	4" (102 mm)	
CT-100-8	8" (203 mm)	
CT-100-12	12" (305 mm)	
CT-100-15	15" (381 mm)	
CT-100-8R	8" (203 mm) reusable	





CBLD	
Cable Depot	


 Accessories available to order preloaded via RackBuilder™ Delivered.





	CMP-1C	Rack Height
Large Loop Cable Management Panel		1 space





	CMP-1M	Rack Height
Small Loop Cable Management Panel		1 space




	NAXQ20	Rack Height	Outlets	Amps
Sequencer		2 space	14	20A




	NAXS			
Surge Eliminator				
Model	Rack Height	Outlets	Amps	
NAXS15	1 space	9	15A	
NAXS20	2 space	14	20A	




NAXS-RT				
Surge Eliminator with Remote				
Model	Rack Height	Outlets	Amps	
NAXS15RT	1 space	9	15A	
NAXS20RT	1 space	9	20A	



NAXS-IP				
Surge Eliminator with iControl Ethernet Web Interface				
Model	Rack Height	Outlets	Amps	
NAXS15IP	1 space	9	15A	
NAXS20IP	1 space	9	20A	



	NAXS-BM	Compatibility		
Surge Eliminator Bottom Mount with Remote		E1, F1, G1, S1 racks only		
Model	Outlets	Amps		
NAXS15BM	9	15A		
NAXS20BM	9	20A		

OTHER RAXXESS™ RACK ACCESSORIES



Accessories available to order preloaded via RackBuilder™ Delivered.



	NAXU15	Rack Height
	Surge UPS	2 space



	NAPDH11	Rack Height
	Power Distribution	1 space



	NAPDH11L	Rack Height
	Power Distribution with pull-out LED lights	1 space



NAPDV		
Removable IEC Cord Power Strip Includes Mounting Hardware		
Model	Outlets	Amps
NAPDV0615PC	6	15A
NAPDV0620PC	6	20A
NAPDV1215PC	12	15A
NAPDV1220PC	12	20A
NAPDV1815PC	18	15A
NAPDV1820PC	18	20A
NAPDV2415PC	24	15A
NAPDV2420PC	24	20A



NAPDV		
Dual Circuit Power Strip with J-Box and Pigtailed		
Model	Outlets	Amps
NAPDV06152	6	15A
NAPDV06202	6	20A
NAPDV12152	12	15A
NAPDV12202	12	20A
NAPDV18152	18	15A
NAPDV18202	18	20A
NAPDV24152	24	15A
NAPDV24202	24	20A



	NAF15BA	Rack Height	Description	Type
	Fan Panel	1U	Intake fan panel for front rail installation	Quiet



	NAFT85	Description
	Thermostat Control	Turns on at 85° F (29° C) off at 75° F (24° C). Includes universal power supply to run two fans.



	NAFB2BW	Description	Compatibility
	Filtered Fan Panel	Draws cool filtered air into rack from bottom	E1, F1, G1, S1 racks



	NAV8B	Quantity	Compatibility
	Vent Block Kit	8	E1, W1, W2, SWR



NAF Exhaust Fan Panel - Black Anodized			
Model	Rack Height	Fans	Type
NAF31HBA	3 space	1	High Output
NAF32HBA	3 space	2	High Output
NAF33HBA	3 space	3	High Output
NAF31QBA	3 space	1	Quiet
NAF32QBA	3 space	2	Quiet
NAF33QBA	3 space	3	Quiet



OTHER RAXXESS™ RACK ACCESSORIES



CLS-A	Includes	Size
Variable Speed Fan Kit	2 low voltage fans	Fits 3" (76 mm) opening



CLS-P	Size
Passive Louvered Vent	Fits 3" (76 mm) opening



NAM1F	Rack Height	Mounting Patterns (WxH)	Weight Capacity
Fixed Rack Monitor Mount	4 space rack mount*	75 x 75 mm to 200 x 100 mm	40 lbs (18 kg)



NAM1T	Rack Height	Mounting Patterns (WxH)	Weight Capacity
Tilt Rack Monitor Mount	4 space rack mount*	75 x 75 mm to 100 x 100 mm	40 lbs (18 kg)



NAM1A	Rack Height	Mounting Patterns (WxH)	Weight Capacity
Articulating Rack Monitor Mount	4 space rack mount*	75 x 75 mm to 100 x 100 mm	40 lbs (18 kg)



Pull-Out iPod® Docks		
Includes iPod Dock, Multi-Function Remote Control, 120V/240V Power Supply, Zip Ties, Audio, Video and USB Cables		
Model	Rack Height	Color
NAID1B	1 space	B
NAID4B	4 space	B



NADBW	Size
Document Holder	Holds documents up to 8.5 x 11" (216 x 279 mm)



Accessories available to order preloaded via RackBuilder™ Delivered.



PB Project Box		
Model	Rack Height	Color
PB-1	1 space	B
PB-2	2 space	B



RKV Rack Vault		
Model	Rack Height	Color
RKV-3	3 space	B
RKV-4	4 space	B



DCR Decora® Mounting Panel			
Model	Rack Height	Devices Held	Orientation
DCR-1x1	1 space	1	horizontal
DCR-1x2	1 space	2	horizontal
DCR-1x3	1 space	3	horizontal
DCR-1x4	1 space	4	horizontal
DCR-3x3	3 space	3	vertical
DCR-3x4	3 space	4	vertical
DCR-3x6	3 space	6	vertical



EKO-3	Rack Height
Electrical Knockout Panel for Conduit Connectors	3 space



Specialty Panel		
Model	Description	Rack Height
S12F	12 Female XLR	1 space
S12H	6 Female and 6 Male XLR	1 space
S12M	12 Male XLR	1 space
S16.25	16 1/4" Phone	1 space
S16U	16 Male or Female XLR	1 space

*May require more than 4 spaces depending on size of monitor used.

OTHER RAXXESS™ RACK ACCESSORIES



ERSS Pair of Economy Speaker Stand			
Model	Height	Base Size	Color
ERSS-36	36" (91 cm)	12" (305 mm)	B
ERSS-42	42" (107 cm)	12" (305 mm)	B



ESS Pair of Elite Speaker Stand			
Model	Height	Base Size	Color
ESS-42BSL	42" (107 cm)	14" (356 mm)	B
ESS-42MSL	42" (107 cm)	14" (356 mm)	M



POMT Pop Filter With Gooseneck	
Model	Diameter
POMT	6" (152 mm)
POMT-8	8" (203 mm)



STOP Pop Filter (Attaches to Microphone Stand)	
Model	Diameter
STOP-6	6" (152 mm)
STOP-8	8" (203 mm)



HH Headphone Hanger		
Model	Type	Description
HH-1	Straight	Replace a rack screw with hanger to keep headphones close
HH-2	Right Angle	



RSG Round Speaker Grill	
Model	Diameter
RSG-8	8" (203 mm)
RSG-10	10" (203 mm)
RSG-12	12" (305 mm)
RSG-15	15" (381 mm)
RSG-18	18" (457 mm)



CKW	Compatibility
Clamp Kit (Set of 4)	For use with RSG Speaker Grills



AMS Attachable Music Stand Options		
Model	Dimensions (H,W)	Description
AMSL	9.75 x 7.5" (248 x 191 mm)	Attach to any microphone stand
AMSS	5 x 7.5" (127 x 191 mm)	



AR-5	Dimensions (H,W,D)
Riser for Amp Handle or Mic Stand	3 x 5 x 5" (76 x 127 x 127 mm)