

## Open Fixture Rated Metal Halide Lamps

Ordering Code	Barcode	Watts	Shape	Base	Approx Initial Lumens	CT° K	MOL in/mm	ANSI Ballast	Life
<b>MP400/BU/ED28/P</b>	06479	400	ED-28	EX39	41000	4000	8.86/225	M155/M128/M135/0	20,000
<b>MP400/BU/P</b>	06276	400	ED-37	EX39	41000	4000	11.73/296	M155/M128/M135/0	20,000

## Single Ended Metal Halide Lamps

Ordering Code	Barcode	Watts	Shape	Base	Approx Initial Lumens	CT° K	MOL in/mm	ANSI Ballast	Life
<b>MH-SE70/UVS/3K</b>	49183	70	T-7	G12	5600	3000	4.25/108.0	M85/M98	10,000
<b>MH-SE150/UVS/3K</b>	49185	150	T-7	G12	14000	3000	4.25/108.0	M81/M102	10,000
<b>MH-SE150/UVS/4K</b>	49186	150	T-7	G12	14000	4000	4.25/108.0	M81/M102	10,000

## Double Ended Metal Halide Lamps

Ordering Code	Barcode	Watts	Shape	Base	Approx Initial Lumens	CT° K	MOL in/mm	ANSI Ballast	Life
<b>MH-DE70/TD/UVS/3K</b>	15406	70	T-6	R7s	5200	3000	4.50/114.3	M85/M98	10,000
<b>MH-DE70/TD/UVS/4K</b>	15407	70	T-6	R7s	5500	4200	4.50/114.3	M85/M98	10,000
<b>MH-DE150/TD/UVS/3K</b>	15408	150	T-7	R7s	11250	3000	5.19/131.8	M81/M102	10,000
<b>MH-DE150/TD/UVS/4K</b>	15409	150	T-7	R7s	11250	4200	5.19/131.8	M81/M102	10,000

## Pulse Start Metal Halide Lamps

Ordering Code	Barcode	Watts	Shape	Base	Approx Initial Lumens	CT° K	MOL in/mm	ANSI Ballast	Description	Life
<b>MH50/C/U/MED</b>	49187	50	ED-17	E26	3000	3700	5.50/139.7	M110	Pulse Start	10,000
<b>MH50/U/MED</b>	49188	50	ED-17	E26	3400	4000	5.50/139.7	M110	Pulse Start	10,000
<b>MP50/U/MED/3K</b>	44501	50	EDX-17	E26	3200	3200	5.5/139.7	M110	Pulse Start & UV Shielded	10,000
<b>MH-DE70/TD/UVS/3K</b>	15406	70	T-6	R7s	5200	3000	4.50/114.3	M85/M98	Pulse Start & UV Shielded	10,000
<b>MH-DE70/TD/UVS/4K</b>	15407	70	T-6	R7s	5500	4200	4.50/114.3	M85/M98	Pulse Start & UV Shielded	10,000
<b>MH-SE70/UVS/3K</b>	49183	70	T-7	G12	5600	3000	4.25/108.0	M85/M98	Pulse Start & UV Shielded	10,000
<b>MH70/C/U/MED</b>	49189	70	ED-17	E26	5300	3700	5.50/139.7	M98	Pulse Start	15,000
<b>MH70/U/MED</b>	15410	70	ED-17	E26	5600	4000	5.50/139.7	M98	Pulse Start	15,000
<b>MP70/C/U/MED/3K</b>	49506	70	EDX-17	E26	5000	3200	5.5/139.7	M98	Pulse Start & UV Shielded	15,000
<b>MP70/C/U/MED/4K</b>	49508	70	EDX-17	E26	5000	3700	5.5/139.7	M98	Pulse Start & UV Shielded	15,000
<b>MP70/U/MED/4K</b>	49509	70	EDX-17	E26	5300	4000	5.5/139.7	M98	Pulse Start & UV Shielded	15,000
<b>MH100/C/U/MED</b>	49190	100	ED-17	E26	8500	3700	5.50/139.7	M90/M140	Pulse Start	15,000
<b>MH100/U/MED</b>	15411	100	ED-17	E26	9000	4000	5.50/139.7	M90/M140	Pulse Start	15,000
<b>MP100/C/U/MED/3K</b>	49511	100	EDX-17	E26	8100	3200	5.5/139.7	M90	Pulse Start & UV Shielded	15,000
<b>MP100/C/U/MED/4K</b>	49513	100	EDX-17	E26	8100	3700	5.5/139.7	M90	Pulse Start & UV Shielded	15,000
<b>MP100/U/MED/3K</b>	49512	100	EDX-17	E26	8500	3200	5.5/139.7	M90	Pulse Start & UV Shielded	15,000
<b>MP100/U/MED/4K</b>	49514	100	EDX-17	E26	8500	4000	5.5/139.7	M90	Pulse Start & UV Shielded	15,000
<b>MH-DE150/TD/UVS/3K</b>	15408	150	T-7	R7s	11250	3000	5.19/131.8	M81/M102	Pulse Start & UV Shielded	10,000
<b>MH-DE150/TD/UVS/4K</b>	15409	150	T-7	R7s	11250	4200	5.19/131.8	M81/M102	Pulse Start & UV Shielded	10,000

>>Continued on page 48



Single Ended Metal Halide



Double Ended Metal Halide



Pulse Start Metal Halide