

PEX Crimp



PEX Crimp

Offering the reliability and quality needed for potable water systems, Viega PEX Crimp fittings are part of our complete plumbing solution. Matched with our revolutionary Viega ManaBloc water distribution system and the highest rated PEX tubing in the industry, Viega PEX Crimp fittings are a time-tested method of joining PEX.

FEATURES AND BENEFITS

- EcoBrass® fittings provide better corrosion resistance than other brasses
- High-performance PolyAlloy fittings are made in the USA
- Peace of mind from durable materials and quality manufacturing
- In sizes 3/8" to 1"
- Comprehensive 10-year transferable warranty

CODES AND STANDARDS

- ASTM E84: Specification for Surface Burning Characteristics
- ASTM F876: Standard Specification for PEX Tubing
- ASTM F877: Standard Specification for PEX Water Distribution System
- ASTM F1807/F2159: Standard Specification for PEX Insert Fittings
- ASTM F2023: Standard Test Method for Evaluating the Oxidative Resistance of Cross-linked Polyethylene PEX Tubing and Systems to Hot Chlorinated Water
- AWWA C904: Cross-linked Polyethylene (PEX) Pressure Pipe for water service
- CAN/ULC S101: Standard Method of Test for Surface Burning Characteristics
- CAN/ULC S102.2: Standard Method of Test for Surface Burning Characteristics
- CSA International: Canadian Standard Association
- CSA B137.5: Standard Specification for PEX tubing systems in pressure applications
- ICC: International Plumbing Code
- IAPMO: Uniform Plumbing Code
- NSF/ANSI 61: Drinking Water System Components - Health Effects
- NSF/ANSI 61G: Lead Content Evaluation Procedure to meet < 0.25% average lead content
- NSF/ANSI 14: Plastics Piping System Components and Related Materials
- NSPC: National Standard Plumbing Code
- UL 1821: Thermoplastic Sprinkler Pipe and Fittings for Fire Protection Service

ZERO LEAD

References to Zero Lead throughout this publication means product meeting the requirements of NSF 61-G through testing under NSF/ANSI Standard 372 (0.25% or less percent maximum weighted average lead content).

Index

Tubing	108
Elbows	111
Tees	112
Adapters	113
Couplings	114
Valves	114
Viega ManaBlocs	116
Manifolds	121
Stub-Outs	121
Lav adapters	121
Closet adapters	122
Outlet boxes	123
Tools	124
Accessories	125

Tubing



ViegaPEX tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	red	5.000	1	32101 ¹	1
3/8	500	red	21.000	1	32105 ¹	1
3/8	1000	red	42.000	1	32100	1
1/2	100	red	5.800	1	32121 ¹	1
1/2	300	red	17.100	1	32123 ¹	1
1/2	500	red	28.000	1	32125 ¹	1
1/2	1000	red	58.000	1	32120	1
3/4	100	red	11.000	1	32141 ¹	1
3/4	300	red	32.100	1	32143 ¹	1
3/4	500	red	53.000	1	32145 ¹	1
3/4	1000	red	106.000	1	32140 ²	1
1	100	red	16.900	1	33323 ¹	1
1	300	red	50.700	1	32163	1
1	500	red	88.000	1	32165	1

¹) center pull coil

²) Available while supplies last



ViegaPEX tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5001.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	red	0.540	5	33272	1
1/2	20	red	1.060	5	33120	1
3/4	10	red	1.020	5	33275	1
3/4	20	red	2.040	5	33145	1
1	20	red	3.420	5	33270	1



ViegaPEX tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	100	blue	5.000	1	32201 ¹	1
3/8	500	blue	21.000	1	32205 ¹	1
3/8	1000	blue	42.000	1	32200	1
1/2	100	blue	5.300	1	32221 ¹	1
1/2	300	blue	17.100	1	32223 ¹	1
1/2	500	blue	26.500	1	32225 ¹	1
1/2	1000	blue	55.000	1	32220	1
3/4	100	blue	11.000	1	32241 ¹	1
3/4	300	blue	32.100	1	32243 ¹	1
3/4	500	blue	53.000	1	32245 ¹	1
3/4	1000	blue	106.000	1	32240 ²	1
1	300	blue	50.700	1	32263	1
1	500	blue	88.000	1	32265	1

¹) center pull coil

²) Available while supplies last



ViegaPEX tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5002.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	blue	0.540	5	33274	1
1/2	20	blue	1.060	5	33240	1
3/4	10	blue	1.020	5	33277	1
3/4	20	blue	2.040	5	33265	1
1	20	blue	3.420	5	33271	1



ViegaPEX tubing

Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5004

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	58.000	1	32300	1
3/8	500	1	blue	28.000	1	32905	1
3/8	500	1	red	28.000	1	32805	1
1/2	300	2	red/blue	48.000	1	32326	1
1/2	300	1	blue	23.100	1	32923	1
1/2	300	1	red	23.100	1	32823	1



ViegaPEX tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/4	100	white	3.200	1	32011	1
1/4	500	white	14.000	1	32015	1
3/8	100	white	5.000	1	32001¹	1
3/8	500	white	21.000	1	32005¹	1
3/8	1000	white	42.000	1	32000	1
1/2	100	white	6.000	1	32021¹	1
1/2	300	white	17.100	1	32023¹	1
1/2	500	white	28.000	1	32025¹	1
1/2	1000	white	55.000	1	32020	1
3/4	100	white	11.000	1	32041¹	1
3/4	300	white	32.100	1	32043¹	1
3/4	500	white	53.000	1	32045¹	1
3/4	1000	white	106.000	1	32040²	1
1	100	white	17.000	1	32061¹	1
1	300	white	51.900	1	32063	1
1	500	white	88.000	1	32065	1

¹ center pull coil
² Available while supplies last



ViegaPEX tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5006
Chlorine resistance rating CL5
UV resistance 60 days

ASTM F876, ASTM F877

Model V5003.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	white	0.540	5	33273	1
1/2	20	white	1.080	5	33020	1
3/4	10	white	1.020	5	33276	1
3/4	20	white	2.060	5	33045	1
1	20	white	3.420	5	33061	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	red	21.000	1	32505	1
1/2	100	red	6.000	1	32521	1
1/2	300	red	17.100	1	32523	1
1/2	500	red	28.000	1	32525	1
1/2	1000	red	55.000	1	32520	1
3/4	100	red	11.000	1	32541	1
3/4	300	red	32.100	1	32543	1
3/4	500	red	53.000	1	32545	1
1	100	red	17.000	1	32551	1
1	300	red	51.900	1	32553	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5005.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	red	0.550	50	33529	1
1/2	20	red	1.180	50	33520	1
3/4	10	red	0.550	25	33549	1
3/4	20	red	2.020	25	33540	1
1	20	red	3.480	5	33551	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	blue	21.000	1	32605	1
1/2	100	blue	6.000	1	32621	1
1/2	300	blue	15.900	1	32623	1
1/2	500	blue	28.000	1	32625	1
1/2	1000	blue	55.000	1	32620	1
3/4	100	blue	11.000	1	32641	1
3/4	300	blue	30.900	1	32643	1
3/4	500	blue	53.000	1	32645	1
1	100	blue	17.000	1	32651	1
1	300	blue	51.900	1	32653	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5006.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	blue	0.550	50	33629	1
1/2	20	blue	1.180	50	33620	1
3/4	10	blue	0.550	25	33649	1
3/4	20	blue	2.020	25	33645	1
1	20	blue	3.480	5	33651	1



ViegaPEX Ultra tubing

Zero Lead

- For installation between studs
- PEX
- ManaPac

Components

Recycled plastic reels

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5008

d	L [ft]	Reel(s)	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	2	red/blue	116.000	1	33300	1
3/8	500	1	blue	28.000	1	33905	1
3/8	500	1	red	28.000	1	33805	1
1/2	300	2	red/blue	48.000	1	33326	1
1/2	300	1	blue	23.100	1	33923	1
1/2	300	1	red	23.100	1	33823	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	white	21.000	1	32405	1
1/2	100	white	6.000	1	32421	1
1/2	300	white	17.100	1	32423	1
1/2	500	white	28.000	1	32425	1
3/4	100	white	11.000	1	32441	1
3/4	300	white	32.100	1	32443	1
3/4	500	white	53.000	1	32445	1
1	100	white	17.000	1	32461	1
1	300	white	51.900	1	33362	1
1	500	white	88.000	1	32465	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5007.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	10	white	0.550	50	33429	1
1/2	20	white	1.100	50	33420	1
3/4	10	white	0.550	25	33459	1
3/4	20	white	2.100	25	33405	1
1	20	white	3.480	5	33461	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/8	500	black	21.000	1	32705¹	1
1/2	100	black	5.500	1	32721	1
1/2	300	black	16.500	1	32723	1
1/2	500	black	29.000	1	32725	1

¹⁾ Available while supplies last



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Coil

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,

ASTM F877

Model V5009.1

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	100	black	10.500	1	34741	1
3/4	300	black	31.500	1	34743	1
3/4	500	black	52.500	1	34745	1
1	100	black	17.400	1	34761	1
1	500	black	87.000	1	34765	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

ASTM F876, ASTM F877

Model V5009.5

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/2	20	black	1.100	50	33720	1



ViegaPEX Ultra tubing

Zero Lead

- PEX
- Straight length

Technical Data

PEX designation code 5306
Chlorine resistance rating CL5
UV resistance 6 months

UL listed for NFPA 13D systems, ASTM F876,

ASTM F877

Model V5009.51

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
3/4	20	black	2.100	25	35745	1
1	20	black	3.480	5	35761	1

Elbows



Viega PEX Crimp elbow 90°

Zero Lead

- Brass
- Crimp connection

Model V5016ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.028	50	46922	2
1/2	1/2	0.045	50	46933	2
3/4	1/2	0.068	25	46243	2
3/4	3/4	0.085	25	46944	2
1	1	0.160	10	46955	2



Viega PEX Crimp elbow 90°

Zero Lead

- PolyAlloy
- Crimp connection

Model V5216

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.007	50	43210	3
1/2	1/2	0.010	50	43220	3
3/4	3/4	0.021	25	43240	3
3/4	1/2	0.016	25	43242	3
1	1	0.046	10	43260	3



**Viega PEX Crimp elbow 90°
Zero Lead**
- Brass
- Crimp connection, male pipe thread
Model V5014ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.104	10	46822 ¹	2
1/2	3/8	0.103	10	46232	2
1/2	1/2	0.196	10	46821	2
3/4	3/4	0.240	10	46245 ¹	2

¹⁾ Available while supplies last



**Viega PEX Crimp elbow 90°
Drop ear
Zero Lead**
- Brass
- Crimp connection, female pipe thread
Model V5027ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.193	10	46233	2
3/4	3/4	0.309	10	46244	2



**Viega PEX Compression Elbow 90°
Zero Lead**
- For dishwasher, connecting 3/8" compression to 3/4" hose supply connection
- Equipped with ferrule Part No 53015
- Copper
- Hose connection
Model V5053

CTS	Hose	Wt [lb]	Quantity	Part No	DG
3/8	3/4	0.230	1	46743	2



**Viega PEX Crimp elbow 90°
Zero Lead**
- Copper
- Crimp connection, female copper tube size
Model V5021

Crimp	C	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.048	50	44305 ¹	2
1/2	1/2	0.048	50	44325	2
3/4	3/4	0.111	25	44345	2

¹⁾ Available while supplies last



**Viega PEX Crimp elbow 90°
Zero Lead**
- Copper
- Crimp connection, street
Model V5020

Crimp	FTG	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.045	50	44302 ¹	2
1/2	1/2	0.045	50	44320	2
3/4	3/4	0.100	25	44340	2

¹⁾ Available while supplies last

Tees



**Viega PEX Crimp tee
Zero Lead**
- Brass
- Crimp connection
Model V5018ZL

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.038	50	46500	2
1/2	1/2	1/2	0.055	50	46520	2
1/2	1/2	3/4	0.080	25	46524	2
3/4	1/2	1/2	0.079	25	46433	2
3/4	1/2	3/4	0.102	25	46435	2
3/4	3/4	1/2	0.082	25	46443	2
3/4	3/4	3/4	0.102	25	46540	2
3/4	3/4	1	0.139	10	46445	2
1	3/4	3/4	0.150	10	46544	2
1	3/4	1	0.170	10	46545	2
1	1	1/2	0.208	10	46553	2
1	1	3/4	0.153	10	46554	2
1	1	1	0.185	10	46560	2



**Viega PEX Crimp tee
Zero Lead**
- PolyAlloy
- Crimp connection
Model V5218

Crimp1	Crimp2	Crimp3	Wt [lb]	Quantity	Part No	DG
3/8	3/8	3/8	0.005	50	43500	3
1/2	1/2	1/2	0.014	50	43520	3
1/2	1/2	3/4	0.019	25	43334	3
3/4	1/2	1/2	0.021	25	43433	3
3/4	1/2	3/4	0.026	25	43434	3
3/4	3/4	1/2	0.023	25	43443	3
3/4	3/4	3/4	0.029	25	43540	3
3/4	3/4	1	0.038	10	43445	3
1	3/4	3/4	0.047	10	43544	3
1	3/4	1	0.054	10	43545	3
1	1	1/2	0.043	10	43553	3
1	1	3/4	0.046	10	43554	3
1	1	1	0.059	10	43560	3

Adapters



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, male pipe thread
Model V5011ZL

Crimp	MPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.102	50	46302	2
1/2	1/2	0.101	50	46321	2
1/2	3/4	0.131	25	46324	2
3/4	1/2	0.094	25	46342	2
3/4	3/4	0.139	25	46340	2
3/4	1	0.202	10	46446	2
1	3/4	0.138	10	46361	2
1	1	0.235	10	46366	2



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, female pipe thread
Model V5012ZL

Crimp	FPT	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.101	25	46323	2
1/2	1/2	0.090	25	46333	2
1/2	3/4	0.139	25	46334	2
3/4	3/4	0.216	25	46344	2
3/4	1	0.217	10	46345	2
1	1	0.262	10	46355	2



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, polybutylene (PB)
connection

Note
Use Viega PEX Crimp ring model V5019.9 for
PB connection
Model V5017ZL

Crimp	PB	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.022	100	46620	2
1/2	1/2	0.031	100	46630	2
3/4	3/4	0.057	50	46641	2
1	1	0.075	10	46650	2



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, polyethylene (PE)
connection

Note
Use standard stainless steel hose clamp for
PE connection (not included)
Model V5047ZL

Crimp	PE	Wt [lb]	Quantity	Part No	DG
3/4	3/4	0.104	25	46145	2
1	1	0.157	10	46156	2



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, female copper tube size
Model V5045ZL

Crimp	C	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.036	50	46635	2
3/4	3/4	0.076	25	46645	2
1	1	0.108	10	40655¹	2

¹ copper



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, street
Model V5046ZL

Crimp	FTG	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.034	50	46633	2
3/4	3/4	0.064	25	46644	2
1	1	0.103	10	60651 ¹⁾	2

¹⁾ copper



**Viega PEX Crimp adapter
Zero Lead**
- Brass
- Crimp connection, female copper tube size, street
Model V5024ZL

Crimp	C	FTG	Wt [lb]	Quantity	Part No	DG
3/8	1/4	3/8	0.024	50	46621 ¹⁾	2
3/8	3/8	1/2	0.032	50	46622	2
1/2	1/4	3/8	0.032	50	46631 ¹⁾	2
1	3/4	1	0.182	10	46654	2

¹⁾ Available while supplies last

Note

Copper connection can be used as either male or female connection.

Couplings



**Viega PEX Crimp coupling
Zero Lead**
- Brass
- Crimp connection
Model V5015ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.019	100	46422	2
1/2	3/8	0.023	100	46432	2
1/2	1/2	0.026	100	46434	2
3/4	1/2	0.041	50	46441	2
3/4	3/4	0.047	50	46444	2
1	3/4	0.070	10	46454	2
1	1	0.064	10	46455	2



**Viega PEX Crimp coupling
Zero Lead**
- PolyAlloy
- Crimp connection
Model V5215

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.004	50	43402	3
1/2	1/2	0.006	100	43403	3
1/2	3/8	0.006	50	43332	3
3/4	1/2	0.010	50	43343	3
3/4	3/4	0.012	50	43404	3
1	1/2	0.019	10	43353	3
1	3/4	0.021	10	43354	3
1	1	0.024	10	43355	3



**Viega PEX Crimp test plugs
Zero Lead**
- PLS
- Crimp connection
Model V5058

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	0.003	100	43702	2
1/2	0.004	100	43723	2
3/4	0.008	50	43744	2
1	0.015	50	43765	2

Valves



**Viega PEX Crimp ball valve
Zero Lead**
- Brass
- Crimp connection
- 1/4 turn, full port
Model V5037ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
3/8	3/8	0.306	10	46010	2
1/2	1/2	0.277	10	46031	2
3/4	3/4	0.395	10	46044	2
1	1	0.711	10	46060	2



**Viega PEX Crimp ball valve
Zero Lead**
- Chrome-plated brass
- Crimp connection
- 1/4 turn, full port
Model V5023ZL

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.277	10	46021	2



Viega PEX Crimp valve
Zero Lead
 - PolyAlloy
 - Crimp connection
 - ¼ turn
Model V5236

Crimp1	Crimp2	Wt [lb]	Quantity	Part No	DG
½	½	0.066	10	43030	3
¾	¾	0.080	10	43040	3



Viega PEX Crimp stop valve
Straight
Zero Lead
 - Equipped with Viega PEX Crimp ring
 Model V5019.9, ferrule Part No 53005
 - Chrome-plated brass
 - Crimp connection
 - ¼ turn
Model V5026ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
¾	¼	0.321	1	46001	2
½	¼	0.295	1	46022	2



Viega PEX Crimp stop valve
Angled
Zero Lead
 - Equipped with Viega PEX Crimp ring
 Model V5019.9, ferrule Part No 53005
 - Chrome-plated brass
 - Crimp connection
 - ¼ turn
Model V5064ZL

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
¾	¼	0.340	1	46002	2
½	¼	0.330	1	46025	2



Viega PEX Crimp stop valve
Straight
Zero Lead
 - PolyAlloy
 - Crimp connection, lav connection
 - ¼ turn
Model V5036.30

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
¾	½	0.090	10	43023	3
½	½	0.090	10	43031	3



Viega PEX Crimp stop valve
Straight
Zero Lead
 - PolyAlloy
 - Crimp connection, closet connection
 - ¼ turn
Model V5036.31

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
¾	½	0.100	10	43002	3
½	½	0.097	10	43003	3



Viega PEX Crimp adapter
Straight
Zero Lead
 - For ice maker
 - Brass
 - Crimp connection
Model V5051ZL


Crimp	CTS	Wt [lb]	Quantity	Part No	DG
½	⅛	0.081	1	46322	2



Viega PEX Crimp tee
Zero Lead
 - For ice maker
 - Brass
 - Crimp connection
Model V5062ZL

Crimp1	Crimp2	CTS	Wt [lb]	Quantity	Part No	DG
½	½	⅛	0.150	1	46521	2

Viega ManaBlocs



Viega ManaBloc distribution manifold

Zero Lead

- Crimp connection
- Color coded ports for hot and cold water

Components


¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5030.5

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	14	¾	6	8	7.598	1	50142	2
PolyAlloy	14	½	6	8	5.415	1	50143	2
PolyAlloy	24	½	9	15	7.718	1	50243	2
PolyAlloy	30	½	12	18	9.668	1	50303	2
PolyAlloy	36	½	14	22	11.275	1	50363	2



Viega ManaBloc distribution manifold

Zero Lead

- Crimp connection
- Combination port sizes, color coded ports for hot and cold water

Components

¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5030.51

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
PolyAlloy	18	¾	6	7	½	2	3	6.328	1	51618	2
PolyAlloy	24	¾	7	11	½	2	4	8.007	1	50624	2
PolyAlloy	30	¾	10	12	½	2	6	9.833	1	50630	2
PolyAlloy	36	¾	11	15	½	3	7	11.481	1	50636	2



Viega MiniBloc zoning manifold

Zero Lead

- Crimp connection
- Blue color coded ports for cold water

Components

¼ turn valves, T-handle valve key, optional red valve caps

Note

Does not include supply connections

Model V5031.5

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
PolyAlloy	3	½	2.119	1	50033	2
PolyAlloy	4	½	1.919	1	50043	2
PolyAlloy	6	½	2.874	1	50063	2
PolyAlloy	8	½	3.199	1	50083	2



Viega MiniBloc zoning manifold

Zero Lead

- Crimp connection
- Color coded ports for hot and cold water

Components

¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5067

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
PolyAlloy	5	½	2	3	2.523	1	51063	2
PolyAlloy	7	½	3	4	3.244	1	51073	2
PolyAlloy	10	½	4	6	4.005	1	51003	2



Viega MiniBloc zoning manifold

Zero Lead

- For combination systems
- Crimp connection
- Color coded ports for hot and cold water

Components

¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5066ZL

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
brass	5	½	2	3	2.819	1	42063	2
brass	7	½	3	4	3.837	1	42073	2
brass	10	½	4	6	4.587	1	42003	2



Viega PEX Crimp port adapter

Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc port connection

Model V5039.1

Crimp	Port	Wt [lb]	Quantity	Part No	DG
¾	¾	0.040	6	51133	2
¾	½	0.040	6	50023	2
½	¾	0.026	6	51123	2
½	½	0.040	6	50133	2



Viega PEX Crimp port adapter

Zero Lead

- For connecting distribution lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Crimp connection, Viega ManaBloc port connection

Model V5039ZL

Crimp	Port	Wt [lb]	Quantity	Part No	DG
¾	½	0.085	6	46624	2
½	½	0.090	6	46634	2



Viega PEX Crimp supply adapter

Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- PolyAlloy
- Crimp connection, Viega ManaBloc supply connection

Model V5213

P	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.095	5	50141	2
1	1	0.100	5	50151	2




Viega PEX Crimp supply adapter

Zero Lead

- For connecting PEX supply lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Crimp connection, Viega ManaBloc supply connection

Model V5034ZL

Crimp	Supply	Wt [lb]	Quantity	Part No	DG
¾	1	0.198	5	46414	2
1	1	0.206	5	46416	2



Viega ManaBloc distribution manifold

Zero Lead

- Compression connection
- Color coded ports for hot and cold water

Components


¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5030

Adapter	Port(s)	d	hot	cold	Wt [lb]	Quantity	Part No	DG
compression	14	¾	6	8	5.280	1	36142	2
compression	18	¾	8	10	6.201	1	36182	2
compression	24	¾	9	15	7.774	1	36242	2
compression	30	¾	12	18	9.117	1	36302	2
compression	36	¾	14	22	10.958	1	36362	2
compression	14	½	6	8	5.578	1	36144	2
compression	18	½	8	10	6.463	1	36183	2
compression	24	½	9	15	8.158	1	36243	2
compression	30	½	12	18	9.887	1	36303	2
compression	36	½	14	22	11.537	1	36363	2



Viega ManaBloc distribution manifold

Zero Lead

- Compression connection
- Combination port sizes, color coded ports for hot and cold water

Components

¼ turn valves, T-handle valve key

Note

Does not include supply connections

Model V5030.2

Adapter	Port(s)	d1	hot1	cold1	d2	hot2	cold2	Wt [lb]	Quantity	Part No	DG
compression	24	¾	7	11	½	2	4	7.918	1	36624	2
compression	30	¾	10	12	½	2	6	9.823	1	36630	2
compression	36	¾	11	15	½	3	7	11.397	1	36636	2



Viega MiniBloc zoning manifold

Zero Lead

- Compression connection
- Blue color coded ports for cold water

Components

¼ turn valves, T-handle valve key, optional red valve caps

Note

Does not include supply connections

Model V5031

Adapter	Port(s)	d	Wt [lb]	Quantity	Part No	DG
compression	3	¾	2.024	1	36032	2
compression	4	¾	2.189	1	36042	2
compression	6	¾	2.354	1	36062	2
compression	8	¾	3.549	1	36082	2
compression	3	½	2.119	1	36033	2
compression	4	½	2.344	1	36043	2
compression	6	½	2.519	1	36063	2
compression	8	½	3.299	1	36083	2



Viega ManaBloc lock-in nut

Zero Lead

- For use with Viega ManaBloc compression connections
- Spare part for Viega ManaBloc distribution manifold Model V5030, V5030.2, Viega MiniBloc zoning manifold Model V5031
- Plastic
- Compression

Model V5036.24

CTS	Wt [lb]	Quantity	Part No	DG
¾	0.020	100	36002	2
½	0.040	100	36003	2



**Viega ManaBloc lock-in insert
Zero Lead**
- For use with Viega ManaBloc compression connections
- Plastic
Model V5036.25

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.002	100	36402	2
1/2	5/8	0.002	100	36403	2



**Ferrule
Zero Lead**
- For Viega ManaBloc compression connections, risers, valves
- Plastic
Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2
3/4	7/8	0.003	100	53040 ¹⁾	2

¹⁾ Available while supplies last



**Insert stiffener
Zero Lead**
- For Viega ManaBloc compression connections, risers
- Stainless steel
Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.001	100	56100	2
3/8	1/2	0.003	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2



Viega ManaBloc wrench
- For Viega ManaBloc compression connections
- Chrome-plated steel
Model V5036.23

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.600	1	50631	5



**Viega ManaBloc supply adapter
Zero Lead**
- For connecting CTS-sized supply lines to Viega ManaBloc or Viega MiniBloc
- Equipped with insert stiffener Model V5086
- Brass
- Compression, Viega ManaBloc supply connection
Model V5032ZL

CTS	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.395	5	46346	2



**Viega ManaBloc supply adapter
Zero Lead**
- For connecting FPT supply lines to Viega ManaBloc and Viega MiniBloc
- Brass
- Male pipe thread, Viega ManaBloc supply connection
Model V5033ZL

MPT	Supply	Wt [lb]	Quantity	Part No	DG
3/4	1	0.329	5	46646	2
1	1	0.399	5	46656	2



**Port nut
Zero Lead**
- Not suitable for Viega ManaBloc distribution manifold Model V5030, V5030.2, Viega MiniBloc zoning manifold Model V5031
- Plastic
Model V5039.8

d	Wt [lb]	Quantity	Part No	DG
1/2	0.260	6	53006	2



**Port cap
Zero Lead**
- For Viega ManaBloc, Viega MiniBloc
- Plastic
Model V5087

d	Wt [lb]	Quantity	Part No	DG
3/8	0.020	6	36204	2
1/2	0.037	6	36205	2



**Supply cap
Zero Lead**
- For Viega ManaBloc, Viega MiniBloc
- Brass
Model V5036.10

d	Wt [lb]	Quantity	Part No	DG
1	0.082	5	53601	2



Viega ManaBloc mounting set
- For mounting Viega ManaBloc between studs
- Steel
- Pre-drilled to mount on 16" center studs
Components
(2) mounting straps, (4) screws
Model V5038

	Wt [lb]	Quantity	Part No	DG
	0.681	1	45716	2



Replacement kit
- For Viega ManaBloc and Viega MiniBloc valve stems, ports 1/2" or 3/8"
- 1/4 turn
Components
Red valve, blue valve, valve removal tool, T-handle valve key
Model 2870.91

	Wt [lb]	Quantity	Part No	DG
	0.150	1	51602	2



T-handle valve key
- For Viega ManaBloc, Viega MiniBloc
Model V5039.7

	Wt [lb]	Quantity	Part No	DG
	0.040	1	50601	2



Viega ManaBloc access panel
- Plastic
Note
Can be mounted to open vertically or horizontally
Model V5099

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	18	14	1.350	1	50718	2
14	26	16	0.050	1	50726	2
14	30	24	2.434	1	50730	2
14	39	36	3.249	1	50739	2
14	39	36	4.999	1	50839 ^{2,1}	2

¹⁾ Available while supplies last
²⁾ transparent



Viega ManaBloc access panel
- Metal
- 3 hour fire rating
Components
(2) knurled knobs, (2) keys
Note
Can be mounted to open vertically or horizontally
UL listed
Model V5099.1

W [in]	L [in]	max. Ports	Wt [lb]	Quantity	Part No	DG
14	40	30	26.258	1	50740	2
14	48	36	31.641	1	50748 ¹	2

¹⁾ Available while supplies last

Manifolds



Viega PEX Crimp manifold

Zero Lead

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Flow through

Note

Does not include mounting hardware

Model V5031.2

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	2	0.135	10	65152	2
3/4	3/4	1/2	3	0.197	10	65153	2
3/4	3/4	1/2	4	0.249	10	65154	2
1	3/4	1/2	4	0.140	10	65254	2
1	1	1/2	6	0.309	10	65256	2
1	1	1/2	8	0.396	5	65258	2



Viega PEX Crimp manifold

Zero Lead

- Only use with lock clip Part No 58075
- PolyAlloy
- Crimp connection
- Closed

Note

Does not include mounting hardware

Model V5031.22

Crimp1	Crimp2	Crimp3	Outlet(s)	Wt [lb]	Quantity	Part No	DG
closed	3/4	1/2	4	0.217	10	65104	2
closed	1	1/2	6	0.302	10	65206	2

Stub-Outs



Viega PEX Crimp stub-out 90°

Zero Lead

- Copper
- Crimp connection, street

Model V5070

Crimp	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.295	50	44208	2
1/2	1/2	3 1/2	6	0.195	50	44226	2
1/2	1/2	3 1/2	8	0.235	50	44228	2
3/4	1/2	3 1/2	8	0.432	50	44240	2



Viega PEX Crimp stub-out 90°

Zero Lead

- Copper
- Crimp connection, street

Components

Wall plate

Model V5070.1

Crimp	FTG	L1 [in]	L2 [in]	Wt [lb]	Quantity	Part No	DG
3/8	1/2	3 1/2	8	0.286	25	44209	2
1/2	1/2	3 1/2	6	0.234	25	44227	2
1/2	1/2	3 1/2	8	0.277	25	44229	2

Lav adapters



Viega PEX Crimp lav adapter

Zero Lead

- Brass
- Crimp connection, lav connection

Components

Plastic nut

Model V5075ZL

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.074	1	46023	2
1/2	1/2	0.073	1	46033	2



**Viega PEX Crimp lav adapter
Zero Lead**

- Equipped with Viega PEX Crimp ring Model V5019.9, ferrule Part No 53005
 - Brass
 - Crimp connection, compression
 - Components
 - Brass ferrule
- Model V5077ZL**

Crimp	CTS	Wt [lb]	Quantity	Part No	DG
3/8	1/4	0.120	1	46032	2
1/2	1/4	0.115	1	46331	2



**Viega PEX Crimp lav adapter
Zero Lead**

- PolyAlloy
 - Crimp connection, lav connection
- Model V5263**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.025	1	43323	3
1/2	1/2	0.025	1	43333	3
3/4	3/4	0.040	1	43344	3



**Viega PEX Crimp lav elbow 90°
Zero Lead**

- PolyAlloy
 - Crimp connection, lav connection
 - Components
 - Plastic nut
- Model V5255**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.027	50	43232	3
1/2	1/2	0.029	50	43233	3
3/4	3/4	0.053	25	43244	3



**Viega PEX Crimp lav elbow 90°
Zero Lead**

- Copper
 - Crimp connection, lav connection
 - Components
 - Plastic nut
- Model V5076**

Crimp	Lav	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.085	1	44201	2



**Cone seal
Zero Lead**

- Spare part for Viega PEX Crimp lav adapter Model V5075ZL, V5263, Viega PEX Crimp lav elbow 90° Model V5255, Viega PEX Crimp stop valve straight Model V5036.30, Viega PEX Press lav adapter Model V5613.3
- Model V5084.1**

d	Wt [lb]	Quantity	Part No	DG
1/2	0.002	100	43721	2
3/4	0.004	100	43740	2

Closet adapters



**Viega PEX Crimp closet adapter
Zero Lead**

- Brass
 - Crimp connection, closet connection
 - Components
 - Plastic nut
- Model V5072ZL**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.070	1	46223	2
1/2	1/2	0.085	1	46234	2



**Viega PEX Crimp closet adapter
Zero Lead**

- PolyAlloy
 - Crimp connection, closet connection
 - Components
 - Plastic nut
- Model V5257**

Crimp	Closet	Wt [lb]	Quantity	Part No	DG
3/8	1/2	0.036	1	43300	3
1/2	1/2	0.035	1	43320	3



Cone seal
Zero Lead
 - Spare part for Viega PEX Crimp closet adapter Model V5072ZL, V5257, Viega PEX Press closet adapter Model V5613.4
Model V5084

d	Wt [lb]	Quantity	Part No	DG
1/2	0.005	100	43820	2



Viega PEX Crimp swivel connector
Zero Lead
 - For hot water heater
 - Copper
 - Crimp connection, female pipe thread
Model V5048ZL

Crimp	FPT	L [in]	Wt [lb]	Quantity	Part No	DG
3/4	3/4	18	0.570	25	46764	2

Outlet boxes



Viega PEX Crimp outlet box
Zero Lead
 - For ice maker
Components
 1/4 turn brass valve, water hammer arrestor
Model 2872.8ZL

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	1.060	1	46710	2
1/2	1.080	1	46720	2



Viega PEX Crimp outlet box
Zero Lead
 - For washing machine
 - Color coded handles
Components
 (2) 1/4 turn brass valves, water hammer arrestors
Model 2872.9ZL

Crimp	Wt [lb]	Quantity	Part No	DG
1/2	1.640	1	46730	2



Viega PEX Crimp outlet box
Zero Lead
 - For ice maker
Components
 1/4 turn brass valve
Model V5073

Crimp	Wt [lb]	Quantity	Part No	DG
3/8	1	1	43700	2
1/2	1.095	1	43722	2



Viega PEX Crimp outlet box
Zero Lead
 - For washing machine
 - Color coded handles
Components
 (2) 1/4 turn brass valves
Model V5073.5

Crimp	Wt [lb]	Quantity	Part No	DG
1/2	2.344	1	43720	2



Tubing
Zero Lead
 - Only for cold water applications
 - For ice maker
 - High density polyethylene (HDPE)
Model V5052

d	L [ft]	Version	Wt [lb]	Quantity	Part No	DG
1/8	100	white	1.200	1	43100	1

Tools



Viega PEX Crimp hand tool
Full circle
 - Soft touch
Model V5082.5

for d	Wt [lb]	Quantity	Part No	DG
3/8	3.404	1	41700 ¹⁾	5
1/2	3.309	1	41720	5
1/2, 3/4	4.569	1	41724	5
3/4	3.474	1	41740	5
1	4.599	1	41760	5

¹⁾ Available while supplies last



Viega PEX Crimp hand tool
 - Compact angled, color coded handles
Model V5082.4

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	green	2.519	1	41703	5
1/2	yellow	2.442	1	41723	5
3/4	blue	2.734	1	41744	5



Viega PEX Crimp caliper
Model V5054

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2, 3/4	0.085	1	53507	5
1	0.065	1	53511	5



Tubing cutter
 - For PEX tubing
 - Suitable for Viega FostaPEX tubing
 Model 2805US, 2806US, 2808US
 - Steel
 - Ratcheting design
Model 2840

max d	Wt [lb]	Quantity	Part No	DG
1 1/4	0.590	1	53541 ¹⁾	5
1 1/2	0.954	1	53551 ¹⁾	5
2	1.150	1	53561	5

¹⁾ Available while supplies last



Blade
 - Spare part for tubing cutter Part No 53541
 - Steel
Model V5057.1

for d	Wt [lb]	Quantity	Part No	DG
1 1/4	0.190	1	53542 ¹⁾	5

¹⁾ Available while supplies last



Tubing cutter
 - For PEX tubing
 - Plastic
Model 2889.2US

max d	Wt [lb]	Quantity	Part No	DG
1	0.351	1	21304	5



Tubing cutter
 - For PEX tubing
 - Plastic
Model V5055

max d	Wt [lb]	Quantity	Part No	DG
1 1/2	0.401	1	21307	5



Blade
 - Suitable for tubing cutter Model V5055
 - Steel
Model V5055.1

	Wt [lb]	Quantity	Part No	DG
	0.080	1	21317	5



Wheel cutter
- For PEX tubing
- Steel
Model V5059

max d	Wt [lb]	Quantity	Part No	DG
2	0.780	1	53641¹	5

¹⁾ Available while supplies last



Blade
- Spare part for wheel cutter Model V5059
- Steel
Model V5059.1

	Wt [lb]	Quantity	Part No	DG
	0.010	1	53642¹	5

¹⁾ Available while supplies last

Accessories



Viega PEX Crimp ring
- Only for Viega PEX Crimp fittings,
Viega PEX Crimp tools
- Copper
Model V5019.9

d	Wt [lb]	Quantity	Part No	DG
3/8	0.011	100	43600	2
1/2	0.013	100	43620	2
3/4	0.018	100	43640	2
1	0.022	50	43660	2



Lav riser
Zero Lead
- Does not include lav nut Model V5089
- Equipped with ferrule Model V5085
- PEX
Model V5080

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.030	100	58112¹	2
1/4	3/8	15	0.035	100	58115¹	2
1/4	3/8	20	0.048	100	58120	2
1/4	3/8	30	0.071	100	58130	2
1/4	3/8	36	0.085	100	58136	2

¹⁾ Available while supplies last



Closet riser
Zero Lead
- Does not include ballcock nut Model V5089.1
- Equipped with ferrule Model V5085
- PEX
Model V5081

CTS	O.D.	L	Wt [lb]	Quantity	Part No	DG
1/4	3/8	12	0.031	100	57112	2
1/4	3/8	15	0.035	100	57115¹	2
1/4	3/8	20	0.050	100	57120	2
1/4	3/8	30	0.080	100	57130¹	2
1/4	3/8	36	0.085	100	57136¹	2

¹⁾ Available while supplies last



Lav nut
Zero Lead
- Suitable for lav riser Model V5080
Model V5089

FPT	Wt [lb]	Quantity	Part No	DG
1/2	0.017	100	33705	2



Ballcock nut
Zero Lead
- Suitable for closet riser Model V5081
- Plastic
Model V5089.1

FPT	Wt [lb]	Quantity	Part No	DG
3/4	0.023	100	53017	2



Ferrule
Zero Lead
- For Viega ManaBloc compression
connections, risers, valves
- Plastic
Model V5085

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/8	1/4	0.001	100	53000	2
1/4	3/8	0.001	100	53005	2
3/8	1/2	0.001	50	53015	2
1/2	5/8	0.001	100	53020	2
3/4	7/8	0.003	100	53040¹	2

¹⁾ Available while supplies last



**Insert stiffener
Zero Lead**
- For Viega ManaBloc compression connections, risers
- Stainless steel
Model V5086

CTS	O.D.	Wt [lb]	Quantity	Part No	DG
1/4	3/8	0.001	100	56100	2
3/8	1/2	0.003	50	56110	2
1/2	5/8	0.005	50	56120	2
3/4	7/8	0.010	50	56140	2



**Escutcheon
Single
Zero Lead**
- Not for Viega FostaPEX
- Plastic
Model V5088

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.012	50	53115	2
1/2	white	0.012	50	53120	2



**Escutcheon
Double
Zero Lead**
- Not for Viega FostaPEX
- Plastic
Model V5088.1

d	Version	Wt [lb]	Quantity	Part No	DG
3/8	white	0.016	25	53116	2
1/2	white	0.016	25	53121	2



Sleeve
- Chrome-plated steel
- Finishing
Model 2800.5US

d	L [in]	Wt [lb]	Quantity	Part No	DG
3/8	3 1/2	0.050	10	52500	2
1/2	3 1/2	0.054	10	52520	2



**Bend support
Drop ear**
- Not for Viega FostaPEX
- Plastic-coated steel
Model 2850.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8, 1/2	0.210	25	50520	2



**Bend support
Snap in**
- Not for Viega FostaPEX
- Suitable for bracket Model 2850.4US
- Plastic
Model 2850.3US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.559	100	51021	2



Bracket
- For mounting on 16" center studs
- Suitable for bend support snap in Model 2850.3US
- Steel
- Mounting holes on 2" centers
Model 2850.4US

d	L [in]	Wt [lb]	Quantity	Part No	DG
1/2	18	0.560	50	51022	2



Bend support
- Not for Viega FostaPEX
- Plastic
Model 2850.2US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.062	25	51000	2
1/2	0.083	25	51020	2
5/8, 3/4	0.155	25	51040	2
1	0.273	25	51060	2
1 1/4	0.440	5	51070	2



Bend support

- For slab
- Not for Viega FostaPEX
- Plastic

Model 2851US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.090	10	15106	4
1/2	0.106	10	15107	4
5/8, 3/4	0.254	10	15108	4
1	0.830	1	15111	4



Tubing clamp

Turn out

- For 3/8" tubing and 1/2" tubing with standard or stub-out elbows
- Not for Viega FostaPEX
- Plastic
- Trim tapered tip to use with 1/2" tubing

Model V5071

max d	Wt [lb]	Quantity	Part No	DG
1/2	0.099	25	52130	2



Full clamp

- Plastic

Components

Nail

Model V5092

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.012	100	52220¹	2
3/4	0.019	50	52240¹	2

¹⁾ Available while supplies last



J-clamp tubing fasteners

- Plastic

Components

Nail

Model 2860US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	52000	2
1/2	0.008	100	52020	2
3/4	0.013	100	52040	2
1	0.021	100	52060	2



Economy PEX tubing clamp

- Not for Viega FostaPEX
- Plastic

Model V5095

for d	Wt [lb]	Quantity	Part No	DG
1/4	0.002	100	52100¹	2
3/8	0.002	100	52110	2
1/2	0.003	100	52120	2
3/4	0.004	50	52140	2

¹⁾ Available while supplies last



Snap clip

Single

- Not for Viega FostaPEX
- Plastic

Model 2862US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.006	100	58015	2
1/2	0.011	100	58020	2
3/4	0.010	100	58040	2
1	0.014	50	58060	2



Snap clip

Double

- Not for Viega FostaPEX
- Plastic

Model 2862.1US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.012	50	58016	2
1/2	0.012	50	58021	2



Lock clip
- Plastic
Model 2863US

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.014	100	58071	2
1/2	0.013	100	58072¹	2
3/4	0.015	50	58073²	2
1	0.025	50	58074	2

¹⁾ Suitable for ViegaPEX Barrier tubing Part No 11445, 11450

²⁾ Suitable for Viega FostaPEX tubing Part No 35030, 35031, 35530



Multi-clip
- Plastic
Components
Mounting screw
Model 2867US

max d	Wt [lb]	Quantity	Part No	DG
1	0.029	100	52006	2



U-channel fastener
- Plastic
- Pre-drilled holes
Model 2864US

W [in]	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	6 1/2	1.100	16	15310	4



Suspension clip tubing fasteners
- Plastic
Model 2861US

for d	Wt [lb]	Quantity	Part No	DG
1/2	0.009	50	55020	2
3/4	0.012	50	55040	2
1	0.018	50	55060	2



Tubing insulator
- Plastic
- Fits 1 3/8" hole
Model V5094

for d	Wt [lb]	Quantity	Part No	DG
3/8	0.018	50	55100	2
3/8, 1/2, 3/4, 1	0.014	25	55165¹	2
1/2	0.019	50	55120	2
3/4	0.014	50	55140	2
1	0.013	50	55160	2

¹⁾ Available while supplies last



Zip tie
- Plastic
Model V5097

L [in]	Wt [lb]	Quantity	Part No	DG
14	0.013	100	43714	2



Pipethon strap
- Plastic
Model V5097.1

	Wt [lb]	Quantity	Part No	DG
	0.060	20	43701	2



Uncoiler
- Not for 1" tubing or larger, Viega FostaPEX,
center pull coil

Components

Movable metal frame, (2) coil hubs, tube guide

Note

Max. coil size for 3/8" and 1/2" tubing is 1000 ft.

Max. coil size for 3/4" tubing is 500 ft.

Model V5061

	Wt [lb]	Quantity	Part No	DG
	70.980	1	53509	5