Water Jetting Machines



Model KJ-1350-C on Model H-10 Cart

Jetter Nozzles

Catalog No.	Model No.	Description	Female NPT Thread
NO.	NO.	·	in.
64707	H-21	KJ-1350 Propolsion Nozzle	1/8
64712	H-22	KJ-1350 Penetrating Nozzle	1/8
64717	H-24	KJ-1350 Drop Head Nozzle	1/8
64722	H-31	KJ-1350 Propulsion Nozzle	1/4
82832	H-25	KJ-1350 Spinning Nozzle	1/8
64727	H-32	KJ-1350 Penetrating Nozzle	1/4

Trap Leaders

Catalog No.	Model No.	Description	Female NPT Thread	Male NPT Thread
140.	140.		in.	in.
50002	HL-1	Flexible Leader, 3/16"	1/8	1/8
50007	HL-2	Flexible Leader, 1/4"	1/8	1/8

Accessories

Catalog No	Model No.	Description
41937	-	Leather Drain Cleaning Gloves
47542	H-21	Nozzle Cleaning Tool
48367	H-25	Winterizing Kit
51572	H-1235	Wash Wand Hose 1/2". x 35"
62592	H-10 WH	H-10 Cart with Hose Reel and 100' x 3/16" Trap Hose
62757	-	Nylon Storage Bag
62882	H-5	Mini Hose Reel
62887	HP-EL	Pressure Wash Package, Electric Jetters
62892	H-30A	KJ-1350 Adapter to Fit H-30 Cart
64697	H-10	H-10 Cart with Hose Reel
64702	HW-EL	Pressure Wash (Gun only)
64737	H-30	H-30 Cart with Hose Reel
67187	H-32	Jet Vac
70032	_	PVC Drain Cleaning Gloves

KJ-1350 Water Jetter

For 11/4" to 4" (32-100mm) Drain Lines.

This jetter propels a highly flexible hose through 11/4" to 4" lines—blasting through sludge, soap and grease blockages. As you pull the hose back, it power scrubs the line, flushing debris away and restoring drain lines to their free-flowing capacity.

- Powerful: Actual working pressure of 1350 psi and flow of 1.4 GPM for fast, effective cleaning of lines.
- Pulse Action: Activate the Model KJ-1350's plus action to easily negotiate difficult bends and traps. The Model KJ-1350-2 has a second level of pulse.
- Portable and Compact: The optional H-10 Cart rolls the jetter and hose to the job site.
 Jetter and hose reel are easily removed from the cart in seconds for hard to reach drains
 or remote storage. The compact cart offers a retractable handle and swivel hose reel
 minimizing storage space. Optional adapter allows the KJ-1350 to be mounted on the
 upright H-30 Cart.
- Electrical Requirement: The 1.5 HP motor draws a maximum of 14 Amps and can run on most standard 115 Volt circuits.
- Easy to use: Thrust propels the hose down the line. You simply guide the hose into the drain.
- High Quality: Duplex pump with corrosion-resistant, forged brass head. New pressure control valve allows quick and easy pressure adjustment.
- Dependable: Reduced number of fittings, hoses and parts minimizes leaks and down time keeping you on the job.
- Versatile: Optional power washer package cleans cables, tools and other heavily soiled equipment.
- CSA approved.
- Approved to UL standards (NRTLC).

Machine Options

Catalog Model No. No.		Description		Weight	
				kg	
62587	KJ-1350	KJ-1350 Standard Jetter with Pulse: H-21, H-22, and H-24 1/8" NPT Nozzles, 25' x 1/8" Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	70	31.7	
62597	KJ-1350-C	Above With: H-10 Cart, 100' x 1/4" Trap Hose	120	54.4	
63107	KJ-1350-2	KJ-1350 Jetter with Dual Pulse: H-21, H-22, and H-24 1/s" NPT Nozzles, 50' x 1/s" Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	72	32.7	
63112	KJ-1350-2C	Above With: H-10 Cart, 100' x 1/4" Trap Hose	122	55.3	

Jetter Hoses

Catalog	Model	Description	Male NPT Thread	Hose I.D.	Hose O.D.
No.	No.		in.	in.	in.
47597	H-1435	3/16" x 35' (11 m)	1/8	3/16	1/4
47602	H-1450	³ / ₁₆ " x 50' (15 m)	1/8	³ /16	1/4
47607	H-1250	¹ / ₄ " x 50' (15 m)	1/4	1/4	1/2
49272	H-1475	³ / ₁₆ " x 75' (23 m)	1/8	3/16	1/4
49277	H-1400	3/16" x 100' (30 m)	1/8	3/16	1/4
49487	H-1215	1/4" x 150' (46 m)	1/4	1/4	1/2
51587	H-1211	1/4" x 100' (33 m)	1/4	1/4	1/2
51597	H-1220	1/4" x 200' (61 m)	1/4	1/4	1/2
52957	H-1825	1/8"x 25' Sink Trap Hose	1/8	1/8	3/16
53037	H-1850	1/8 x 50' Sink Trap	1/8	1/8	3/16
64732	H-1415	3/16" x 150' (45.5 m)	1/8	3/16	1/4

Water Jetting Machines



Model KJ-1750-C on Model H-30 Cart

Accessories

Catalog No.	Model No.	Description		
47542	H-21	Nozzle Cleaning Tool		
48367	H-25	Winterizing Kit		
51572	H-1235	Wash Wand Hose 1/2". x 35"		
62592	H-10 WH	H-10 Cart with Hose Reel and 100' x 3/16" Trap Hose		
62877	H-30 WH	H-30 Cart with Hose Reel and 110' (33 m) x ¹ /4" Jet Hose		
62882	H-5	Mini Hose Reel		
62897	H-1235	KJ-1750 Adapter to Fit H-10 Cart		
64697	H-10	H-10 Cart with Hose Reel		
64702	HW-EL	Pressure Wash (Gun only)		
64737	H-30	H-30 Cart with Hose Reel		
67187	H-32	Jet Vac		
70032	_	RIDGID PVC Drain Cleaning Gloves		
41937	_	RIDGID Leather Drain Cleaning Gloves		
62757	_	Nylon Storage Bag		

Trap Leaders

Catalog No.	Model No.	Description	Female NPT Thread	Male NPT Thread
NO.	INU.		in.	in.
50002	HL-1	Flexible Leader, 3/16"	0	0
50007	HL-2	Flexible Leader, 1/4"	0	0

KJ-1750 Water Jetter

11/4" to 4" (32-100mm) Drain Lines.

This jetter propels a highly flexible hose through $1^{1}/4^{"}$ to $4^{"}$ lines—blasting through sludge, soap and grease blockages. As you pull the hose back, it power scrubs the line, flushing debris away and restoring drain lines to their free-flowing capacity.

- Powerful: Actual working pressure of 1750 psi and flow of 1.4 GPM for fast, effective cleaning of lines.
- Pulse Action: Two levels of pulse are standard. Activate the KJ-1750's pulse action to easily negotiate difficult bends and traps.
- Portable: The optional H-30 Cart rolls the jetter and hose to the job site. The jetter is
 easily removed from the cart in seconds for hard to reach drain or for remote storage.
 Optional adapter allows the KJ-1750 to be mounted on the compact H-10 Cart.
- Electrical Requirement: The 2.0 HP motor draws a maximum of 17 Amps which requires a 20 Amp, 115 Volt circuit.
- Easy to use: Thrust propels the hose down the line. You simply guide the hose into the drain
- High Quality: Duplex pump with corrosion-resistant, forged brass head. New pressure control valve allows quick and easy pressure adjustment.
- Dependable: Reduced number of fittings, hoses and parts minimizes leaks and down time keeping you on the job.
- Versatile: Optional power washer package cleans cables, tools and other heavily soiled equipment.
- · CSA approved.
- Approved to UL standards (NRTLC).

Machine Options

Catalog No. Model No.		Decariation	Weight		
		Description		kg	
62687	KJ-1750	KJ-1750 Jetter with Dual Pulse: H-41, H-42, and H-44 ¹ / ₈ " NPT Nozzles, H-51 and H-52 ¹ / ₄ " NPT Nozzles, 50' x ¹ / ₈ " Sink Trap Hose, Nylon Storage Bag, Nozzle Cleaning Tool	75	34.0	
62697	KJ-1750-C	Above With: H-30 Cart, 110' x 1/2" Jet Hose	155	70.3	
67332	67332	62687 with: H-10 Cart, 100' x 1/4" Trap Hose	125	56.7	

Jetter Hoses

Catalog No.	Model No.	11101101	Description	Male NPT Thread		Hose I.D.		Hose O.D.
IVO.	INU.		in.	mm	in.	mm	in.	
47597	H-1435	³ / ₁₆ " x 35' (11 m)	1/8	_	3/16	_	1/4	
47602	H-1450	3/16" x 50' (15 m)	1/8	_	3/16	_	1/4	
47607	H-1250	¹ / ₄ " x 50' (15 m)	1/4	-	1/4	_	1/2	
49272	H-1475	³ / ₁₆ " x 75' (23 m)	1/8	_	3/16	_	1/4	
49277	H-1400	3/16" x 100' (30 m)	1/8	_	3/16	_	1/4	
49487	H-1215	¹ / ₄ " x 150' (46 m)	1/4	_	1/4	_	1/2	
51587	H-1211	¹ / ₄ " x 100' (33 m)	1/4	_	1/4	_	1/2	
51597	H-1220	1/4" x 200' (61 m)	1/4	-	1/4	_	1/2	
52957	H-1825	1/8"x 25' Sink Trap Hose	1/8	_	1/8	_	3/16	
53037	H-1850	1/8 x 50' Sink Trap	1/8	_	1/8	_	3/16	
64732	H-1415	3/16" x 150' (45,5 m)	1/8	_	3/16	_	1/4	

Jetter Nozzles

Catalog Model No.		Description	Female NPT Thread
			in.
64742	H-41	KJ-1750 Porpulsion Nozzle	1/8
64747	H-42	KJ-1750 Penetrating Nozzle	1/8
64752	H-44	KJ-1750 Drop Head Nozzle	1/8
64757	H-51	KJ-1750 Propulsion Nozzle	1/4
64762	H-52	KJ-1750 Penetrating Nozzle	1/4
82837	H-45	KJ-1750 Spinning Nozzle	1/8

Water Jetting Machines





KJ-2200 Water Jetter

For 11/4" (32 mm) to 6" (150 mm) Lines

This jetter propels a highly flexible hose through 1¹/₄" (32 mm) to 6" (150 mm) lines blasting through sludge, soap and grease blockages. As you pull the hose back, it power scrubs the line flushing debris away, restoring drain lines to their full, free-flowing capacity.

- Powerful Actual working pressure of 2200 psi and flow of 2.4 GPM for fast, effective cleaning of lines.
- Easy to Use Thrust propels the hose down the line. You simply guide the hose into the drain.
- Pulse Action Activate the KJ-2200's pulse action to easily negotiate difficult bends and traps.
- Portable The optional H-30 cart rolls the jetter and hose to the job site. The jetter is
 easily removed from the cart in seconds for hard to reach drains, indoor applications or
 remote storage.
- Convenient Standard equipment includes FV-1 foot valve. It makes remote or indoor operation simple and safe. You control the jetting action at the drain while leaving the jetter outdoors.
- Quality & Dependability Triplex pump with corrosion-resistant, forged brass head.
 Reduced number of fittings, hoses and parts minimizes leaks and down time keeping you on the job.
- Versatile Optional power washer package cleans cables, tools and other heavily soiled equipment.
- New and improved 6.5 HP Recoil start gasoline engine starts easily. Features: ON/OFF switch; choke and throttle controls; easy access oil fill and dip stick.

Machine Options

Catalog	Model No.	Description	Weight		
No.	Wiodel No.	Description	lb.	kg	
63877	KJ-2200	KJ-2200 Jetter with Pulse $-$ H-61, H-62, and H-64 1 /s" NPT Nozzles $-$ H-71 and H-72 1 /s" NPT Nozzles $-$ 75' \times 3/s" Trap Hose $-$ FV-1 Foot Valve $-$ Nozzle Cleaning Tool $-$ H-1235 Wash Wand Hose 1 /2" \times 35' (10,7 m)	65	29.5	
63882	KJ-2200-C	Above With: - H-30 Cart - 110' (33 m) x 1/4" Jet Hose	145	65.8	



Jetter Hoses

Catalog	Model No.	Description	Hose I.D.	Hose O.D.
No.	wiodei No.	Description	in.	in.
47597	H-1435	³/16" x 35' (11 m)	3/16	1/4
47602	H-1450	³ / ₁₆ " x 50' (15 m)	3/16	1/4
49272	H-1475	³ /16" x 75' (23 m)	3/16	1/4
49277	H-1400	³ / ₁₆ " x 100' (30 m)	3/16	1/4
47607	H-1250	¹ / ₄ " x 50' (15 m)	1/4	1/2
47612	H-1275	4" x 70' (23 m)	1/4	1/2
51587	H-1211	¹ / ₄ " x 100' (33 m)	1/4	1/2
49487	H-1215	¹ / ₄ " x 150' (46 m)	1/4	1/2
51597	H-1220	¹ / ₄ " x 200' (61 m)	1/4	1/2
64732	H-1415	³/16" x 150' (45,5 m)	³ /16	1/4

Jetter Nozzles

Catalog No.	Model No.	Description	Female NPT Thread (in.)
64772	H-61	Propulsion Nozzle	1/8
64777	H-62	Penetrating Nozzle	1/8
64782	H-64	Drop Head Nozzle	1/8
82842	H-65	Spinning Nozzle	1/8
64787	H-71	Propulsion Nozzle	1/4
64792	H-72	Penetrating Nozzle	1/4
82852	H-75	Spinning Nozzle	1/4

Trap Leaders

Catalog No.	Model No.	Description	Male NPT Thread (in.)	Female NPT Thread (in.)	
50002	HL-1	Flexible Leader, 3/16"	1/8	3/16	
50007	HL-2	Flexible Leader, 1/4"	1/8	3/16	

Accessories

Accessories					
Catalog	Model No.	Description	Weight		
No.	Wiouei No.		lb.	kg	
62882	H-5	Mini Hose Reel	-	-	
64737	H-30	H-30 Cart with Hose Reel	-	-	
62877	H-30 WH	H-30 Cart with Hose Reel and 110' (33 m) x 1/4" Jet Hose	-	-	
64077	HP-22	Pressure Wash Package, KJ-2200	-	-	
64767	HW-22	Wash Wand, KJ-2200	-	-	
48157	FV-1	Foot Valve	-	-	
66732	HF-4	Quick Connect Hose (Reel to Foot Valve)	-	-	
48367	H-25	Winterizing Kit	-	-	
47542	H-21	Nozzle Cleaning Tool	-	-	
67187	H-32	Jet Vac	-	-	
70032	-	RIDGID PVC Drain Cleaning Gloves	1/2	0.20	
41937	-	RIDGID Leather Drain Cleaning Gloves	1/2	0.20	
51572	H-1235	Wash Wand Hose 1/2". x 35"	-	-	

Water Jetting Machines





KJ-3100 Water Jetter

For 2" (50 mm) to 10" (250 mm) Lines

The RIDGID® Model KJ-3100 portable water jetter gives you 3000 psi (205bar) actual working pressure to handle large commercial and industrial applications. This jetter propels a highly flexible and lightweight hose through 2" (50 mm) to 10" (250 mm) lines blasting through sludge, soap, grease, and sediment blockages. As you pull the hose back, it power scrubs the line flushing debris away and restoring drain lines to their full, free-flowing capacity — all without the use of harmful chemicals.

- Powerful Actual working pressure of 3000 psi (205bar) and flow of 5.5 GPM (21 I/min) for fast, effective cleaning of lines.
- Lightweight Hose Hose with nylon braid provides significant weight reduction and increased flexibility — all without reducing strength. Allows the thrust to propel the hose further down the line.
- Complete With the Model KJ-3100's removable hose reel, there is no need to purchase expensive portable hose reels. Standard packages come equipped to handle indoor and remote applications.
- Convenient Completely remove the hose reel to ease loading onto service trucks. Simply
 rotate the hose reel forward to gain full access to the engine's gas tank and air filter.
- Maneuverable In the heavy-duty 3000 psi (205bar) jetter category, the RIDGID KJ-3100 is one of the most maneuverable jetters on the market. The unit, on its unique two-wheeled cart, easily fits through standard size doors and can negotiate tight turns with the greatest of ease.
- Pulse Action Activate the Model KJ-3100's pulse action to easily negotiate difficult bends and traps.
- Quality & Dependability Triplex pump with corrosion-resistant, forged brass head. Gear reducer allows pump to run at slower (optimal) speed. Reduced number of fittings, hoses and parts minimizes leaks and downtime – keeping you on the job.
- Versatile Power wash package and chemical injector system cleans cables, tools, and other heavily soiled equipment.
- Quick Start 16 HP Recoil start gasoline engine starts easily. Features: ON/OFF switch; fuel shutoff; choke and throttle controls; easy access oil fill and dip stick.

Machine Options

Catalog	Catalog Model No. Description	Weight		Weight w/o hose reel		
NO.			lb. kg lb.	kg		
37413	KJ-3100	KJ-3100 Jetter with Pulse – H-111 and H-112 ¹ / ₄ " NPT Nozzles – H-38 Hose Reel with 200' (61 m) x ³ / ₈ " ID Jet Hose – 50' (15 m) x ³ / ₈ " ID Jet/Wash Hose – FV-1 Foot Valve – Nozzle Cleaning Tool – HW-30 Wash Wand – Root Ranger Root Cutting Nozzle – HF-4 Quick Connect Hose	272	125	214	97







Jetter Hoses

Catalog No.	Model No.). Description	Hose I.D.	Hose O.D.	Male NPT Thread
NO.			in.	in.	in.
47597	H-1435	³/16" x 35' (11 m)	3/16	1/4	1/8
47602	H-1450	³/16" x 50' (15 m)	3/16	1/4	1/8
49272	H-1475	³/16" x 75' (23 m)	3/16	1/4	1/8
49277	H-1400	3/16" x 100' (30 m)	3/16	1/4	1/8
64732	H-1415	³/16" x 150' (45.5 m)	3/16	1/4	1/8
64832	H-3850	3/8" ID x 50' (15 m) Jet/Wash Hose	3/8	5/8	1/4
64837	H-3810	3/8" ID x 100' (30 m) Jet Hose	3/8	5/8	1/4
64842	H-3815	3/8" ID x 150' (45.5 m) Jet Hose	3/8	5/8	1/4
64847	H-3820	3/8" ID x 200' (61 m) Jet Hose	3/8	5/8	1/4
64857	H-3830	3/8" ID x 300' (91 m) Jet Hose	3/8	5/8	1/4

Jetter Nozzles

Catalog	Model	Description	Female NPT Thread	
No.	No.	Description	in.	
38698	H-101	Propulsion Nozzle	1/8	
38713	H-102	Penetrating Nozzle	1/8	
38703	H-104	Drop Head Nozzle	1/8	
38723	H-105	Spinning Nozzle	1/8	
38693	H-111	Propulsion Nozzle	1/4	
38708	H-112	Penetrating Nozzle	1/4	
38718	H-115	Spinning Nozzle	1/4	
16713	RR3000	Root Ranger Root Cutting Nozzle	1/4	

Trap Leaders

Catalog Model No.		Description	Male NPT Thread	Female Thread	
No.	Wiouei No.	Description	in.	in.	
50002	HL-1	Flexible Leader, 3/16"	1/8	1/8	
50007	HL-2	Flexible Leader, 1/4"	1/8	1/4	

Accessories

Catalog No.	Model No.	Description
62882	H-5	Mini Hose Reel
64862	H-38	Hose Reel (Fits KJ-3000)
64902	H-38 WH	Hose Reel with 200' (61 m) x ³ / ₈ " ID Hose (Fits KJ-3100)
64797	HW-30	Wash Wand, KJ-3000
48367	H-25	Winterizing Kit
48157	FV-1	Foot Valve
66732	HF-4	Quick Connect Hose (Reel to Foot Valve)
47542	H-21	Nozzle Cleaning Tool
67187	H-32	Jet Vac
70032	_	RIDGID PVC Drain Cleaning Gloves
41937	_	RIDGID Leather Drain Cleaning Gloves