





Be Smart. Be Prompt.

Why choose a digital showering system like DTV Prompt_®? Because it gives you greater precision, control and customization than a manual shower. Its intuitive interface is incredibly easy to use, and digital thermostatic valve technology guarantees accurate and safe temperature control.

Complete Customization

Choose the components you want for a perfect shower everyday from a rainhead to a showerhead to a handshower to body sprays. It's complete customization at your fingertips.

Warm Up Your Shower Without Wasting Water

Once the selected temperature is reached, the water pauses until you're ready to step into it.

Eco-Mode

Eco-mode models have an integrated diverter that meets CALGreen requirements for water reduction by limiting the use of outlets to one at a time.

Set the Timer to Count Your Shower Down

DTV Prompt is perfect for setting shower limits in busy households or for water-conservation concerns.

Safe Temperature Control

Limit the maximum temperature your water can reach — perfect for families with small children.

Run Multiple Components

Handshowers, body sprays, bath faucets, rainheads and more can be run separately or at the same time*.

Clean Showering Space

DTV Prompt eliminates the handles and knobs of a manual shower giving you a clean, uncluttered space with an intuitive interface that delivers one-touch operation.

Pause Your Shower

Wash your hair or shave without the water running.

Easy to Install

The valve's main supply cable is prewired, and the valve can be installed up to 20 feet** from the interface — giving you complete installation flexibility.

2 *Models with eco-mode diverter will not run components simultaneously.


^{**}DTV Prompt comes with a 20-foot cable. For longer distances, simply replace/extend with a standard RJ-11 phone extension cord.



Two-Outlet Shower Configuration Controls showerhead and handshower

DTV Prompt_® Is Flexible.

DTV Prompt works with many showering components on one, two or three-outlets, and it allows you to change between them with the push of a button.



DTV Prompt Is Versatile.

DTV Prompt is an easy way to bring digital showering to any bathroom. It works with three main setups: bath only, shower only and a bath/shower combination.







Bath

Shower

Bath/Shower



Three-Outlet Shower Idea Starter Controls rainhead, handshower and body sprays



Shower



1 | K-558-1CP DTV Prompt_a Three-Outlet Digital Interface (Qty. 2) and K-559-CP Mounting Bracket (Qty. 2)
2 | K-45425-BN Flipside_a 01 Multifunction Handshower
3 | K-98343-BN Awaken_a 36" Deluxe Slidebar and K-98350-CP Supply Elbow
4 | K-8593-SN MasterShower_a
72" Metal Shower Hose
5 | K-99105-BN Moxie_a Rainhead with Wireless Speaker and K-10124-BN Right-Angle Showerarm and Flange
6 | K-8013-BN WaterTile_a Round 27-Nozzle Body Spray (Qty. 3)
7 | K-706013-L-NX Levity_a Sliding Shower Door
8 | K-9164-0 Bellwether_a
Shower Base and K-9155-0 Drain Cover





Two-Outlet Bath Idea Starter Controls handshower and bath spout






- 1 | K-527-1SN DTV Prompt_® Two-Outlet Digital Interface
- 2 | K-1158-G-47 Bancroft₀ Drop-In BubbleMassage™ Air Bath
- 3 K-72791-SN Artifacts. Wall-Mount Bath Spout with Flare Design
- 4 | K-72776-SN Artifacts Single-Function Handshower with

Katalyst_® Air-Induction Spray and K-10573-SN Deck-Mount Handshower Holder



1 | K-558-1CP DTV Prompt Three-Outlet Digital Interface and K-559-CP Mounting Bracket 2 | K-939-CP Purist_® Single-Function Showerhead with Katalyst Air-Induction Spray and K-933-CP Showeram and Flange 3 | K-98342-CP Awaken_® 24" Deluxe Slidebar and K-98350-CP Supply Elbow 4 | K-9514 MasterShower_® 60" Metal Shower Hose 5 | K-45415-A-CP Shift_™ Ellipse Multifunction Handshower 6 | K-1121-L-0 Underscore_® Alcove Bath
7 | K-14426-CP Purist Wall-Mount Bath Spout


DTV Prompt_® Two-Outlet Digital Showering System



DTV Prompt two-outlet digital interface includes mounting bracket and requires digital thermostatic valve K-528-K-NA.

DTV Prompt Three-Outlet Digital Showering System

K-558-E-1SN



DTV Prompt three-outlet digital interface requires mounting bracket K-559 and digital thermostatic valve K-557-K-NA.

K-558-E-0



K-558-E-1CP

Form 11-1179-0715 © 2015 Kohler Co. Kohler, Wisconsin 53044 Printed in U.S.A. 1-800-4-KOHLER (1-800-456-4537)

KOHLER.com/DTVprompt

K-558-E-7