

DETECTOMER[®]

A FULL LINE OF METAL DETECTABLE
AND X-RAY INSPECTABLE PRODUCTS

**DETECT &
PROTECT**
THE SCIENCE OF DETECTION

DETECTOMER
METAL DETECTABLE X-RAY INSPECTABLE



RUBBER FAB
technologies group

www.rubberfab.com

DETECTOMER[®]: PROVIDING PROCESSING SECURITY AGAINST ELASTOMERIC CONTAMINATION.

X-ray inspection and metal detection systems provide confidence to food, dairy and pharmaceutical manufacturers by insuring product safety and integrity as outlined by the Food Safety Modernization Act. Developing an effective inspection program to detect contaminants and to monitor the consistency and quality of product helps avoid product waste, recalls, costly down time and customer complaints. Due to it's low conductivity, elastomeric material is often missed by even the strongest detection systems. Rubber Fab Technologies Group is proud to present to you a full line of metal detectable and x-ray inspectable products.

DETECTOMER[®]: a simple step in providing processing security against elastomeric contamination.

Metal Detectable Patent # 7,390,580
Detectomer Patent Pending 61/414,552



DETECTOMER®: **THE PRODUCT LINE** **THAT DETECTS** **AND PROTECTS**

**The latest advancement
in effective elastomeric
contamination detection**

DETECTOMER® is a full line of x-ray inspectable and metal detectable elastomeric products designed to work with any existing conveyor, pipe line or free fall detection system: sanitary gaskets, o-rings, sanitary screens, sheet, rod, hose, tubing, extrusions, cam & groove gaskets & screens, scoops, scrapers, and pump parts. DETECTOMER® products are available in Tuf-Steel®, Buna, Silicone, FKM Fluoroelastomer and EPDM.



DETECTOMER®

X-RAY INSPECTABLE AND METAL DETECTABLE ELASTOMERS

Detecting Elastomeric Contamination During Food, Beverage and Pharmaceutical Processing

Rubber Fab Technologies Group presents a NEW line of X-Ray Inspectable and Metal Detectable elastomeric products.

Over time and repeated clean-in-place, sterilization, and handling during equipment cleaning, component parts used in food, beverage and pharmaceutical processing equipment and pipework can degrade. As the elastomer degrades, there is a high risk of rubber fragments breaking off, resulting in product contamination, product recall, lost product and down time.

Designed to work with existing stainless steel piping and hose systems, Rubber Fab's line of DETECTOMER® can be spotted by in-line x-ray inspection and metal detection systems as well as magnetic separators. Detectomer fragments can easily be detected allowing your system to quickly reject contaminated product. This also allows worn parts to be replaced without great expense or costly down-time. Rubber Fab can help you test and adjust your system according to manufacturer's guidelines for sensitivity with our sensitivity seeding kit.

Contact Rubber Fab's Technical Sales Department at 973-579-2959 or sales@rubberfab.com for more information and a metal detectable/x-ray inspectable gasket sample.

Typical Applications for DETECTOMER Products

- Products in aluminum pans and tins
- Products in metalized film packaging
- Products in metal or aluminum cans
- Products in flow-wrapping lines
- Products in hermetically sealed bags

DETECTOMER Benefits

- Increase effectiveness of existing detection systems
- Reduce product loss
- Minimize product recall
- Decrease operating and labor costs
- Increase customer satisfaction

Materials Available

- Tuf-Steel®
- Buna
- Silicone
- FKM Fluoroelastomer
- EPDM


Expanding Product Line

Rubber Fab offers a growing range of FDA and 3-A certified products, enabling manufacturers and end users to select the appropriate product to meet the temperature, chemical and specific performance needs.

- Sanitary Gaskets
- Sanitary Screens
- Orifice Plates
- O-Rings
- Quad Rings
- Cam & Groove Gaskets
- Cam & Groove Screens
- Heat Sealing Bars
- Rod
- Sheet
- Extrusions
- Tubing
- Hose
- Scraper Blades
- Wear-strips
- Pillow Blocks
- Bushings
- Bearings
- Guides
- Shovels
- Scoops
- Metal Detection Tubes



DETECT & PROTECT
THE SCIENCE OF DETECTION



TUF-STEEL®

THE ORIGINAL RUBBER FAB METAL DETECTABLE GASKET IS NOW X-RAY INSPECTABLE: A POWERFUL COMBINATION OF INNOVATION AND SAFETY

IT'S X-RAY INSPECTABLE

Most people are aware of the x-ray technology used in airports to inspect baggage and in medical offices to examine patients. X-ray technology also plays an important role in food, pharmaceutical, chemical, packaging and other industries. State-of-the-art x-ray inspection systems help ensure product and package integrity by identifying contaminants, scanning for missing or broken products, detecting packing voids, confirming fill levels and controlling product and package mass and fat analysis. The entire Tuf-Steel® family of products can be x-ray detected in use with

packaging and product that includes glass, metal, stone and high-density plastics, even for products packaged in foil or metalized film. Tuf-Steel® continues to push the limits in x-ray technology.

Contact Rubber Fab's Technical Sales Department at 973-579-2959 or sales@rubberfab.com for more information, part number scheme and a free x-ray inspectable Tuf-Steel® sample.

TUF-STEEL® X-RAY INSPECTABLE TYPE I TRI-CLAMP® GASKET

The original Tuf-Steel® Type I Tri-Clamp® style sanitary gasket is widely used in sanitary processing pipeline systems for Pharmaceutical, Biopharmaceutical, Food & Beverage, Dairy and Industrial industries. Specifically designed for demanding steam applications, high temperatures and hot oil applications is now x-ray inspectable.

AVAILABLE SIZES: 1/2" – 12"



Please consult Rubber Fab's website for part numbering scheme.

The Exclusive Properties Of TUF-STEEL®

PROPERTY	ASTM METHOD	VALUE
Specific Gravity	D792	3.45
Tensile Strength	D4894	1928psi
Elongation @ Break	D4894	270%
Compressive Stress @ 1%	D695	832
Compressive Stress @ 5%	D695	2590
Compressive Modulus	D695	84200
Hardness	D2240	68
Temperature Low	Continuous	-350°F
Temperature High	Continuous	550°F



X-RAY DETECTABLE



TUF-STEEL®

THE ORIGINAL RUBBER FAB METAL DETECTABLE GASKET A POWERFUL GASKET FOR TOUGH APPLICATIONS

IT'S METAL DETECTABLE

Composed of a unique proprietary blend of non-pigmented PTFE and 316L passivated and atomized Stainless Steel, the original Tuf-Steel® gasket has always been detectable with metal detectors and magnetic separators! A Rubber Fab product innovation, Tuf-Steel® is the strongest gasket in the pharmaceutical, biotech, food, dairy and beverage industries. Whatever your application, there's a gasket in the Tuf-Steel® family ready to do the job.

Tuf-Steel® is ideal for extreme temperatures applications, such as steam, hot oil and fryers, where temperatures range from -320°F to 550°F. Unlike traditional solid PTFE and PTFE envelope style gaskets, Tuf-Steel® does not revert, eliminating creep and cold flow, resulting in a leak free seal. Because the superior strength and chemical resistance of Tuf-Steel® allows it to go the distance without leaking, it significantly reduces maintenance and system downtime by staying in place when cleaning and validating a system.

Testing and a decade of documented application usage has demonstrated that Tuf-Steel® is the choice for metal detection, perfect surface performance, outstanding durability and extended service life in both SIP (steam in place) and WFI (water for injection) applications.

Contact Rubber Fab's Technical Sales Department at 973-579-2959 or sales@rubberfab.com for more information and a free metal detectable Tuf-Steel® sample.

TUF-STEEL® Stands Up to Rigorous Conditions and Delivers Leak-Proof Performance

- 500 CIP/SIP cycles guaranteed
- Excellent expansion/contraction stability with minimal thermal expansion
- Excellent chemical resistance
- Prevents leaks when correctly torqued. No retorquing required. (50 in./lbs. with Torque-Rite Model TR-50)
- Tuf-Steel® is a compression controlled gasket
- No gasket extrusion into the sanitary tube I.D.
- No obstruction of flow
- Maintains sealing stability in ΔT processes

TUF-STEEL® Offers Rugged Composition for Demanding Challenges

- Proprietary PTFE and Stainless Steel blend
- Metal detectable
- Rouging eliminated
- Non-pigmented
- Non-stick surfaces
- I.D. Pharmaceutical finish

TUF-STEEL® Meets Stringent Standards

- U.S. Pharmacopeia Class VI Certification
- USDA Hazard Analysis and Critical Control Points
- Cytotoxicity Criteria
- USDA and 3-A Sanitary Standards
- Current Good Manufacturing Practices (CGMP)
- ASME-BPE Standards for Type I and Type II
- ADI Free® (Animal Derived Ingredient Free)







TUF-STEEL® TYPE I TRI-CLAMP® GASKET

The original Tuf-Steel® Type I Tri-Clamp® style sanitary gasket is widely used in sanitary processing pipeline systems for Pharmaceutical, Biopharmaceutical, Food & Beverage, Dairy and Industrial industries. Specifically designed for demanding steam applications, high temperatures and hot oil applications.

AVAILABLE SIZES: 1/2" – 12"

Size in inches	Tri-Clamp® Type I
1/2"	42MPG-TS-050
3/4"	42MPG-TS-075
1"	40MPG-TS-100
1-1/2"	40MPG-TS-150
2"	40MPG-TS-200
2-1/2"	40MPG-TS-250
3"	40MPG-TS-300
4"	40MPG-TS-400
5"	40MOG-TS-500
6"	40MOG-TS-600
8"	40MOG-TS-800
10"	40MOG-TS-1000
12"	40MOG-TS-1200





DETECTOMER® O-RINGS AND O-RING CORD

Rubber Fab offers a full line of standard, metric and specialty O-Ring sizes in Metal Detectable and X-ray Inspectable materials. The O-ring is a simple and versatile seal that can be used in thousands of applications. Rubber Fab's Quad X type design creates a better seal over the standard O-Ring and makes dynamic sealing possible with reduced friction.

Our proprietary compounds are designed to perform in a wide range of applications with varying chemical exposures, pressures and temperatures. Quad Rings are available in Metal Detectable/X-ray Inspectable Buna and Silicone

Please consult Rubber Fab's website for part numbering scheme.



DETECTOMER® TRI-CLAMP® MINI STYLE

Mini Tri-Clamp® sanitary gaskets are widely used in sanitary processing pipeline systems for Pharmaceutical, Biopharmaceutical, Food & Beverage, Dairy and Industrial industries.

AVAILABLE SIZES: 1/2" – 3/4"

Please consult Rubber Fab's website for part numbering scheme.



DETECTOMER® MINI STEAM TRAP

Steam trap mini orifice plates are an alternative to standard steam trap technology.

AVAILABLE SIZES: 3/4"

Please consult Rubber Fab's website for part numbering scheme.





DETECTOMER® SANITARY METAL DETECTION TUBE

Rubber Fab's sanitary metal detection tube assemblies are manufactured using steam-cleanable USDA, FDA approved schedule 80 PVDF pipe suitable for system temperatures of -40°F to +240°F, and 316L sanitary tri-clamp connections.

Laser engraved connections available.

AVAILABLE SIZES: 1.5" – 4"

Size in Inches	Tri-Clamp®
1-1/2"	24RFKMD24TC24TCSS
2"	32RFKMD32TC32TCSS
2-1/2"	40RFKMD40TC40TCSS
3"	48RFKMD48TC48TCSS
4"	60RFKMD60TC60TCSS






DETECTOMER® FDA O-RINGS

Nominal and Metric Available

RUBBER FAB
Manufacturing



DETECTOMER® TRI-CLAMP® SCREEN GASKETS

Rubber Fab's Fluid filtration screen gaskets provide the most comprehensive range of stainless steel mesh and filter cloth which provide for particulate elimination to protect fill and finish sterile products, **spray balls and spray nozzles**.

AVAILABLE SIZES: 1/2" – 6"

Size in inches	Screen Gaskets
1/2"	42MPGTSS050-XXSS
3/4"	42MPGTSS075-XXSS
1"	40MPGTSS100-XXSS
1-1/2"	40MPGTSS150-XXSS
2"	40MPGTSS200-XXSS
2-1/2"	40MPGTSS250-XXSS
3"	40MPGTSS300-XXSS
4"	40MPGTSS400-XXSS
6"	40MPGTSS600-XXSS

XX = mesh size

Stock Mesh Sizes Available: 10, 20, 40, 60, 80, 100

Many other mesh and filter cloth sizes available.


Please consult Rubber Fab's sales office for availability and full part numbering scheme.

DETECTOMER® TRI-CLAMP® SOCK SCREEN GASKETS

The extended sock shaped mesh gasket offers up to 300% more open area for increased soil collection capability than conventional screens. They provide greater flow for situations where a large amount of particulates are involved, reducing down time which is a major consideration with inline pharmaceutical processing.

AVAILABLE SIZES: 1" – 4"

Please consult Rubber Fab's website for part numbering scheme.





The Tuf-Steel® I-Line, John Perry and Bevel Seat gaskets are designed for use in sanitary processing pipeline systems for Pharmaceutical, Biopharmaceutical, Food & Beverage, Dairy and Industrial industries.

DETECTOMER® I-LINE GASKETS

AVAILABLE SIZES

Size in inches	I-Line	Size in inches	I-Line
1"	40IT-TS-100	3"	40IT-TS-300
1-1/2"	40IT-TS-150	4"	40IT-TS-400
2"	40IT-TS-200	6"	40IT-TS-600
2-1/2"	40IT-TS-250	8"	40IT-TS-800

Please consult Rubber Fab's website for full part numbering scheme.



DETECTOMER® JOHN PERRY GASKETS

AVAILABLE SIZES: 1" – 4"

Size in inches	John Perry
1"	40JPG-TS-100
1-1/2"	40JPG-TS-150
2"	40JPG-TS-200
2-1/2"	40JPG-TS-250
3"	40JPG-TS-300
4"	40JPG-TS-400

Please consult Rubber Fab's website for full part numbering scheme.

DETECTOMER® BEVEL SEAT GASKETS

AVAILABLE SIZES: 1" – 4"

Size in inches	Bevel Seat	Size in inches	Bevel Seat
1"	40BSS-TS-100	2-1/2"	40BSS-TS-250
1-1/2"	40BSS-TS-150	3"	40BSS-TS-300
2"	40BSS-TS-200	4"	40BSS-TS-400

Please consult Rubber Fab's sales office for full part numbering scheme.

DETECTOMER® FULL FACE FLANGE AND RING GASKETS

Rubber Fab offers a complete size range of standard Full Face 150# and 300# Ansi Flange gaskets, as well as, Ring Gaskets specifically designed for demanding steam applications.

AVAILABLE SIZES: 1/2" – 12"



Size in inches	Full Face Flange
1/2"	FF-TS-050-150#-.125
3/4"	FF-TS-075-150#-.125
1"	FF-TS-100-150#-.125
1-1/4"	FF-TS-125-150#-.125
1-1/2"	FF-TS-150-150#-.125
2"	FF-TS-200-150#-.125
2-1/2"	FF-TS-250-150#-.125
3"	FF-TS-300-150#-.125
4"	FF-TS-400-150#-.125
5"	FF-TS-500-150#-.125
6"	FF-TS-600-150#-.125
8"	FF-TS-800-150#-.125
10"	FF-TS-1000-150#-.125
12"	FF-TS-1200-150#-.125

*Use 300# designation for 300# flanges.

Please consult Rubber Fab's sales office for larger sizes and full part numbering scheme.



DETECTOMER® ADHESIVE-BACKED STRIPS

Available in 36" strips or 50ft extruded lengths and in Silicone only.

Thickness available is 1/16" through 1/4".




Available in 1/2", 3/4", 1", 1 1/2", 2", and 4" wide
thickness tolerance of +/- 0.030" thickness.

Please consult Rubber Fab's website for part numbering scheme.



DESIGN AND BUILD YOUR OWN SEAL

With Rubber Fab's Detectomer® Adhesive-Backed Strips





DETECTOMER® TRI-CLAMP® ORIFICE PLATE GASKETS

Rubber Fab's innovative Orifice Plate line includes a complete selection of Tuf-Steel® 316 Stainless Steel Orifice Plate gaskets in standard or tabbed style that can be custom drilled with an eccentric or concentric bore. Orifice Plate Tabs help to acknowledge that an orifice plate is "in line" and can be laser engraved to indicate the hole diameter, gasket size or user specified information. Orifice plates can advance your system's performance, adjust flow rates, balance backflow and equalize back pressure during SIP procedures.

AVAILABLE SIZES:

Size in inches	Orifice Plates-Solid Tuf-Steel®
1/2 & 3/4"	A80MPG-TS-050/075
1 & 1-1/2"	A80MPG-TS-100/150
2"	A80MPG-TS-200
2-1/2"	A80MPG-TS-250
3"	A80MPG-TS-300
4"	A80MPG-TS-400
5"	A80MPG-TS-500
6"	A80MPG-TS-600
8"	A80MPG-TS-800
10"	A80MPG-TS-1000
12"	A80MPG-TS-1200

Size in inches	Orifice Plates-Tuf-Steel® /SS
1/2"	A80MPG-TS-050-SS
3/4"	A80MPG-TS-075-SS
1"	A80MPG-TS-100-SS
1-1/2"	A80MPG-TS-150-SS
2"	A80MPG-TS-200-SS
2-1/2"	A80MPG-TS-250-SS
3"	A80MPG-TS-300-SS
4"	A80MPG-TS-400-SS
6"	A80MPG-TS-600-SS

* Add -TAB to end of part number for Tabbed Orifice Plate



DETECTOMER® GAUGE GUARD ISOLATOR GASKETS

Only available in Silicone

ENDLESS POSSIBILITIES...

DETECTOMER[®] CUSTOM FABRICATION

Just because your application demands custom products doesn't mean it can't be metal detectable or x-ray inspectable. Not only can a Detectomer[®] product be molded to meet your specific requirements, it can also be fabricated, machined, lathed or waterjet cut.

Contact Rubber Fab's Technical Sales Team at 973-579-2959 for all of your application requirements and the unlimited possibilities of Detectomer[™].

DETECTOMER[®] SHEET

Detectomer[®] sheet can be waterjet cut into custom patterns

AVAILABLE SIZES:

12" X 12"
24" X 24"
36" X 36"

AVAILABLE THICKNESS:

1/16", 1/8", 3/8", 1/2", 5/8", 3/4",
1", 1-1/2", 2"

Please consult Rubber Fab's website for part numbering scheme.



DETECTOMER[®] ROD


Tuf-Steel[®] Solid Rod can be machined into custom parts and adapters

AVAILABLE ROD DIAMETER:

1/8" - 2"

Please consult Rubber Fab's website for part numbering scheme.






**DETECTOMER®
WATERJET CUSTOM
GASKETS**



**DETECTOMER®
SCRAPERS**



**DETECTOMER® CUSTOM
MACHINED PRODUCT PARTS**



NEW TO THE DETECTOMER® PRODUCT LINE...

PROTECTOMERS SAFETY GLASSES

Protectomers, safety glasses that are metal detectable/x-ray inspectable, are the perfect addition to the Detectomer® product line. You can be confident that if your Protectomers fall off during processing that they will be detected before final packaging, making them the clear choice for all food manufacturing plants.

The lenses are clear, non-corrective, non-filtering safety spectacles and pass the ANSI/ISEA Z87.1-2010 American Standard for Occupational and Educational Eye and Face Protection standards. The attached lanyard is also made from metal detectable/x-ray inspectable material.

*When protection matters,
Protectomers are the clear choice.*







DETECTOMER
METAL DETECTABLE X-RAY INSPECTABLE





Rubber Fab's Hose, Hose Assemblies, Tubing, Fittings and Adapters

- High Purity Platinum Silicone Hose, Tubing, Sanitary Molded Ends
- PTFE & FEP Lined Smooth Bore & Convoluted Hose
- Metal Hose
- FDA Rubber Hose
- FDA PVC Hose, Tubing, Sanitary Molded Ends
- Sight Gauges: PTFE & Polysulfone
- Fittings & Adapters: 316L, Special Alloys & Non Metallic



RUBBER FAB technologies group

Rubber Fab Technologies Group
 26 Brookfield Drive • Sparta, NJ 07871
 phone: 973-579-2959 • fax: 973-579-7275
 email: sales@rubberfab.com

www.rubberfab.com

Rubber Fab Technologies Group is a member of:



Distributed by: