



2016 CineTension2 Series Product Brochure

The CineTension2 is an electric/motorized tab-tensioned premium grade projection screen.



CineTension2 Series

The CineTension2 is an electric/motorized tab-tensioned premium grade projection screen.

Scan for product



video



Screen Material:

- CineWhite 1.1 Gain Screen Tension Material is flat, durable and easy to clean screen material
- 160° wide-viewing angle for commercial and residential presentations
- Black backed screen material on cinewhite, cinegrey, and powergain materials eliminates light penetration for superior color reproduction
- Black masking enhances picture contrast
- Models with AcousticPro1080P2 (acoustically transparent, CineGrey (high contrast gray) and WraithVeil (rear) materials also available

Housing Finish & Installation:

- Heavy Duty Aluminum Housing with enamel coating is moisture resistant.
- Floating Brackets are made for easy alignment in wall or ceiling installations.
- Ships fully assembled with 3-prong power connection ready to Plug & Play
- Side-Sliding motor design for easy access service & maintenance

Tension & Motor System:

- Tab-tensioned cords provide uniform flatness on entire projection surface
- Tubular motor allows fast swift operation with a superior weight tolerance and operational lifespan

Control System:

- Infrared and Radio Frequency Remotes
- 3 Way Wall Switch
- Internal IR and RF Sensors
- 5-12 volt trigger synchronizes with projector
- Optional In-wall up/down switch and wireless 5-12V controls available

Quality and Reliability:

- Standard 2-year parts and labor warranty
- 3-year warranty for ENR-G (Educational, Non-profit, Religious or Government/Military) - US only
- ETL, FCC, CE, CB GOSTCE & ISO9001:2008 Certified

Standard IR & RF remotes and built-In Infrared & Radio Frequency Receivers support your Screens On-wall or In-Ceiling application for a clean appearance. A Low Voltage Controller (LVC) is included with 5-12V trigger port (RJ45) that can be connected to your projector Trigger port. This enables synchronization between the drop/rise cycle of your screen and the power cycle of the projector. You could extend this port using a standard RJ45 connector and CAT-5 cable to anywhere in the room. Or mount your Wall-switch like a regular light Switch.

Extra Eye IR Receiver can be extended when screen is recessed into ceiling and can still be controlled with your IR remote or Universal Learning Remote Control.


Optional Control Accessories:

- Wireless (RF) 5-12V Trigger (Model # ZSP-TR01)
- 50 feet CAT-5 cable for 5-12 volt trigger (Model # ZSP-12V-50B)
- In-wall Up/Down switch (Model ZIW-B, ZIW-W & ZIW-W1)






CineTension2 Series screens are available with up to 30" seamless top masking borders on select models. This is ideal for recessed ceiling installations using our Optional In-Ceiling Trim kit.



Standard Wall / Ceiling Sliding Brackets, make it easier to mount on Studs. Optional 11" x 4" and 12" x 8" L brackets can allow more flexibility when installing the screen away from walls. Please contact your reseller or visit shop.elitescreens.com for accessory parts.



ZHOMELB11-4



Standard Wall/Ceiling Brackets

Optional Elite ZR800D Universal Learning Remote Control, allows one-touch regulation over your entertainment system managing up to 8 devices simultaneously. Each unit has a simplified programming option with learning function to accompany 800 pre-programmed TV/DVD/VCR codes.

CineTension2 Tab-Tension Series

Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material
TE84HC2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94"x7.3"x8.5"	1.0	CineGrey
TE92HC2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.4	26.3	103.3"x7.5"x9.8"	1.0	CineGrey
TE100HC2	100"(16:9)	49.1	87.2	124.7	221.5	45.9	61.2	20.9	27.8	110"x7.5"x9.8"	1.0	CineGrey
TE106HC2	106"(16:9)	52.0	92.4	132.1	234.7	47.8	64.4	21.8	29.3	115.5"x7.5"x9.8"	1.0	CineGrey
TE120HC2	120"(16:9)	58.9	104.6	149.6	265.7	52.7	70.6	24.0	32.1	130"x7.5"x9.8"	1.0	CineGrey
TE135HC2	135"(16:9)	66.2	117.7	168.1	299.0	52.9	73.4	24.1	33.4	141.8"x7.5"x9.8"	1.0	CineGrey
TE84VW2	84"(4:3)	50.4	67.2	128.0	170.7	27.6	39.4	12.5	17.9	89.4"x6.7"x9"	1.1	CineWhite
TE100VW2	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.5	27.1	103.5"x7.5"x9.8"	1.1	CineWhite
TE100VW2-E12	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.5	27.1	103.5"x7.5"x9.8"	1.1	CineWhite
TE120VW2	120"(4:3)	72.0	96.0	182.9	243.8	47.8	65.5	21.8	29.8	120.7"x7.5"x9.8"	1.1	CineWhite
TE84HW2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94"x7.3"x8.5"	1.1	CineWhite
TE84HW2-E30	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.3	18.8	94"x7.3"x8.5"	1.1	CineWhite
TE92HW2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.4	26.3	103.3"x7.5"x9.8"	1.1	CineWhite
TE100HW2	100"(16:9)	49.0	87.2	124.5	221.5	45.9	61.2	20.9	27.8	107.4"x7.5"x9.8"	1.1	CineWhite
TE100HW2-E24	100"(16:9)	49.0	87.2	124.5	221.5	45.9	61.2	20.9	27.8	110"x7.5"x9.8"	1.1	CineWhite
TE106HW2	106"(16:9)	52.0	92.4	132.1	234.7	40.9	57.5	18.6	26.1	116.5"x7.5"x9.8"	1.1	CineWhite
TE106HW2-E24	106"(16:9)	52.0	92.4	132.1	234.7	47.8	64.4	21.8	29.3	116.5"x7.5"x9.8"	1.1	CineWhite
TE110HW2	110"(16:9)	54.0	96.0	137.2	243.8	47.0	64.8	21.4	29.5	120.8"x7.5"x9.8"	1.1	CineWhite
TE110HW2-E24	110"(16:9)	54.0	96.0	137.2	243.8	47.2	64.8	21.5	29.5	120.8"x7.5"x9.8"	1.1	CineWhite
TE120HW2	121"(16:9)	58.9	104.6	149.6	265.7	52.7	70.6	24.0	32.1	130"x7.5"x9.8"	1.1	CineWhite
TE120HW2-E20	121"(16:9)	58.9	104.6	149.6	265.7	52.7	70.6	24.0	32.1	130"x7.5"x9.8"	1.1	CineWhite
TE135HW2	135"(16:9)	66.2	117.7	168.1	299.0	52.9	73.4	24.1	33.4	141.8"x7.5"x9.8"	1.1	CineWhite
TE135HW2-E12	135"(16:9)	66.2	117.7	168.1	299.0	52.9	73.4	24.1	33.4	141.8"x7.5"x9.8"	1.1	CineWhite
TE150HW2	150"(16:9)	73.5	130.7	186.7	332.0	58.4	79.4	26.6	36.1	158"x7.5"x9.8"	1.1	CineWhite
TE150HW2-E20	150"(16:9)	73.5	130.7	186.7	332.0	58.4	79.4	26.5	36.1	158"x7.5"x9.8"	1.1	CineWhite
TE106XW2-E24	106"(16:10)	56.3	90.0	143.0	228.6	41.5	56.9	18.9	25.9	115"x7.5"x9.5"	1.1	CineWhite
TE116XW2	116"(16:10)	61.5	98.4	156.2	249.9	50.3	68.8	22.9	31.3	123"x7.5"x9.5"	1.1	CineWhite
TE128XW2-E12	128"(16:10)	67.8	108.4	172.2	275.3	47.4	66.1	21.5	30.1	133.5"x7.5"x9.5"	1.1	CineWhite
TE139XW2	139"(16:10)	73.7	117.9	187.2	299.5	55.1	75.6	25.1	34.4	141.8"x7.5"x9.5"	1.1	CineWhite
TE85C-E30	85"(2.35:1)	33.0	77.6	83.8	197.0	30.7	43.9	14.0	20.0	103"x7.5"x9.5"	1.1	CineWhite
TE96C-E24	96"(2.35:1)	37.5	88.1	95.3	223.8	39.4	55.1	17.9	25.1	113"x7.5"x9.5"	1.1	CineWhite
TE125C-E20	125"(2.35:1)	49.0	115.2	124.5	292.5	50.1	68.3	22.8	31.1	139.8"x7.5"x9.5"	1.1	CineWhite
TE153C-E12	153"(2.35:1)	60.0	141.0	152.4	358.1	60.7	82.4	27.6	37.5	165.5"x7.5"x9.5"	1.1	CineWhite
TE84VG2	84"(4:3)	50.4	67.2	128.0	170.7	27.6	39.4	12.5	17.9	89.4" x 6.7" x 9"	1.8	PowerGain
TE92VG2	92"(4:3)	55.0	73.3	139.7	186.2	29.1	42.0	13.2	19.1	94"x6.7"x9"	1.8	PowerGain
TE100VG2	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.4	27.0	103.5"x7.5"x9.8"	1.8	PowerGain
TE84HG2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	12.2	18.8	94"x7.3"x8.5"	1.8	PowerGain
TE92HG2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	19.3	26.2	103.3"x7.5"x9.8"	1.8	PowerGain
TE84VR2	84"(4:3)	50.4	67.2	128.0	170.7	27.6	39.4	12.5	17.9	89.1"x6.5"x8"	2.2	Wraith Veil
TE92VR2	92"(4:3)	55.0	73.3	139.7	186.2	29.1	42.0	13.2	19.1	94"x7.3"x8.5"	2.2	Wraith Veil
TE100VR2	100"(4:3)	60.0	80.0	152.4	203.2	43.0	59.5	19.5	27.1	103.5"x7.5"x9.8"	2.2	Wraith Veil
TE120VR2	120"(4:3)	72.0	96.0	182.9	243.8	47.8	65.5	21.7	29.8	120.7"x7.5"x9.8"	2.2	Wraith Veil
TE135VR2	135"(4:3)	81.0	108.0	205.7	274.3	51.5	70.6	23.4	32.1	132.8"x7.5"x9.8"	2.2	Wraith Veil
TE150VR2	150"(4:3)	90.0	120.0	228.6	304.8	56.4	77.2	25.7	35.1	145.7"x7.5"x9.8"	2.2	Wraith Veil
TE84HR2	84"(16:9)	41.2	73.2	104.6	185.9	27.0	41.5	10.6	16.3	94"x7.3"x8.5"	2.2	Wraith Veil
TE92HR2	92"(16:9)	45.1	80.2	114.6	203.7	42.6	57.8	16.8	22.7	103.3"x7.5"x9.8"	2.2	Wraith Veil
TE106HR2	106"(16:9)	52.0	92.4	132.1	234.7	45.9	61.2	18.1	24.1	116.5"x7.5"x9.8"	2.2	Wraith Veil
TE120HR2	120"(16:9)	58.8	104.6	149.4	265.7	52.7	70.6	20.7	27.8	130"x7.5"x9.8"	2.2	Wraith Veil
TE135HR2	135"(16:9)	66.2	117.7	168.1	299.0	52.9	73.4	20.8	28.9	141.8"x7.5"x9.8"	2.2	Wraith Veil
TE150HR2	150"(16:9)	73.5	130.7	186.7	332.0	58.4	80.0	23.0	31.5	157"x10"x8"	2.2	Wraith Veil
TE110HW2-A1080P2	110"(16:9)	54.0	96.0	137.2	243.8	47.0	64.8	21.3	29.4	120.8"x7.5"x9.8"	1.0	AcousticPro1080P2

CineTension2 Tab-Tension Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w/ bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE84HC2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HC2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100HC2	100"(16:9)	2615	2214	2404	2500	1663	1245	1493	1613	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106HC2	106"(16:9)	2768	2347	2537	2653	1738	1320	1568	1688	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE120HC2	120"(16:9)	3107	2657	2877	2992	1862	1494	1692	1812	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135HC2	135"(16:9)	3440	2989	3209	3325	2049	1681	1879	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE84VW2	84"(4:3)	2110	1707	1897	1980	1698	1280	1528	1648	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VW2	100"(4:3)	2438	2032	2222	2323	1942	1524	1772	1892	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VW2-E12	100"(4:3)	2438	2032	2222	2323	2095	1524	1925	2045	96	120	170	305	122	24	132	87	47	35	17.5	103	55	20	10
TE120VW2	120"(4:3)	2880	2438	2658	2765	2196	1828	2026	2146	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE84HW2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE84HW2-E30	84"(16:9)	2280	1860	2050	2150	2074	1046	1904	2024	96	120	170	762	122	24	132	87	47	35	18	103	55	20	10
TE92HW2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100HW2	100"(16:9)	2615	2214	2404	2500	1663	1245	1493	1613	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100HW2-E24	100"(16:9)	2615	2214	2404	2500	2121	1245	1951	2071	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE106HW2	106"(16:9)	2768	2347	2537	2653	1738	1320	1568	1688	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106HW2-E24	106"(16:9)	2768	2347	2537	2653	2196	1320	2026	2146	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE110HW2	110"(16:9)	2880	2435	2655	2765	1788	1370	1618	1738	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE110HW2-E24	110"(16:9)	2880	2435	2655	2765	2246	1370	2076	2196	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE120HW2	120"(16:9)	3107	2657	2877	2992	1862	1494	1692	1812	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE120HW2-E20	120"(16:9)	3107	2657	2877	2992	2268	1494	2098	2218	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10
TE135HW2	135"(16:9)	3440	2989	3209	3325	2049	1681	1879	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135HW2-E12	135"(16:9)	3440	2989	3209	3325	2252	1681	2082	2202	96	120	170	305	122	24	132	87	47	35	18	103	55	20	10
TE150HW2	150"(16:9)	3802	3321	3541	3687	2236	1868	2066	2186	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150HW2-E20	150"(16:9)	3802	3321	3541	3687	2643	1869	2473	2593	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10
TE106XW2-E24	106"(16:10)	2723	2283	2473	2608	2303	1427	2133	2253	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE116XW2	116"(16:10)	2930	2499	2689	2815	1980	1562	1810	1930	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE128XW2-E12	128"(16:10)	3185	2757	2947	3070	2294	1723	2124	2244	96	120	170	305	122	24	132	87	47	35	18	103	55	20	10
TE139XW2	139"(16:10)	3440	2994	3214	3325	2239	1871	2069	2189	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE85C-E30	85"(2.35:1)	2398	1987	2177	2268	1873	845	1703	1823	96	120	170	762	122	24	132	87	47	35	18	103	55	20	10
TE96C-E24	96"(2.35:1)	2683	2244	2434	2568	1831	955	1661	1781	96	120	170	610	122	24	132	87	47	35	18	103	55	20	10
TE125C-E20	125"(2.35:1)	3361	2921	3141	3246	2017	1243	1847	1967	96	120	170	508	122	24	132	87	47	35	18	103	55	20	10
TE153C-E12	153"(2.35:1)	4015	3576	3796	3900	2092	1521	1922	2042	96	120	170	305	122	24	132	87	47	35	18	103	55	20	10
TE84VG2	84"(4:3)	2110	1707	1897	1980	1698	1280	1528	1648	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92VG2	92"(4:3)	2280	1869	2059	2150	1820	1402	1650	1770	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VG2	100"(4:3)	2438	2032	2222	2323	1942	1524	1772	1892	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE84HG2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HG2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE84VR2	84"(4:3)	2110	1707	1897	1980	1698	1280	1528	1648	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92VR2	92"(4:3)	2280	1869	2059	2150	1820	1402	1650	1770	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE100VR2	100"(4:3)	2438	2032	2222	2323	1942	1524	1772	1892	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE120VR2	120"(4:3)	2880	2438	2658	2765	2196	1828	2026	2146	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135VR2	135"(4:3)	3440	2989	3209	3325	2049	1681	1879	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150VR2	150"(4:3)	3510	3048	3268	3395	2654	2286	2484	2604	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE84HR2	84"(16:9)	2280	1860	2050	2150	1464	1046	1294	1414	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE92HR2	92"(16:9)	2438	2037	2227	2323	1563	1145	1393	1513	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE106HR2	106"(16:9)	2768	2347	2537	2653	1738	1320	1568	1688	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10
TE120HR2	120"(16:9)	3107	2657	2877	2992	1862	1494	1692	1812	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE135HR2	135"(16:9)	3440	2989	3209	3325	2049	1681	1879	1999	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE150HR2	150"(16:9)	3802	3321	3541	3687	2236	1868	2066	2186	96	120	170	102	122	24	132	87	47	35	18	103	55	20	10
TE110HW2-A1080P2	110"(16:9)	2880	2435	2655	2765	1788	1370	1618	1738	96	120	170	152	122	24	132	87	47	35	18	103	55	20	10

Unit: mm

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

CineTension2 Tab-Tension Series Dimensions Table

Model	Screen Diag. & Aspect Ratio	Case L (A)	View W (A1)	Screen W (A2)	Weight bar length A3	Overall H w bracket (B)	View H (B1)	Screen H (TTL) (B2)	Overall H (B3)	Bottom Edge (B4)	Case Height (B5)	Height between bracket and case (B6)	Top black masking (B8)	Case W (C)	Case End to Screen (C1)	distance between case and the wall (C2)	G1	G2	G3	G4	G5	G6	G7	G8
TE84HC2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HC2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HC2	100"(16:9)	103.0	87.2	94.6	98.4	65.5	49.0	58.8	63.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HC2	106"(16:9)	109.0	92.4	99.9	104.4	68.4	52.0	61.7	66.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HC2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HC2	135"(16:9)	135.4	117.7	126.3	130.9	80.7	66.2	74.0	78.7	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84VW2	84"(4:3)	83.1	67.2	74.7	78.0	66.9	50.4	60.2	64.9	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VW2	100"(4:3)	96.0	80.0	87.5	91.5	76.5	60.0	69.8	74.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VW2-E12	100"(4:3)	96.0	80.0	87.5	91.5	82.5	60.0	75.8	80.5	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120VW2	120"(4:3)	113.4	96.0	104.6	108.9	86.5	72.0	79.8	84.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HW2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HW2-E30	84"(16:9)	89.8	73.2	80.7	84.6	81.7	41.2	75.0	79.7	3.8	4.7	6.7	30.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HW2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HW2	100"(16:9)	103.0	87.2	94.6	98.4	65.5	49.0	58.8	63.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100HW2-E24	100"(16:9)	103.0	87.2	94.6	98.4	83.5	49.0	76.8	81.5	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HW2	106"(16:9)	109.0	92.4	99.9	104.4	68.4	52.0	61.7	66.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HW2-E24	106"(16:9)	109.0	92.4	99.9	104.4	86.5	52.0	79.8	84.5	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE110HW2	110"(16:9)	113.4	95.9	104.5	108.9	70.4	53.9	63.7	68.4	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE110HW2-E24	110"(16:9)	113.4	95.9	104.5	108.9	88.4	53.9	81.7	86.5	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HW2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HW2-E20	120"(16:9)	122.3	104.6	113.3	117.8	89.3	58.8	82.6	87.3	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HW2	135"(16:9)	135.4	117.7	126.3	130.9	80.7	66.2	74.0	78.7	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HW2-E12	135"(16:9)	135.4	117.7	126.3	130.9	88.7	66.2	82.0	86.7	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HW2	150"(16:9)	149.7	130.7	139.4	145.2	88.0	73.5	81.3	86.1	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HW2-E20	150"(16:9)	149.7	130.7	139.4	145.2	104.1	73.6	97.4	102.1	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106XW2-E24	106"(16:10)	107.2	89.9	97.4	102.7	90.7	56.2	84.0	88.7	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE116XW2	116"(16:10)	115.4	98.4	105.9	110.8	78.0	61.5	71.3	76.0	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE128XW2-E12	128"(16:10)	125.4	108.5	116.0	120.9	90.3	67.8	83.6	88.3	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE139XW2	139"(16:10)	135.4	117.9	126.5	130.9	88.1	73.7	81.5	86.2	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE85C-E30	85"(2.35:1)	94.4	78.2	85.7	89.3	73.7	33.3	67.0	71.8	3.8	4.7	6.7	30.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE96C-E24	96"(2.35:1)	105.6	88.3	95.8	101.1	72.1	37.6	65.4	70.1	3.8	4.7	6.7	24.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE125C-E20	125"(2.35:1)	132.3	115.0	123.7	127.8	79.4	48.9	72.7	77.4	3.8	4.7	6.7	20.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE153C-E12	153"(2.35:1)	158.1	140.8	149.4	153.5	82.4	59.9	75.7	80.4	3.8	4.7	6.7	12.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84VG2	84"(4:3)	83.1	67.2	74.7	78.0	66.9	50.4	60.2	64.9	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92VG2	92"(4:3)	89.8	73.6	81.1	84.6	71.7	55.2	65.0	69.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VG2	100"(4:3)	96.0	80.0	87.5	91.5	76.5	60.0	69.8	74.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HG2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HG2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84VR2	84"(4:3)	83.1	67.2	74.7	78.0	66.9	50.4	60.2	64.9	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92VR2	92"(4:3)	89.8	73.6	81.1	84.6	71.7	55.2	65.0	69.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE100VR2	100"(4:3)	96.0	80.0	87.5	91.5	76.5	60.0	69.8	74.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120VR2	120"(4:3)	113.4	96.0	104.6	108.9	86.5	72.0	79.8	84.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135VR2	135"(4:3)	125.4	108.0	116.7	120.9	95.5	81.0	88.8	93.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150VR2	150"(4:3)	138.2	120.0	128.7	133.7	104.5	90.0	97.8	102.5	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE84HR2	84"(16:9)	89.8	73.2	80.7	84.6	57.6	41.2	50.9	55.7	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE92HR2	92"(16:9)	96.0	80.2	87.7	91.5	61.5	45.1	54.8	59.6	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE106HR2	106"(16:9)	109.0	92.4	99.9	104.4	68.4	52.0	61.7	66.5	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE120HR2	120"(16:9)	122.3	104.6	113.3	117.8	73.3	58.8	66.6	71.3	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE135HR2	135"(16:9)	135.4	117.7	126.3	130.9	80.7	66.2	74.0	78.7	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE150HR2	150"(16:9)	149.7	130.7	139.4	145.2	88.0	73.5	81.3	86.1	3.8	4.7	6.7	4.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4
TE110HW2-A1080P2	110"(16:9)	113.4	95.9	104.5	108.9	70.4	53.9	63.7	68.4	3.8	4.7	6.7	6.0	4.8	0.9	5.2	3.4	1.9	1.4	0.7	4.1	2.2	0.8	0.4

Unit: inch

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

Note: Data Error $\pm 1''$. The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

