### Manual B

16:9





#### Screen Material

- MaxWhite B screen material is durable and easy to clean
- 180° wide viewing angle for commercial presentations or residential home cinema
- Black backed screen material eliminates light penetration for superior color reproduction

#### **Casing & Installation**

Dual wall and ceiling installation design

#### **Control System**

- Auto-locking system at 2" intervals provides variable height settings
- Screen lanyard for easy operation included allows screen's pull down handle to be reached from high areas

#### Warranty

20

- 2-year parts and labor
- 3-year warranty for ENR-G (Educational, Nonprofit, Religious or Government/Military) - US only



## Manual B

# 1:1 / 4:3 / 16:9

### Manual B Series

Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)	Case Color
M100S	100" (1:1)	70.5/1790	70.5/1790	White
M100V	100" (4:3)	80.0/2032	60.0/1524	White
M100H	100" (16:9)	87.2/2214	49.0/1245	White

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

#### elitescreens.com/manualb

### Manual

# 1:1 4:3 16:9 16:10 2.35:1



#### Screen Material

- MaxWhite 1.1 Gain Screen Material is durable and easy to clean
- 180<sup>o</sup> wide viewing angle for commercial and residential presentations
- Black backed screen material eliminates light penetration for superior color reproduction
- Black masking enhances picture contrast

#### **Casing & Installation**

- Durable metal casing
- Suitable for wall/ceiling installations
- Optional 6" & 12" brackets available

#### **Control System**

- Auto-locking mechanism with variable height settings
- Manually operated (lanyard included)

#### Warranty

- 2-year parts and labor
- 3-year warranty for ENR-G (Educational, Non-profit, Religious or Government/Military) - US only

#### Certified

GREENGUARD<sup>®</sup> and GREENGUARD<sup>®</sup> Gold Certified | UL 2818







7



Optional 6" or 12" Brackets

Available in Black and White Casing Colors.

elitescreens.com/manual

### Manual

### <u>1:1 4:3 16:9 16:10 2.35:1</u>


### **Manual Series**

Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)	Case Color
M71UWS1	71"(1:1)	50.0/1270.0	50.0/1270.0	Black
M71XWS1	71"(1:1)	50.0/1270.0	50.0/1270.0	White
M85UWS1	85"(1:1)	60.0/1524.0	60.0/1524.0	Black
M85XWS1	85"(1:1)	60.0/1524.0	60.0/1524.0	White
M99NWS1	99"(1:1)	70.0/1778.0	70.0/1778.0	White
M99UWS1	99"(1:1)	70.0/1778.0	70.0/1778.0	Black
M113NWS1	113"(1:1)	80.0/2032.0	80.0/2032.0	White
M113UWS1	113"(1:1)	80.0/2032.0	80.0/2032.0	Black
M119UWS1	119"(1:1)	84.0/2133.6	84.0/2133.6	Black
M119XWS1	119"(1:1)	84.0/2133.6	84.0/2133.6	White
M136UWS1	136"(1:1)	96.0/2438.4	96.0/2438.4	Black
M136XWS1	136"(1:1)	96.0/2438.4	96.0/2438.4	White
M170XWS1	170"(1:1)	120.0/3048.0	120.0/3048.0	White
M80NWV	80" (4:3)	64.0/1625.6	48.0/1219.2	White
M84NWV	84"(4:3)	67.0/1701.8	50.3/1277.6	White
M100NWV1	100"(4:3)	80.0/2032.0	60.0/1524.0	White
M100UWV1	100"(4:3)	80.0/2032.0	60.0/1524.0	Black
M120UWV2	120"(4:3)	96.0/2438.4	72.0/1828.8	Black
M120XWV2	120"(4:3)	96.0/2438.4	72.0/1828.8	White
M135UWV2	135"(4:3)	108.0/2743.2	81.0/2057.4	Black
M135XWV2	135"(4:3)	108.0/2743.2	81.0/2057.4	White
M150UWV2	150"(4:3)	120.0/3048.0	90.0/2286.0	Black
M150XWV2	150"(4:3)	120.0/3048.0	90.0/2286.0	White
M80UWH	80"(16:9)	70.0/1778.0	39.0/990.6	Black
M84UWH	84"(16:9)	73.0/1854.2	41.0/1041.4	Black
M84UWH-E30	84"(16:9)	73.0/1854.2	41.0/1041.4	Black
M84XWH-E30	84"(16:9)	73.0/1854.2	41.0/1041.4	White
M92UWH	92" (16:9)	80.2/2037.1	45.1/1145.5	Black
M100UWH	100"(16:9)	87.0/2209.8	49.0/1244.6	Black
M100XWH	100"(16:9)	87.0/2209.8	49.0/1244.6	White
M100XWH-E24	100"(16:9)	87.2/2214.9	49.1/1247.1	White
M106UWH	106"(16:9)	92.4/2347.0	52.0/1320.8	Black
M106UWH-E24	106"(16:9)	92.4/2347.0	52.0/1320.8	Black
M120UWH2	120"(16:9)	104.6/2656.8	58.8/1493.5	Black
M120XWH2	120"(16:9)	104.6/2656.8	58.8/1493.5	White
M120XWH2-E24	120"(16:9)	104.0/2641.6	58.5/1485.9	White
M135UWH2	135"(16:9)	117.3/2980.2	66.0/1676.4	Black
M135XWH2	135"(16:9)	117.7/2989.6	66.2/1681.5	White
M150UWH2	150"(16:9)	130.7/3319.8	73.5/1866.9	Black
M150XWH2	150"(16:9)	130.7/3319.8	73.5/1866.9	White
M86UWX	86"(16:10)	73.0/1854.2	45.6/1158.2	Black
M94UWX	94" (16:10)	79.7/2024.4	49.8/1264.9	Black
M109UWX	109"(16:10)	92.4/2347.0	57.8/1466.9	Black
M128UWX	128"(16:10)	108.4/2753.4	67.8/1722.1	Black
M139UWX	139"(16:10)	117.3/2979.4	73.3/1861.8	Black
M95UWC-E18	95"(2.35:1)	87.0/2209.8	37.0/939.8	Black
M114UWC-E18	114"(2.35:1)	104.6/2656.8	44.5/1130.3	Black
M128UWC-E20	128"(2.35:1)	117.3/2979.4	49.5/1257.3	Black
M142UWC-E19	142"(2.35:1)	130.7/3319.8	55.6/1412.2	Black
The listed measurements are for general reference only. Please contact				

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

### Manual SRM





#### Screen Material:

(Slow Retract Mechanism)

- MaxWhite 1.1 Gain Screen Material is durable and easy to clean
- 180° wide viewing angle for commercial and residential presentations
- Black backed screen material eliminates light penetration for superior color reproduction
- Black masking enhances picture contrast

#### **Casing and Installation:**

- Durable metal casing
- Suitable for wall/ceiling installations
- Optional 6" and 12" brackets available

#### Control System:

- Slow Retract Mechanism (SRM)
- Auto-locking mechanism with variable height settings
- Manually operated (lanyard included)
- Automatically retracts into housing hands-free

#### Warranty:

- 2-year parts and labor
- 3-year warranty for ENR-G (Educational, Non-profit, Religious or Government/Military) - US only

#### **Certified:**

GREENGUARD<sup>®</sup> and GREENGUARD<sup>®</sup> Gold Certified | UL 2818



ZVMAXLB6-B: Black 6" L Bracket Set ZVMAXLB6-W: White 6" L Bracket Set

#### elitescreens.com/manualsrm

# 1:1 4:3 16:9 16:10

### Manual SRM Series

Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)	Case Color
M85XWS1-SRM	85"(1:1)	60.0/1524	60.0/1524	White
M99NWS1-SRM	99"(1:1)	70.0/1778	70.0/1778	White
M113NWS1-SRM	113"(1:1)	80.0/2032	80.0/2032	White
M84NWV-SRM	84"(4:3)	67.0/1702	50.3/1278	White
M100NWV1-SRM	100"(4:3)	80.0/2032	60.0/1524	White
M120XWV2-SRM	120"(4:3)	96.0/2438	72.0/1829	White
M100XWH2-SRM	100" (16:9)	87.0/2210	49.0/1245	White
M120XWH2-SRM	120"(16:9)	104.6/2657	58.8/1494	White
M94NWX-SRM	94"( 16:10)	79.7/2024	49.8/1265	White
M113NWX-SRM	113" (16:10)	96.0/2438	60.0/1524	White

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

## Manual SRM Pro



#### Screen Material:

4:3 / 16:9

- MaxWhite 1.1 Gain Fiber Glass Screen Material is flat, durable and easy to clean
- 180° wide-viewing angle for commercial and residential presentations
- Black backed screen material eliminates light penetration or superior color reproduction
- Black masking enhances picture contrast

#### Housing Finish and Installation:

- Premium grade Aluminum Pearlescent Square Housing
- Dual wall and ceiling installation design
- Optional 6" and 12" hanging mounting brackets

#### Flatness Treatment:

Fiberglass-backed material has added flatness

#### Control System:

- Slow Retract Mechanism (SRM)
- Auto-locking mechanism with variable height settings
- Manually operated (lanyard included)
- Automatically retracts into housing hands-free

#### Warranty:

- 2-year parts and labor
- 3-year warranty for ENR-G (Educational, Non-profit, Religious or Government/Military) - US only

#### Certified

26

GREENGUARD<sup>®</sup> and GREENGUARD<sup>®</sup> Gold Certified | UL 2818

# Manual SRM Pro

### 4:3 16:9

Manual SRM Pro Series					
Model	Nominal Diagonal	View Width (in/mm)	View Height (in/mm)	Case Color	
M84VSR-Pro	84" (4:3)	67.2/1707	50.4/1280	White	
M100VSR-Pro	100" (4:3)	80.0/2032	60.0/1524	White	
M120VSR-Pro	120" (4:3)	96.0/2438	72.0/1829	White	
M84HSR-Pro	84" (16:9)	73.2/1860	41.2/1046	White	
M100HSR-Pro	100" (16:9)	87.2/2214	49.0/1245	White	
M120HSR-Pro	120" (16:9)	104.6/2657	58.8/1494	White	

#### Can't find size and ratio you're looking for? Visit elitescreens.com/csr to create your own

The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.



ZVMAXLB6-B: Black 6" L Bracket Set ZVMAXLB6-W: White 6" L Bracket Set

