

Your best choice for Dump Bodies



Control Panel

Our heavy duty dump bodies come with a control panel installed in the chassis that handles dump functions with precision in all weather and road conditions. Being in control of the vehicle's functions from where you're seated helps you get the job done quickly, effectively and safely.



Metals

It is our goal to offer the latest and greatest materials in every product we bring to the market, while still having competitive prices. We give you the choice of building your body in mild, stainless, weather resistant or exotic Brinell (Hardox) 400/450 steel, allowing you to customize a body that will best meet your needs.

Built to any chassis

All you have to do is choose. Pick the chassis you want and leave the rest to us. Or — we offer hook-lift and roll-off models if all you need is an upgrade on your current dump body equipment.

Unique rendering provided on every build

To ensure a successful build, we create a rendering depicting critical measurements and component placement. The following measurements support the build rendering process:

<input type="checkbox"/>	Truck Wheel Base
<input type="checkbox"/>	Truck CA (Cab to center of drive axle (single) or trunnion (dual))
<input type="checkbox"/>	Truck Cab to center or rear drive axle
<input type="checkbox"/>	Cab Height from Frame to top of Cab (including horns)
<input type="checkbox"/>	Drive Tire Size
<input type="checkbox"/>	Drive Axle spacing in inches
<input type="checkbox"/>	Desired overhang in inches
<input type="checkbox"/>	Desired pusher axle spacing in inches (39" to 41")



ARM proudly offers a full line of Brandon Manufacturing carbon steel dump bodies from 8 to 22 feet, featuring rugged, high-performance designs and expert installation. Whether you are hauling high-volume materials or running asphalt, we have your solution!



**STEP #1 - CHOOSE A BODY TYPE
(CROSS-MEMBERLESS DESIGN)**

INSIDE WIDTH	87 1/2"	OUTSIDE WIDTH	96"
---------------------	---------	----------------------	-----

M SERIES	AVAILABLE DIMENSIONS	MATERIAL	STEEL OPTIONS
MD			
FLOOR	8' to 11' 6"	10 gauge - 150 Brinell (Hardox)	7 gauge - 150 Brinell (Hardox)
SIDE	12" - 15" - 18"	10 gauge - 150 Brinell (Hardox) Standard fixed sides or optional single drop sides	7 gauge - 150 Brinell (Hardox) Fixed or drop sides
TAILGATE	15" - 24"	10 gauge - 150 Brinell (Hardox)	7 gauge - 150 Brinell (Hardox)
FRONT	Customized to truck	10 gauge - 150 Brinell (Hardox)	7 gauge - 150 Brinell (Hardox)
LONGMEMBERS	6", 8" & 10" height choice of formed I-beam or "C-Channel"	3/16" - 150 Brinell (Hardox)	3/16" - 250 Brinell (Hardox)
CAB SHIELD	12" - 18" - 24"	10 gauge - 150 Brinell (Hardox)	7 gauge - 150 Brinell (Hardox)
MDC			
FLOOR	8' to 20'	3/16" - 200 Brinell (Hardox)	3/16" or 1/4" - 450 Brinell (Hardox)
SIDE	12' to 20'	10 gauge - 150 Brinell (Hardox) 8' to 20' with standard fixed sides, 8' to 11' 6" with optional single drop sides or 12' to 16" with optional double drop sides	7 gauge - 250 Brinell (Hardox) Fixed or double drop sides
TAILGATE	15" - 24"	10 gauge - 150 Brinell (Hardox)	7 gauge - 250 Brinell (Hardox)
FRONT	Customized to truck	10 gauge - 150 Brinell (Hardox)	7 gauge - 250 Brinell (Hardox)
LONGMEMBERS	6", 8" & 10" height	3/16" - 150 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
CAB SHIELD	12" - 18" - 24"	10 gauge - 150 Brinell (Hardox)	7 gauge - 250 Brinell (Hardox)
MDS			
FLOOR	8' to 16'	3/16" - 200 Brinell (Hardox)	3/16" or 1/4" - 450 Brinell (Hardox)
SIDE	24" - 36"	10 gauge - 250 Brinell (Hardox)	10 gauge - 250 Brinell (Hardox)
TAILGATE	24" - 42"	10 gauge - 250 Brinell (Hardox)	10 gauge - 250 Brinell (Hardox)
FRONT	Customized to truck	10 gauge - 250 Brinell (Hardox)	10 gauge - 250 Brinell (Hardox)
LONGMEMBERS	6", 8" or 10" choice of formed or I-beams	3/16" - 150 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
CAB SHIELD	12" - 36"	10 gauge - 150 Brinell (Hardox)	7 gauge - 250 Brinell (Hardox)
MDS-Plus			
FLOOR	8' to 16'	3/16" - 200 Brinell (Hardox)	3/16" or 1/4" - 450 Brinell (Hardox)
SIDE	24" - 42"	7 gauge - 250 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
TAILGATE	24" - 48"	7 gauge - 250 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
FRONT	Customized to truck	7 gauge - 250 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
LONGMEMBERS	6", 8" & 10" height	3/16" - 250 Brinell (Hardox)	1/4" - 250 Brinell (Hardox)
CAB SHIELD	12" - 18" - 24"	10 gauge - 150 Brinell (Hardox)	7 gauge - 250 Brinell (Hardox)



INSIDE WIDTH	89 1/2"	OUTSIDE WIDTH	99"
---------------------	---------	----------------------	-----

F SERIES	AVAILABLE DIMENSIONS	MATERIAL
FHA		
FLOOR	10' to 22'	3/16" - 450 Brinell (Hardox)
SIDE	24" to 66"	5/32" - 450 Brinell (Hardox)
TAILGATE	32" to 66"	3/16" - 450 Brinell (Hardox)
FRONT	Customized to truck	5/32" - 450 Brinell (Hardox)
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)
CAB SHIELD	18" to 48"	7 or 10 gauge - 150 Brinell (Hardox)
FHA-Plus		
FLOOR	10' to 22'	3/16" - 450 Brinell (Hardox)
SIDE	24" to 66"	3/16" - 450 Brinell (Hardox)
TAILGATE	32" to 66"	3/16" - 450 Brinell (Hardox)
FRONT	Customized to truck	3/16" - 450 Brinell (Hardox)
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)
CAB SHIELD	18" to 48"	7 or 10 gauge - 150 Brinell (Hardox)
FHD		
FLOOR	10' to 22'	1/4" - 450 Brinell (Hardox)
SIDE	24" to 66"	3/16" - 450 Brinell (Hardox)
TAILGATE	32" to 72"	1/4" - 450 Brinell (Hardox)
FRONT	Customized to truck	3/16" - 450 Brinell (Hardox)
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)
CAB SHIELD	18" to 48"	7 or 10 gauge - 150 Brinell (Hardox)
FHD-Plus		
FLOOR	10' to 22'	1/4" - 450 Brinell (Hardox)
SIDE	24" to 66"	1/4" - 450 Brinell (Hardox)
TAILGATE	32" to 72"	1/4" - 450 Brinell (Hardox)
FRONT	Customized to truck	1/4" - 450 Brinell (Hardox)
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)
CAB SHIELD	18" to 48"	7 or 10 gauge - 150 Brinell (Hardox)



Build Your Dump Truck



Build Your Dump Truck

	INSIDE WIDTH	89 1/2"	OUTSIDE WIDTH	99"
E SERIES	AVAILABLE DIMENSIONS		MATERIAL	
	EUL			
FLOOR	10' to 22'	5/32" - 450 Brinell (Hardox)		
SIDE	30" to 66"	5/32" - 450 Brinell (Hardox)		
TAILGATE	32" to 72"	5/32" - 450 Brinell (Hardox)		
FRONT	Customized to truck	5/32" - 450 Brinell (Hardox)		
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)		
CAB SHIELD	24" to 48"	7 or 10 gauge - 150 Brinell (Hardox)		
	ELD			
FLOOR	10' to 22'	3/16" - 450 Brinell (Hardox)		
SIDE	30" to 66"	3/16" - 450 Brinell (Hardox)		
TAILGATE	32" to 72"	3/16" - 450 Brinell (Hardox)		
FRONT	Customized to truck	3/16" - 450 Brinell (Hardox)		
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)		
CAB SHIELD	24" to 48"	7 or 10 gauge - 150 Brinell (Hardox)		
	EHD			
FLOOR	10' to 22'	1/4" - 450 Brinell (Hardox)		
SIDE	30" to 66"	1/4" - 450 Brinell (Hardox)		
TAILGATE	32" to 72"	1/4" - 450 Brinell (Hardox)		
FRONT	Customized to truck	1/4" - 450 Brinell (Hardox)		
LONGMEMBERS	6", 8", 10" & 12" choice of formed or I-beams	3/16" - 250 Brinell (Hardox) or 1/4" - 250 Brinell (Hardox)		
CAB SHIELD	24" to 48"	7 or 10 gauge - 150 Brinell (Hardox)		
	EXL			
FLOOR	13' to 22'	5/32" - 450 Brinell (Hardox)		
SIDE	24" to 60"	1/8" - 450 Brinell (Hardox)		
TAILGATE	24" to 66"	5/32" - 450 Brinell (Hardox)		
FRONT	Customized to truck	1/8" - 450 Brinell (Hardox)		
LONGMEMBERS	N/A	N/A		
CAB SHIELD	24" to 48"	10 gauge - 150 Brinell (Hardox) or 10 gauge bolt-on aluminum		
OPTIONS	Optional steel or aluminum fenders (smooth or diamond plate) Optional steel or aluminum oil tanks			



STEP #2 - CHOOSE A BODY LENGTH		
"M" Series	"F" Series	"E" Elliptical Series
9'-22'	10'- 22'	10'- 22'

STEP #3 - CHOOSE SIDE PANEL HEIGHT		
"M" Series	"F" Series	"E" Elliptical Series
Straight Side	Straight Side	Straight Side
8", 12", 18", 30", 36", 42", 54", 60"	24", 30", 36", 42", 54", 60", 72	24", 30", 36", 42", 54", 60", 72"
Drop Side	Tapered Front	Tapered Front
8", 12", 18"	42", 54", 60", 72"	42", 54", 60", 72"
	Tapered Back	Tapered Back
	42", 54", 60"	42", 54", 60"

STEP #4 - CHOOSE TAILGATE HEIGHT		
"M" Series	"F" Series	"E" Elliptical Series
24", 30", 36", 42", 54", 60"	36", 42", 54", 60", 72"	36", 42", 54", 60", 72"

STEP #5 - TAILGATE TYPE (SMOOTH 1 PANEL DESIGN)				
Straight 1 Direction	Straight 2 Direction	Sloped	Sloped w/ Asphalt Cut	Sloped w/ Asphalt Cut High Lift

STEP #6 - CHOOSE THE NUMBER OF COAL CHUTES			
0	1	2	3



STEP #7 - CHOOSE CAB SHIELD SIZE - ALL STANDARD CAB SHIELDS ARE 90" WIDE

"M" Series	"F" Series	"E" Elliptical Series
18", 24", 36"	18", 24", 36", 48"	18", 24", 36", 48"



STEP #8 - CHOOSE HYDRAULIC OIL TANK TYPE AND LOCATION

Frame Mount 30 Gal Aluminum Tank
Between the "rails" frame mount 30 Gal Aluminum Tank
Behind the cab mount 30 Gal Aluminum Slim Line Tank
Behind the cab / Recessed into the doghouse mount 30 Gal Slim Line Tank * Only fits bodies with 54" or greater bulkheads



STEP #9 - CHOOSE LIFT AXLE TYPE AND QUALITY

20K Hendrickson Non-Steerable Lift Axle w/in cab controller: Installed with Huck Bolts, (no wheels & tires included)
20K Hendrickson Steerable Lift Axle w/in cab controller: Installed with Huck Bolts, (no wheels & tires included)
13.2K Hendrickson Steerable Lift Axle w/in Cab Controller: Installed with Huck Bolts, (no wheels & tires included)
13.2K Watson Chalin Steerable Lift Axle w/In Cab Controller: Installed with Huck Bolts, (no wheels & tires included)



STEP #10 - CHOOSE WHEEL RIM AND TIRES

(1) Set of Polished Aluminum Wheels 22.5" w/ 255/70R22.5 Tires
(1) Set of Polished Aluminum Wheels 22.5" w/ 11R22.5 Tires 120 Ply
(1) Set of Polished Aluminum Wheels 24.5" w/ 255/70R24.5 Tires

STEP #11 - CHOOSE PAINT COLOR

Single process Sherwin Williams Genesis

Options

BOLT-ON DUMP APRON

6"	8"	10"	12"
----	----	-----	-----



MUD FLAPS & SPLASH GUARDS

Mudflaps: Choose quantity & location		
24" x 36"	24" x 23"	24" x 13"
Splash Guards Aluminum		
24" x 32"		



GLAD HANDS



LOAD VIBRATOR



CUSTOM SIDE BOARD COVERS

Laser cut, aluminum tread plate with custom text



DUST COVER BETWEEN FRAME RAILS



PINTLE PLATE

25 Ton	40 Ton
--------	--------



TARPS

Electric Flip Tarp
Electric Slide Tarp




SIDE MARKER LIGHTS

Qty 6	Qty 8
-------	-------



END OF FRAME CAPS



HEATED DUMP BODY INSTALLATION

STROBE LIGHTS

SIDE BOARDS

12" Height
Tapered 14" Front to top of bracket in rear