

Madvac® LP61 — Compact Portable Litter Collector

About Madvac®

Madvac® is the world's leading manufacturer of outdoor surface cleaning equipment. We are unique among vacuum manufacturers in that our comprehensive range of machines means we are able to offer the right product for your application – whatever you are trying to clean.

Madvac® LP61— The portable litter collector

The Madvac® LP61 is more than a simple vacuum cleaner; it's a highly versatile piece of equipment that will meet all your needs when it comes to litter collection.


The standard configuration is ideal for all your litter collection needs. Collected material is automatically bagged, keeping the operator out of harms way and providing a clean efficient method to empty the collection container.

Mobility and versatility is key

The Madvac® LP61 can be transported anywhere in a standard pickup truck with a 6-foot box, on 6-wheel standard ATV, in addition, a trailer option allows it to be pulled to the job site using any vehicle capable of towing with a standard hitch.

Get to the hard-to-reach areas quickly using the portable Madvac® LP61 with a 5 or 8-inch diameter up to 40-foot hose, vast soiled areas such as windblown trash at landfill/transfer station fence lines, parking lots, parks, bike trails and industrial sites are easily maintained by a single operator, quickly and effortlessly.

One Madvac® LP61 does the work of 6 or 7 manual pickers, making the old-fashioned method of litter collecting and managing multi-person crews and related issues a thing of the past. The Madvac® LP61 will never call in sick. It's always there when you need it; it's consistently productive, while reducing time and costs.



The Madvac® LP61 versatility is perfect for a wide range of applications such as:

- Industrial, commercial and institutional (ICI) ground care;
- City parks and roadside clean-up;
- Large fleet operators (waste & transport).




The Madvac® LP61 is designed to deliver industry-leading vacuum litter collection technology:

- Ease of use;
- · Outstanding performance;
- · Reliability, durability;
- The lowest possible cost of ownership.

With durable, rugged construction, high performance suction and a design that meets all international safety and environmental standards, the LP61 sets the global benchmark for vacuum litter collector quality.

No Fan to Jam™

- No Fan To Jam[™] patented straightthrough suction prevents trash from going through the fan – eliminating fan wear, clogging and mechanical downtime;
- Uses variable suction control:
- Reliable, powerful workhorse powered by a Kubota[®] diesel engine;
- Easy access to engine compartment for simplified maintenance;
- · Lifetime warranty on the fan;
- Safe to use with inflammable liquids;
- Option trailer to skid mount in 30 minutes.




BOTTOM

80 gallon (300 L) capacity steel container with easy acces to empty contents.




Madvac® LP61 Compact Portable Litter Collector Technical Specifications

Skid



Option Trailer Mounted



Data and Performance Information

Common Technical Specifications:	
Litter tank capacity	80 Gal. (300 L)
Tank construction	16 gauge steel
Hose	Choice of 5 or 8 in. (127 or 203mm) diameter
Paint	White powder-coated
Engine	Kubota® 13.3hp, 6 Gal. Diesel capacity for 24 hours of service
Collection system type	Flow through with approx. 2 to 1 compaction ratio
Bag	Quick change reusable Taypar bag
Instruments	Ammeter, hour, fuel, oil pressure, water temperature gauges and glow plug light
Safety	Emergency kill switch and strobe light
Airflow	8,400 ft./min (237,8 M/min)

Skid	
Length	71 in. (1803 mm)
Width	39 in. (82.55 mm)
Height	56 in. (1422 mm)
Weight	700 lbs (322.1 Kg)
Option Trailer Mounted	
Wheels	(2) 175/80 R 13, radial 4 seasons
Lighting	Complete signaling package
Length	111 in. (2819 mm)
Width	54 in. (1372 mm)
Height	68 in. (1727 mm)
Weight	1036 lbs (470 Kg)









exprolink

Headquarters: 2170, De La Province Longueuil (Quebec) CANADA J4G 1R7 **Toll Free** 1 855 651-0444
Tel. 450 651-0444
Fax. 450 651-0447