

SPECIALTY LIGHTING & DECOR



Snowfall Light

p. 50-51

LED lights create movement in displays with a 'falling snow' effect



Icicle Lights

p. 52

Traditional icicle lights available in LED for energy savings



Net Lighting

p. 53

Net lights available in LED 5MM Warm White or G12 RGB+WW are easy to install as a blanket or wrap in landscaping applications



Dew Drop Light String

p. 54-55


Battery or plug-in Dew Drop lights have many decorative applications



Festive Greenery

p. 56

Lush, full, and vibrant greenery can stand on its own or add a touch of elegance to any display



LED Neon-Flex Trees

p. 57

LED Neon-Flex Trees add a new level of dimension and color to any display



Snowflake Motifs

p. 58-59

Multiple styles and sizes of LED Neon, LED Rope, or Incandescent snowflakes provide dimensional interest

SNOWFALL LIGHT



Snowfall Light

- Create the look of falling snow with randomly chasing LED light strings that are designed to dangle from tree branches or other areas
- Small lens LEDs arrayed in a ladder like pattern create snowflake pinpoints for a more realistic look
- Snowfall light drops constructed of stranded aluminum wire with clear jacket and clear PVC supports
- Build a unique Snowfall light string using varying drop lengths (from 0.5m to 3m) of snowfall light attached to a wire harness (1m, 60cm, or 30cm spacing)



Visit www.AmericanLighting.com for product video

Specifications

Input voltage	12V DC
Colors	Pure White or Warm White
Wattage	See individual product
Maximum run	36W, 60W, or 150W depending on power supply used
Rating	Indoor/outdoor
Rated life	60,000 hours



SNOWFALL LIGHT



PART NUMBER	COLOR
-------------	-------

0.5M (1.64ft) Drop Length • 1.2W per drop • 64 LEDs

LED-SNOW-.5M-PW	PURE WHITE
LED-SNOW-.5M-WW	WARM WHITE

1M (3.28ft) Drop Length • 2.4W per drop • 128 LEDs

LED-SNOW-1M-PW	PURE WHITE
LED-SNOW-1M-WW	WARM WHITE

1.5M (4.92ft) Drop Length • 2.4W per drop • 128 LEDs

LED-SNOW-1.5M-PW	PURE WHITE
LED-SNOW-1.5M-WW	WARM WHITE

2M (6.56ft) Drop Length • 3.6W per drop • 192 LEDs


LED-SNOW-2M-PW	PURE WHITE
LED-SNOW-2M-WW	WARM WHITE

2.5M (8.2ft) Drop Length • 3.6W per drop • 192 LEDs

LED-SNOW-2.5M-PW	PURE WHITE
LED-SNOW-2.5M-WW	WARM WHITE

3M (9.84ft) Drop Length • 4.8W per drop • 256 LEDs

LED-SNOW-3M-PW	PURE WHITE
LED-SNOW-3M-WW	WARM WHITE



SNOWFALL LIGHT KITS



PART NUMBER	COLOR
-------------	-------

Includes: (1) LED-SNOW-1MH, (3) LED-SNOW-.5M, (2) LED-SNOW-1M, and (1) 10W power supply

LED-SNOW-KIT-PW	PURE WHITE
LED-SNOW-KIT-WW	WARM WHITE

ACCESSORIES



LED-SNOW-PS-36 36W
LED-SNOW-PS-60 60W
LED-SNOW-PS-150 150W
 12V Power Supply
 (Required for operation)



LED-SNOW-1MH 16.75ft length, 1m (3.28ft) spacing
LED-SNOW-60CMH 10.2ft length, 60cm (2.36ft) spacing
LED-SNOW-30CMH 5.3ft length, 30cm (1.18ft) spacing
 5-Socket Wire Harness (Required for operation)



LEDSPACER-12 12ft
LEDSPACER-20 20ft
LEDSPACER-50 50ft
 Spacer/Jumper wire



POWERTAP-8
 8-way power tap
 1 male + 7 female
 coaxial connectors



POWERTAP-Y
 "Y" connector to
 one power source



POWERTAP-X
 "X" connector to
 one power source

COMMERCIAL COAXIAL ICICLE LIGHTS



Icicle Lights

- 'Mini' lens type
- Pre-assembled, durable plastic sockets
- cSAus Certified coaxial connection system on 20AWG copper wire; 70 LEDs per string
- Varying drop lengths create dramatic effect lighting
- Suitable for indoor and outdoor use



LED MINI

Specifications

Input voltage	120V AC, 60Hz
Colors	Pure White/Ultra Warm White
Wattage	4.8W per string
Maximum run	44 light strings
Rating	Indoor/outdoor
Rated life	LED: 60,000 hours

LED



PART NUMBER	COLOR
-------------	-------

8ft String • 16 Drops (8"-16" length) • 6" Spacing • White Wire

MINI-ICE-70/6-W-PW	PURE WHITE
MINI-ICE-70/6-W-UWW	ULTRA WARM WHITE


LED ACCESSORIES

120V Power Adaptor (Required for operation of LED Icicle Light)

LEDPOWERCON-4A-WH



NET LIGHTING




Net Lighting

- '5mm' lens type in Ultra Warm White or 'G12' lens type in RGB
- Easy installation! Great for small trees, hedges, and shrubbery
- Pre-assembled, durable plastic sockets on 22AWG copper wire with 2-blade socket and fused/stacked plug (3amp)
- Connects end-to-end up to 210 watts
- UL Listed for indoor and outdoor use




LED RGB*



LED UWW

Specifications

Input voltage	120V AC, 60Hz
Colors	Ultra Warm White
Wattage	9.6W per net string (5MM) 7.2W per net string (G12)
Maximum run	210 watts
Rating	Indoor/outdoor
Rated life	60,000 hours



LED



PART NUMBER	COLOR
4ft x 6ft Net String • 5mm lens type (70 LEDs) • Green Wire 5MM-NET46-UWW-S	ULTRA WARM WHITE
4ft x 6ft Net String • G12 lens type (70 LEDs) • Green Wire NET46-RGB-S*	RGB 8 MODE CONTROL

*While supplies last

NED46-RGB-S Controller Functions

1. Steady Warm White
2. Steady Multi-Color
3. Slow Color Change
4. Flashing Warm White
5. Flashing Multi-Color
6. Fast Color change
7. Fade In/Fade Out
8. Combination

DEW DROP LIGHT STRING



Dew Drop Light String

- Virtually invisible, light string that can be easily manipulated and placed for custom designs
- Constructed of thin wire that is resistant to breaks and holds its shape
- Super bright LEDs with 360° viewing
- Perfect for decorating centerpieces and greenery
- Battery operated (requires three AA Batteries sold separately) or plug-in varieties
- Suitable for indoor use only


Specifications: Battery Operated

Input voltage	4.5V DC, 60Hz (3-AA Battery)
Colors	AM/BL/GR/MU/PI/PW/RE/WW
Wattage	See individual product
Rating	Indoor use only
Rated Life	60,000 hours (PW, WW) 100,000 hours (all other colors)

Specifications: Plug-in*

Input voltage	12V DC, 60Hz / 9V DC, 60Hz
Colors	AM/BL/GR/MU/PI/PW/RE/WW
Wattage	See individual product
Rating	Indoor use only
Rated Life	25,000 hours

*While supplies last



BATTERY OPERATED



PART NUMBER	COLOR	LENGTH
-------------	-------	--------

Single Strand • 0.45W per string • 18 LEDs • 4" Spacing

DW1-18/4-AM-3AA	AMBER	6ft
DW1-18/4-BL-3AA	BLUE	6ft
DW1-18/4-GR-3AA	GREEN	6ft
DW1-18/4-MU-3AA	MULTI COLOR	6ft
DW1-18/4-PI-3AA	PINK	6ft
DW1-18/4-PW-3AA	PURE WHITE	6ft
DW1-18/4-RE-3AA	RED	6ft
DW1-18/4-WW-3AA	WARM WHITE	6ft

Single Strand • 1.5W per string • 60 LEDs • 4" Spacing

DW1-60/4-AM-3AA	AMBER	20ft
DW1-60/4-BL-3AA	BLUE	20ft
DW1-60/4-GR-3AA	GREEN	20ft
DW1-60/4-MU-3AA	MULTI COLOR	20ft
DW1-60/4-PI-3AA	PINK	20ft
DW1-60/4-PW-3AA	PURE WHITE	20ft
DW1-60/4-RE-3AA	RED	20ft
DW1-60/4-WW-3AA	WARM WHITE	20ft

Three Strand Twinkle • 1.5W per string • 60 LEDs • 2" Spacing

DW3T-60/2-PW-3AA	PURE WHITE	6.6ft
DW3T-60/2-WW-3AA	WARM WHITE	6.6ft

Batteries not included



PLUG-IN



PART NUMBER	COLOR	LENGTH
-------------	-------	--------

12V DC Single Strand • 2.5W per string • 100 LEDs • 4" Spacing

DW1-100/4-AM*	AMBER	33.3ft
DW1-100/4-BL*	BLUE	33.3ft
DW1-100/4-GR*	GREEN	33.3ft
DW1-100/4-MU*	MULTI COLOR	33.3ft
DW1-100/4-PI*	PINK	33.3ft
DW1-100/4-PW*	PURE WHITE	33.3ft
DW1-100/4-RE*	RED	33.3ft
DW1-100/4-WW*	WARM WHITE	33.3ft

12V DC Three Strand • 5.4W per string • 216 LEDs • 4" Spacing

DW3-216/4-AM*	AMBER	24ft
DW3-216/4-BL*	BLUE	24ft
DW3-216/4-GR*	GREEN	24ft
DW3-216/4-MU*	MULTI COLOR	24ft
DW3-216/4-PI*	PINK	24ft
DW3-216/4-PW*	PURE WHITE	24ft
DW3-216/4-RE*	RED	24ft
DW3-216/4-WW*	WARM WHITE	24ft

12V DC Six Strand • 3.6W per string • 144 LEDs • 3" Spacing

DW6-144/3-PW*	PURE WHITE	6ft
----------------------	------------	-----

9V DC Three Strand Twinkle • 5.4W per string • 216 LEDs • 4" Spacing

DW3T-216/4-PW*	PURE WHITE	12ft
DW3T-216/4-WW*	WARM WHITE	12ft

*While supplies last



(AM)
AMBER



(BL)
BLUE




(GR)
GREEN



(MU)
MULTI



(PI)
PINK



(PW)
PURE WHITE



(RE)
RED



(WW)
WARM WHITE

FESTIVE GREENERY



Standard Pre-Lit Greenery

- Life-like garland and wreaths with options such as pre-woven warm white LED light string, pine cones, unlit, or bare (no pinecones)
- Lighted greenery is pre-assembled with a 5ft power cord and a 2-prong fused, stacked plug
- UL Listed for indoor/outdoor use
- 1 year warranty

Specifications

Input voltage	120V, 60Hz AC
Colors	Warm White LEDs
Wattage	See individual product
Maximum Run	210 watts to one plug
Rating	UL Listed, Indoor/outdoor
Rated Life	60,000 hours



9ft GARLAND

GARLAND



PART NUMBER	LED COLOR
9ft Garland • 9.6W • 315 Branch Tips • 100 LEDs • With Pinecones	
031-LED-GA-9	WARM WHITE
9ft Garland • 315 Branch Tips • Bare	
031-UNL-GAB-9	UNLIT



36" WREATH

48" WREATH



WREATHS

PART NUMBER	LED COLOR
36" Wreath • 9.6W • 270 Branch Tips • 100 LEDs • With Pinecones	
031-LED-WR-36	WARM WHITE
48" Wreath • 19.2W • 430 Branch Tips • 200 LEDs • With Pinecones	
031-LED-WR-48	WARM WHITE
36" Wreath • 9.6W • 270 Branch Tips • 100 LEDs • BARE	
031-LED-WRB-36	WARM WHITE
48" Wreath • 19.2W • 430 Branch Tips • 200 LEDs • BARE	
031-LED-WRB-48	WARM WHITE
60" Wreath • 28.8W • 750 Branch Tips • 300 LEDs • BARE	
031-LED-WRB-60	WARM WHITE

LED NEON-FLEX TREES



LED Neon-Flex Trees

- LED Neon-Flex in Warm White or Cool White shaped into a collapsible spiral tree with star on top
- White metal frame with tie-downs and stakes for stability
- Plug-in operation
- Suitable for indoor and outdoor use



Specifications

Input voltage	120V AC, 60Hz
Colors	Warm White / Cool White
Wattage	See individual product
Rating	Not rated; Indoor/outdoor
Rated life	60,000 hours



NEON-FLEX TREES



PART NUMBER	COLOR	SIZE
120V • 42.5W		
NF-LED-WW-TREE6*	WARM WHITE	6ft
120V • 42.5W		
NF-LED-CW-TREE6*	COOL WHITE	6ft

*While supplies last

SNOWFLAKE MOTIFS




Snowflake Motifs


- Available in LED Rope, LED NeonFlex, or incandescent
- Includes attached 6ft black power cord with two-prong 120V AC plug
- Durable, powder-coated steel frame and heat resistant, clear PVC housing
- UL Listed for indoor and outdoor use

Specifications

Input voltage	120V AC, 60Hz
Colors	LED: Cool White/Warm White Incandescent: Frosted White
Wattage	See individual product
Rating	cULus, Indoor/outdoor (excludes NF-LED)
Rated life	LED: 30,000 hours Incandescent: 25,000 hours



ROPE LIGHT



LED NEON

LED NEONFLEX




PART NUMBER	COLOR	SIZE
-------------	-------	------

Deluxe Style Snowflake • 24"=31.5W, 36"=48W

NF-LED-CW-SNOWFA24	COOL WHITE	24"x24"
NF-LED-WW-SNOWFA24	WARM WHITE	24"x24"
NF-LED-CW-SNOWFA36	COOL WHITE	36"x36"
NF-LED-WW-SNOWFA36	WARM WHITE	36"x36"

Elegant Style Snowflake • 24"=28.8W, 36"=48W

NF-LED-CW-SNOWFB24	COOL WHITE	24"x24"
NF-LED-WW-SNOWFB24	WARM WHITE	24"x24"
NF-LED-CW-SNOWFB36	COOL WHITE	36"x36"
NF-LED-WW-SNOWFB36	WARM WHITE	36"x36"



LED ROPE LIGHT



PART NUMBER	COLOR	SIZE
-------------	-------	------

Deluxe Style Snowflake • 24"=18W, 36"=30W


LED-CW-HSM-SNOWFA24	COOL WHITE	24"x24"
LED-WW-HSM-SNOWFA24	WARM WHITE	24"x24"
LED-CW-HSM-SNOWFA36	COOL WHITE	36"x36"
LED-WW-HSM-SNOWFA36	WARM WHITE	36"x36"

Elegant Style Snowflake • 24"=18W, 36"=30W

LED-CW-HSM-SNOWFB24	COOL WHITE	24"x24"
LED-WW-HSM-SNOWFB24	WARM WHITE	24"x24"
LED-CW-HSM-SNOWFB36	COOL WHITE	36"x36"
LED-WW-HSM-SNOWFB36	WARM WHITE	36"x36"

Classic Style Snowflake • 18"=12W, 24"=18W, 36"=27W

LED-CW-HSM-SNOWF18	COOL WHITE	18"x18"
LED-WW-HSM-SNOWF18	WARM WHITE	18"x18"
LED-CW-HSM-SNOWF24	COOL WHITE	24"x24"
LED-WW-HSM-SNOWF24	WARM WHITE	24"x24"
LED-CW-HSM-SNOWF36	COOL WHITE	36"x36"
LED-WW-HSM-SNOWF36	WARM WHITE	36"x36"



INCANDESCENT



PART NUMBER	COLOR	SIZE
-------------	-------	------

Classic Style Snowflake • 18"=36W, 24"=54W

HSM-SNOWF18*	FROSTED WHITE	18"x18"
HSM-SNOWF24*	FROSTED WHITE	24"x24"

*While supplies last

