

**DIRECT  
FASTENING**



# TOOL TECHNOLOGY

The **DeWALT®** XR battery cordless, gas cordless and powder actuated fastening systems include nailers, accessories and fasteners that can drive into the hardest of materials.

Whether you choose battery, gas or powder actuated, the tools offer flexibility and ease of use so you can get the job done quickly and professionally, and are ideal for timber to concrete, heavy duty steel to steel or steel to concrete applications.

## XR BATTERY CORDLESS

**BRUSHLESS** - quick startup and extreme runtime.  
Batteries fully compatible with other XR tools.

**RELIABILITY** - require less cleaning and servicing and have no issues operating at low temperatures.

**SAFETY** - no need for explosive gas canisters on site.



**XR**  
BRUSHLESS



## GAS CORDLESS

**PRODUCTIVITY** - highly portable and ideal for general use.  
Fuel cells can be changed quickly for minimal downtime.

Battery run time of up to 5000 shots.

## POWDER ACTUATED

**POWER** - high power fixing with high quality, hardened steel fasteners.  
DeWALT® Powder loads are colour coded according to their ability to penetrate base materials.

**FLEXIBLE** - P3X can be changed easily from a single shot to magazine-fed.




# FASTENING OPTIONS

The **DeWALT®** Direct Entry fastener range includes a wide selection of nails, clips and washers, specifically designed for a wide variety of on-site applications.

The extensive range of nails includes three collated nail types: standard, high density (HD) and extra hard (XH). All three types are available both with and without gas.

Clips and washers include conduit clips, washers, cable ties and washers; see pages 124-125 for more details.







**18V**  
LI-ION

**XR**  
BRUSHLESS

**DCN890 18V XR CORDLESS CONCRETE NAILER**

**FAST, POWERFUL CONCRETE NAILING FOR TRACKING AND CLIPS UP TO 57MM**

The **DCN890** concrete nailer has a nail range of 13mm to 57mm and can drive into both steel and concrete.

Fully compatible with the **DeWALT® XR 18V platform**, the 5.0Ah 18 volt lithium ion battery delivers high performance, long life and maximum runtime. It is also more reliable than gas tools, with less cleaning and servicing, and the battery can work at lower temperatures with more consistent power delivery.

The brushless motor reduces tool size whilst maximizing power delivery and the specially designed compact drive components give quick acceleration to fire the first nail.

The system includes 3 specifically designed nose pieces: DCN8902 (magnetic) and DCN8903 (non-magnetic) for clips; DCN8904 (drywall) for tracking. It also includes the DCN8905 extension pole for fastening into ceilings and hard to reach areas.

- Nail range includes standard for concrete, HD for high shear loads and XH for extra hard concrete and steel.
- Sequential (single) or RapidCycle™ mode for fast, repeated nailing.
- Tool-free design for fast adjustments and easy stall and jam release.

Description	DCN890
Battery Type / Capacity	18V XR Li-Ion / 5.0Ah
Weight (excl. / inc. battery)	4.2 kg / 4.8 kg
Trigger Type	Single or RapidCycle™
Magazine Capacity	30
Fastener type	15° Plastic Collated Nails
Fastener range	13-57mm

# DCN890 CONCRETE NAILER

## APPLICATIONS

- Drywall steel track installation to concrete, block and steel.
- Drywall tracks with deflection heads
- Wire Mesh fixing with 25mm lathing washers
- Fixing clips and clamps for electricians and plumbers
- Furring strips to concrete and block
- Various clips to concrete

## MATERIALS



See front cover foldout for details.

## APPROVALS



(DCN8990 Tool only)

## 18V XR CORDLESS CONCRETE NAILER TOOL AND ACCESSORIES

**NEW**



Cat No.	Description	Box	Kit Box / Case	Pack Qty
DCN890P2	18V XR Cordless Concrete Nailer Kit*		•	1
DCN890N	18V XR Cordless Concrete Nailer**	•		1
DCN8901	DCN890 Replacement Driver Blade	•		1
DCN8902	DCN890 Magnetic Nose Piece	•		1
DCN8903	DCN890 Nose Piece	•		1
DCN8904	DCN890 Drywall Nose Piece	•		1
DCN8905	DCN890 Extension Pole	•		1

\*Includes nailer, 2 x 5.0Ah batteries, charger, kitbox, DCN8903 tip and DCN8904 tip. \*\*Includes nailer and DCN8904 tip only.

## DCN890 CONCRETE NAILS

**NEW**



Standard Nails

XH Extra Hard Nails

HD High Density Nails

Cat No.	Nail Type	Length [mm]	Diameter [mm]	Head Size [mm]	Box	Blister Pack	Pack Qty
DCN8901015	Standard	15	2.6	6.3	•		1005
DCN8901020	Standard	20	2.6	6.3	•		1005
DCN8901025	Standard	25	2.6	6.3	•		1005
DCN8901030	Standard	30	2.6	6.3	•		1005
DCN8901035	Standard	35	2.6	6.3	•		1005
DCN8901040	Standard	40	2.6	6.3	•		1005
DCN8901045	Standard	45	2.6	6.3	•		510
DCN8901050	Standard	50	2.6	6.3	•		510
DCN8901055	Standard	55	2.6	6.3	•		510
DCN8901057	Standard	57	2.6	6.3	•		510
DCN8903013	XH	13	3	6.3	•		1000
DCN8903017	XH	17	3	6.3	•		1005
DCN8903022	XH	22	3	6.3	•		1005
DCN8903027	XH	27	3	6.3	•		1005
DCN8903032	XH	32	3	6.3	•		1005
DCN8903038	XH	38	3	6.3	•		1005
DCN8903043	XH	43	3	6.3	•		510
DCN8903048	XH	48	3	6.3	•		510
DCN8903053	XH	53	3	6.3	•		510
DCN8903057	XH	57	3	6.3	•		510
DCN8902015	HD	15	3.7	6.3	•		1005
DCN8902020	HD	20	3.7	6.3	•		1005
DCN8902025	HD	25	3.7	6.3	•		1005

FOR THE FULL RANGE OF CLIPS, WASHERS AND TIES, SEE PAGES 124-125

# C5 TRAK-IT® TOOLS AND TRAK-IT® TOOL ACCESSORIES

DIRECT FASTENING

## DESCRIPTION

- The C5 Trak-It® tool is a powerful gas nailer designed for driving nails into a wide range of substrates including steel, concrete, brick and hollow brick.
- Ideal for metal track installation as well as second fix nailing including conduit clips and fittings.
- The lightest and smallest tool in its class
- Less operator fatigue with a better overall ergonomic feel and extreme manoeuvrability
- Power output of 105 Joules for shooting into even the hardest concrete
- Smart fan – ventilator time computer adjusted to tool and environmental temperature
- Metal mesh suction filter provides highly effective dust protection
- ETA approved for XH nails from 22-38mm in concrete applications

## APPLICATIONS

- Drywall steel track installation on to concrete, block or steel
- Plywood to concrete or block
- Furring strips to concrete or block
- General construction applications

## MATERIALS



See front cover foldout for details.

## APPROVALS



## C5 TRAK-IT® TOOLS



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF5110500-GB	C5 Trak-It® Kit - Long Track GB	•		1
DDF5120550-GB	C5 Trak-It® Kit - Short Track GB	•		1
DDF5150500	C5 Replacement Magazine - Long Track	•		1
DDF5150550	C5 Replacement Magazine - Short Track	•		1

## C3, C4 AND C5 TRAK-IT® GAS AND ACCESSORIES



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF6755218	C4 Trak-It® Gas Canister	•		1
DDF5140500	C5 Trak-It® Gas Canister	•		1
DDF5610500	C3/C4/C5/W3 Battery	•		1
DDF5610510-GB	C3/C5/C4/W3 220V Adaptor Cord	•		1
DDF5610520	C3/C4/C5/W3 Charger Cord	•		1

FOR THE FULL RANGE OF CLIPS, WASHERS AND TIES, SEE PAGES 124-125

# C5 NAILS WITH GAS

## DESCRIPTION

- Nails supplied with 1 gas cell per box

### STANDARD NAILS:

- Zinc plated nails from 15-40mm

### XH NAILS:

- Special zinc plated nails for very hard concrete
- High performance stepshank design for optimal penetration

## APPLICATIONS

General heavy duty construction applications including:

- Drywall steel track installation on to concrete, block or steel
- Plywood to concrete or block
- Furring strips to concrete or block
- Prefabricated materials

## APPROVALS



## C5 NAILS (WITH GAS)



Standard Nails



XH Extra Hard Nails



Cat No.	Nail Type			Length [mm]	Diameter [mm]	Head Size [mm]			Pack Qty
DDF6510015	Standard			15	2.6	6.3	•		700+1
DDF6510020	Standard			20	2.6	6.3	•		700+1
DDF6510025	Standard			25	2.6	6.3	•		700+1
DDF6510030	Standard			30	2.6	6.3	•		700+1
DDF6510035	Standard			35	2.6	6.3	•		700+1
DDF6510040	Standard			40	2.6	6.3	•		700+1
DDF6510017	XH			17	3	6.3	•		700+1
DDF6510022	XH	•		22	3	6.3	•		700+1
DDF6510027	XH	•		27	3	6.3	•		700+1
DDF6510032	XH	•		32	3	6.3	•		700+1
DDF6510038	XH	•		38	3	6.3	•		700+1

# C4 NAILS WITH GAS

## DESCRIPTION

- Nails supplied with 1 gas cell per box
- Zinc plated nails from 50-65mm

## APPLICATIONS

General heavy duty construction applications including:

- Drywall steel track installation on to concrete, block or steel
- Plywood to concrete or block
- Furring strips to concrete or block
- Prefabricated materials

## C4 NAILS (WITH GAS)



Standard Nails



Cat No.	Nail Type			Length [mm]	Diameter [mm]	Head Size [mm]			Pack Qty
DDF6110049	Standard			50	2.6	6.3	•		700+1
DDF6110055	Standard			55	2.6	6.3	•		700+1
DDF6110060	Standard			60	2.6	6.3	•		700+1
DDF6110065	Standard			65	2.6	6.3	•		700+1














# CLIPS, WASHERS AND TIES

DIRECT FASTENING



This range of clips, washers and ties has been specifically designed for a wide variety of on-site applications including the fixing of cable conduit, lathing, steel brackets and wooden battens.

## CLIPS, WASHERS AND TIES WITH BOW

	Cat No.	Description	 Diameter [mm]	Tool Compatibility			 Box	 Blister Pack	Pack Qty
				C4	C5	DCN890			
	DDF5260000	Threaded Rod Hanger	6	✓	✓	✓	•	100	
	DDF6710016	Conduit Clip	16	✓	✓	✓	•	100	
	DDF6710020	Conduit Clip	20	✓	✓	✓	•	100	
	DDF6720050	Cable Tie	27.5	-	✓	✓	•	200	
	DDF6750100	Lathing Washer	13	✓	✓	✓	•	100	
	DDF6750000	Lathing Washer	25	✓	✓	✓	•	200	
	DDF6750050	Insulated Washer	36	✓	✓	✓	•	100	
	DDF6750036	Plastic Washer	36	✓	✓	✓	•	500	
	DDF6770000	Eye Clip	0	✓	✓	✓	•	100	









# CLIPS, WASHERS AND TIES



\*When using the DCN890 concrete nailer with products such as the premium conduit clips, an additional magnetic nose tip will be required (DCN8902).

## CABLE BOWS AND PERFOBANDS

	Cat No.	Description	 Diameter [mm]	Tool Compatibility			 Box	 Blister Pack	Pack Qty
				C4	C5	DCN890			
	DDF6755000	Cable Bow - Single	-	✓	✓	✓	•		50
	DDF6755003	Cable Bow - Double	-	✓	✓	✓	•		35
	DDF6755004	Perfoband x 10m	12	✓	✓	✓	•		1
	DDF6755005	Perfoband x 10m	17	✓	✓	✓	•		1







**P3X POWDER ACTUATED TOOL AND ACCESSORIES**

**EXTRA HIGH-POWERED AUTOMATIC FASTENING TOOL.**

The **DeWALT® P3X** tool provides powerful and secure fastening for harder substrates such as steel and concrete.

The low velocity tool uses a piston, driven by a powder charge, which then drives the fastener into the substrate.

**P3X** powder charges come as sequential discs for quick loading and fast change over. For safety, the tool features a charge load window, allowing the user to check the loading without removing the discs.

For versatility on site, the **P3X** tool features a simple dial for power adjustment - making it easy to match the fastener penetration to the job in hand.

The **P3X** tool comes complete with strip magazine and single shot noses.

- Power adjuster for precise penetration into all base materials

- Fast change magazine - change from single nail to collated nail strips with no tools required
- Auto lock magazine for fast loading of fastener strips
- Adjustable magazine
- Easy maintenance
- **P3X** nails and return spring also suitable for use with other brands of tools
- Sequential disc system with metal cartridges eliminate warping at high temperatures
- The P3X is PTB approved with CE approved powder loads

**FASTENER RANGE**


In addition to collated 3.7mm nails from 15 - 60mm length, **DeWALT®** powder actuated fasteners include single drive nails up to 76mm, nails with insulation washers and nails with conduit clips.

# P3X POWDER ACTUATED TOOL

## APPLICATIONS

- Drywall steel track installation on to concrete, block or steel
- Wood to concrete and steel
- Electrical fittings to concrete
- Formwork
- Double partitions to concrete
- Brick ties
- Composite decking
- Waterproofing
- SFS to structural steel

## MATERIALS



See front cover foldout for details.

## APPROVALS



POWDER LOADS

CE 0589

## P3X POWDER ACTUATED TOOL AND POWDER LOADS



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF2130000	P3X PAT .25 Cal 10mm Disc Tool	•		1

## .25 CALIBER 10MM POWDER LOAD DISCS



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF1220100	Yellow medium strength loads (10 per disc)	•		100
DDF1220200	Red high strength loads (10 per disc)	•		100

\*1 pack contains 100 loads, min. order qty is 10 packs (1000 loads)

## P3X NAILS



Cat No.	Length [mm]	Diameter [mm]	Head Size [mm]	Box	Blister Pack	Pack Qty
DDF3440000	15	3.7	8.6	•		500+1
DDF3440050	20	3.7	8.6	•		500+1
DDF3440100	25	3.7	8.6	•		500+1
DDF3440150	30	3.7	8.6	•		500+1
DDF3440200	35	3.7	8.6	•		500+1
DDF3440250	40	3.7	8.6	•		300+1
DDF3440300	50	3.7	8.6	•		300+1
DDF3440350	60	3.7	8.6	•		300+1

# PA3500 POWDER ACTUATED TOOL

DIRECT FASTENING


## DESCRIPTION

- Powder actuated single shot nailer
- Fires nails and clips from 16-76mm
- Powder loads available in 3 types depending on required power
- Includes depth adjuster for fast changes to fastener penetration

## APPLICATIONS

- Conduit clips to concrete
- Wood to concrete and steel
- Electrical fittings to concrete
- Concrete forming

## MATERIALS



See front cover foldout for details.

## APPROVALS



## PA3500 POWDER ACTUATED TOOL AND POWDER LOADS



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF2120400	PA3500 .27 Caliber Strip Tool	•		1

## .27 CALIBER POWDER LOAD STRIPS



Cat No.	Description	Box	Blister Pack	Pack Qty
DDF1350000	Green low strength loads (10 per strip)	•		100
DDF1350050	Yellow medium strength loads (10 per strip)	•		100
DDF1350100	Red high strength loads (10 per strip)	•		100

\*1 pack contains 100 loads, min. order qty is 10 packs (1000 loads)



# PA3500 / P3X NAILS AND CLIPS

## DESCRIPTION

- Standard drive pins for medium duty applications
- Zinc plated
- Also suitable for other brands of tools including:  
The Spit® P370 tool  
The Hilti® DX460 tool

## STANDARD NAILS



Cat No.	Length [mm]	Diameter [mm]	Head Size [mm]	Box	Blister Pack	Pack Qty
DDF3010000	16	3.7	7.6	•		100
DDF3000050	19	3.7	7.6	•		100
DDF3000100	25	3.7	7.6	•		100
DDF3000150	27	3.7	7.6	•		100
DDF3000200	32	3.7	7.6	•		100
DDF3000250	38	3.7	7.6	•		100
DDF3000300	44	3.7	7.6	•		100
DDF3000350	51	3.7	7.6	•		100
DDF3000400	57	3.7	7.6	•		100
DDF3000450	64	3.7	7.6	•		100
DDF3000500	70	3.7	7.6	•		100
DDF3000550	76	3.7	7.6	•		100

## NAILS WITH WASHERED HEAD



Cat No.	Length [mm]	Diameter [mm]	Head Size [mm]	Box	Blister Pack	Pack Qty
DDF3060000	25	3.7	7.6	•		100
DDF3060050	37	3.7	7.6	•		100


# PA3500 / P3X NAILS AND CLIPS






DIRECT FASTENING

## DESCRIPTION

- Standard drive pins for medium duty applications
- Zinc plated
- Also suitable for other brands of tools including:  
The Spit® P370 tool  
The Hilti® DX460 tool







## NAILS WITH INSULATION WASHER



Cat No.	 Length [mm]	 Diameter [mm]	 Head Size [mm]	 Box	 Blister Pack	Pack Qty
DDF3080000	38	3.7	7.6	•		100
DDF3080050	51	3.7	7.6	•		100

## NAIL WITH CONDUIT CLIP



Cat No.	 Length [mm]	 Diameter [mm]	 Head Size [mm]	 Clip Dia. [mm]	 Box	 Blister Pack	Pack Qty
DDF4020100	25	3.7	7.6	13	•		100






# POWDER ACTUATED STRIP NAILS

## DESCRIPTION

- Suitable for Hilti® DX460/DXA40/DXA41 tools as well as other brands
- Available in lengths from 16mm up to 72mm

## PAT STRIP NAILS



Cat No.	 Length [mm]	 Diameter [mm]	 Head Size [mm]	 Box	 Blister Pack	Pack Qty
DDF3430000	16	3.7	8	•		100
DDF3410050	19	3.7	8	•		100
DDF3410100	22	3.7	8	•		100
DDF3410150	27	3.7	8	•		100
DDF3410200	32	3.7	8	•		100
DDF3410250	37	3.7	8	•		100
DDF3410300	42	3.7	8	•		100
DDF3410350	47	3.7	8	•		100
DDF3410400	52	3.7	8	•		100
DDF3410450	62	3.7	8	•		100
DDF3410500	72	3.7	8	•		100