


# EAGLE



PROTECTING PEOPLE, PROPERTY  
AND THE PLANET.



## MATERIAL HANDLING & POLY DRUMS





## A note from the President...



After more than 121 years in business, Eagle Manufacturing Company continues the tradition of providing innovative quality products and services to our customers. Although times are much different today than they were when the company started in 1894, our early mission of Protecting People, Property and the Planet has served our customers well through the years. In support of this mission, and to keep our customers as priority one, I would like to share some of our recent upgrades, innovations and expansions.

We have updated the Eagle brand to better reflect the quality, breadth and depth of products and services we provide to our customers. We have updated many of our marketing materials to feature the new Eagle brand. Congratulations to our Marketing and Sales team for winning several marketing and advertising awards for creativity and design for these new materials.

We also support our mission by manufacturing the world's largest line of industrial safety and hazardous material handling products.

New product innovation requires expanded production capacity, and expanded capacity requires new manufacturing, warehousing and distribution space. In the past year, we have expanded our plastics production capacity by 35 percent, our distribution center to nearly 100,000 square feet and added a 50,000 square-foot fabrication center with an engineering testing lab.

All of our products are made in the USA by the best craftsmen in the industry. When you purchase an Eagle product, you are assured the highest quality products, with the most innovative features, at the best value on the market, and supported by exceptional customer service.

I would like to thank all of our customers for your continued loyalty, support and trust as we work together in the mission of Protecting People, Property and the Planet.

*Joe C. Eddy*  
Joseph C. Eddy - President/CEO

**"Our Quality Policy is to Excel in Manufacturing and Marketing and to be the Supplier of Choice to our Customers."**

### MATERIAL HANDLING

- 3 Material Handling
- 4 Guards & Protectors
- 8 Traffic Safety Products
- 10 Poly Dockplates & Ramps

### POLY DRUMS

- 12 Poly Drums
- 14 14 Gallon Drums
- 15 20 Gallon Drums
- 17 30 Gallon Drums
- 18 55 Gallon Drums

## Your Eagle Sales Team – We're here to help!

With over 200 years of combined Eagle experience.

Back Row: Kelly, Ingrid, Steve, John Mitchell (Vice President & Sales Manager), Mark, Matt, Jessica & Misty  
Front Row: Cheryl, Lois, Tracy, Joyce & Cindy



© EAGLE MANUFACTURING COMPANY, August 2015 Eagle Manufacturing Company reserves the right to change construction, specifications, prices and terms without notice, and without obligation as to products already shipped.



# MATERIAL HANDLING

Eagle Manufacturing has offered affordable protection for warehouses, plants, factories, stores and other facilities for nearly 20 years. From column protection to maintenance-free post-sleeves to ramps and dockplates, Eagle has the Compliance Solutions to help keep your facility protected. Our Material Handling products are designed to meet your specific needs, and are 100 percent made in the USA.

### Multiple products for Material Handling and Facility Protection:

- HDPE Bollard Post Sleeves
- Bollard Posts & Machine Guards
- Wall & Corner Protectors
- Protective Parking Stops
- Poly Guide-Post Delineators
- Safety Clearance Bars
- Decorative Post Sleeves
- Portable & Fixed Dockplates
- Column Protectors
- Lightweight Poly Curb Ramp
- Lightweight Shipping Container Ramp




### Bollard Posts and Machine Guards

Bollard Posts add protection to your facility and prevent damage. Posts feature a durable baked-on powder coat in safety yellow to provide high visibility. Each post is made up thick steel mounted on steel plates, and pre-drilled for easy installation. (1/4" steel for Schedule 40, or 1/8" steel for Schedule 10) The black HDPE post caps are included and can be removed to fill posts with concrete for extra protection.

#### Machine Guards

Our machine guards provide superior protection for facilities and equipment by creating barriers between traffic areas and your valuable machinery.



Bollard Posts - Schedule 40 and Schedule 10						
Model	Description	Schedule	Dimensions	Plate Size	Weight	
1742	4" Round Bollard Post	40	24" h x 4.5"	8" x 8" x 3/8"	35 lbs.	
1742-10	4" Round Bollard	10	24" h x 4.5"	8" x 8" x 3/8"	22 lbs.	
1743	4" Round Bollard Post	40	36" h x 4.5"	8" x 8" x 3/8"	45 lbs.	
1743-10	4" Round Bollard	10	36" h x 4.5"	8" x 8" x 3/8"	28 lbs.	
1744	4" Round Bollard Post	40	42" h x 4.5"	8" x 8" x 3/8"	50 lbs.	
1744-10	4" Round Bollard	10	42" h x 4.5"	8" x 8" x 3/8"	30 lbs.	
1749	4" Round Post Cap	40	5" dia.	NA	2 lbs.	
1755	5" Round Bollard Post	40	24" h x 5.6"	10" x 10" x 3/8"	45 lbs.	
1756	5" Round Bollard Post	40	36" h x 5.6"	10" x 10" x 3/8"	60 lbs.	
1757	5" Round Bollard Post	40	42" h x 5.6"	10" x 10" x 3/8"	67 lbs.	
1758	5" Round Post Cap	40	5.85" dia.	NA	2 lbs.	
1752	5" Square Bollard Post	40	24" h x 5"	10" x 10" x 3/8"	35 lbs.	
1753	5" Square Bollard Post	40	36" h x 5"	10" x 10" x 3/8"	47 lbs.	
1754	5" Square Bollard Post	40	42" h x 5"	10" x 10" x 3/8"	53 lbs.	
1759	5" Square Post Cap	40	5.25" sq.	NA	2 lbs.	
1763	6" Round Bollard Post	40	36" h x 6.625"	10" x 10" x 3/8"	65 lbs.	
1763-10	6" Round Bollard	10	36" h x 6.625"	10" x 10" x 3/8"	40 lbs.	
1764	6" Round Bollard Post	40	42" h x 6.625"	10" x 10" x 3/8"	72 lbs.	
1764-10	6" Round Bollard	10	42" h x 6.625"	10" x 10" x 3/8"	44 lbs.	
1769	6" Round Post Cap	40	7" dia.	NA	2 lbs.	

Machine Guards				
Model	Item	Dimensions	Plate Size	Weight
1765	4" Low Profile Rack Guard	12" h x 36" w	8" x 8" x 3/8"	52 lbs.
1745	4" Low Profile Rack Guard	12" h x 48" w	8" x 8" x 3/8"	62 lbs.
1772	4" Rack Guard	16" h x 36" w	8" x 8" x 3/8"	72 lbs.
1773	4" Rack Guard	16" h x 48" w	8" x 8" x 3/8"	82 lbs.
1746	4" Machine Guard (Low)	24" h x 36" w	8" x 8" x 3/8"	82 lbs.
1770	4" Machine Guard (Low)	24" h x 48" w	8" x 8" x 3/8"	92 lbs.
1774	4" Machine Guard	36" h x 36" w	8" x 8" x 3/8"	100 lbs.
1775	4" Machine Guard	36" h x 48" w	8" x 8" x 3/8"	110 lbs.
1771	4" Machine Guard (High)	42" h x 36" w	8" x 8" x 3/8"	110 lbs.
1747	4" Machine Guard (High)	42" h x 48" w	8" x 8" x 3/8"	112 lbs.

### Column Protectors

Affordable protection for warehouse and factory columns, posts and beams. Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury. These blow-molded 100 percent high-density polyethylene protectors are resistant to most chemicals and feature key-lock to prevent slippage and assist with installation alignment. Available to fit 4", 6", 8", 10" and 12" round or square supports. No tools required. Two halves attach with easy-to-install straps. Protectors come in yellow with black straps, and orange or lime green with high-visibility reflective straps. (Tested with fork truck: 8,500 lbs. at 5 mph. Replace if damaged.)



#### Narrow Column Protector

#### Hi-Vis Column Protectors




Model 1712, Model 1712OR, Model 1712LM



100% Recyclable

The 1709 model was designed to fit 9" round columns and is available in yellow with black straps, and orange or lime green with high-visibility reflective straps.



### Mini Column Protectors

Eagle's 'Mini' Column Protectors (Model 1724) are perfect for affordable warehouse and factory protection under fire extinguishers, and absorb impact from tow motors, minimizing column and fork truck damage. These blow-molded, 100 percent high-density polyethylene protectors feature key-locks to prevent slippage and assist installation alignment. Two halves attach with easy-to-use straps with no tools required.

These models are designed to fit 6", 8" 10" and 12" round or square supports and are available in yellow or red. (Replace if damaged)



Model 1724-10

Replacement Velcro Straps	
Model	Item
1701	92" Nylon Replacement Strap
1701-Ref	92" Reflective Nylon Replacement Strap



Model 1724-12 RED 12" Column Protector / 24" x 24" x 24"

Model	Item	Dimensions	Weight
Model 1712	12" Column	12" x 12" x 12"	30 lbs.
Model 1710	10" Column	10" x 10" x 10"	30 lbs.
Model 1709	9" Column	9" x 9" x 9"	30 lbs.
Model 1708	8" Column	8" x 8" x 8"	30 lbs.
Model 1706	6" Column	6" x 6" x 6"	30 lbs.

### Rack Guard

The NEW Eagle Rack Guard is designed to help prevent rack and shelving damage from forklifts and pallet trucks. With a quick and easy snap on design, these models require no tools to install and can be stacked for a desired height to comply with the international standard of 16". The rack guard's narrow profile minimizes interference with valuable storage space.



Rack Guard			
Model	Dimensions	Fits Racking	Weight
1702	6" x 5" x 8"	1.5" x 3"	2 lbs.
1703	6" x 5" x 8"	3" x 3"	2 lbs.

### Wall Protectors and Corner Protectors

#### Wall Protectors

Our wall protectors help prevent damage to walls in areas with forklift, hand truck or drum traffic. These guards are made of high-visibility yellow, high-density polyethylene; never need painting; and resist cracking and chipping. Can be mounted end to end, and feature unique energy absorbing construction. (Set of two) (Anchors not included)

#### Corner Protectors

HDPE Corner Protectors deflect the impact, helping to protect plant areas prone to damage by fork truck, hand truck or personnel traffic. Provide easy installation with bolts or optional straps (not provided). Two sizes to meet most needs sold in sets of two, inside measurement 4" x 8" and outside measurement 6" x 10".

Model 1726 6" Wall Protector 6" x 42" x 2" (each) (Sold as set of two) (Anchors not included)

Model 1725 42" Corner Protector 42" x 6" x 10" (each) (Sold as set of two) IM 4" x 8" - OM 6" x 10"



Wall Protectors			
Model	Item	Dimensions	Weight per set
1726	6" Wall Protector (set of two)	6" w x 42" l x 2" d each	8 lbs.
1728	10" Wall Protector (set of two)	10" w x 42" l x 2" d each	14 lbs.

Corner Protectors			
Model	Item	Dimensions	Weight per set
1720	21" Corner Protector (set of two)	21" h x 6" l x 10" w	10 lbs.
1725	42" Corner Protector (set of two)	42" h x 6" l x 10" w	20 lbs.



100% Recyclable



## Eagle offers the widest selection of HDPE Bollard Post Sleeves available

Eagle's HDPE Bollard Post Sleeves make old bollards look like new. High Density Polyethylene (HDPE) construction with UV inhibitors resist fading, rusting and cracking. The post sleeves are designed to easily fit over 4", 6" and 8" NPT pipe and eliminate the need for annual maintenance, while helping to protect vehicles and the post from impact damage. The unique design allows for easy slide-on installation.

### Benefits of all Eagle HDPE Post Sleeves:

- Improves property appearance at minimal cost
- Saves on annual painting and scraping of old bollards
- Slides over existing posts for easy installation
- High-quality, all-weather HDPE – will not rust or dent
- Fade resistant with UV inhibitors
- Colors to match many exteriors
- Sleeve height may be easily trimmed for an exact fit
- HDPE thickness




Yellow only

## Original HDPE Bumper Post Sleeves

The Original HDPE Bumper Post Sleeves have a vertical fluted design to provide extra protection and easier installation. They come 56" in length (to fit 4", 6" and 8" pipe) and are available in yellow, red, blue, white, green, orange, lime, brown and black. The 72" length Bumper Post Sleeves (to fit 6" and 8" pipe) are available in yellow only. Sleeve height may be easily trimmed for an exact fit.




Model 1730BR 6" (Brown) Bollard Post Sleeve




Model 1738 8" x 57"  
Model 1730 6" x 56"  
Model 1732 4" x 56"

Bumper Post Sleeves													
Size	I.D.	O.D.	Height	Red	White	Yellow	Green	Orange	Lime	Brown	Black	Blue	Weight
4"	4.75"	5.75"	56"	1732R	1732W	1732	1732GN	1732OR	1732LM	1732BR	1732BLK	1732BL	5 lbs.
6"	6.875"	7.875"	56"	1730R	1730W	1730	1730GN	1730OR	1730LM	1730BR	1730BLK	1730BL	8 lbs.
8"	8.875"	10.00"	57"	1738R	1738W	1738	1738GN	1738OR	1738LM	1738BR	1738BLK	1738BL	9 lbs.
6"	6.875"	7.875"	72"	-	-	1730-72	-	-	-	-	-	-	11 lbs.
8"	8.875"	10.00"	72"	-	-	1738-72	-	-	-	-	-	-	15 lbs.



### Poly Base

Poly bases available for 4" and 6" post sleeves to convert into poly bollard.



## HDPE Smooth Bollard Post Sleeves

Eagle's Smooth Bollard Post Sleeves are available to fit over 4", 6" and 8" pipe and are available in red, yellow, blue and white (available in other colors for quantity orders). The smooth sleeves are 56" in length and provide the same maintenance-free protection as the original bumper post sleeves. Sleeve height may be easily trimmed for an exact fit.

Smooth Post Sleeves								
Size	I.D.	O.D.	Height	Red	Yellow	Blue	White	Weight
4"	4.75"	5.25"	56"	1735R	1735	1735BL	1735W	4 lbs.
6"	6.875"	7.375"	56"	1736R	1736	1736BL	1736W	6 lbs.
8"	8.875"	9.375"	57"	1737R	1737	-	-	8 lbs.



Model 1736 - 6" Smooth Post Sleeve 6.875 I.D. x 56"




## HDPE Smooth Bollard Post Sleeves with Reflective Stripes

New to the Eagle Bollard Post Sleeve family are the HDPE Smooth Bollard Post Sleeves with reflective stripes. Keep your facility safe and protected with sleeves to fit over 4", 6" and 8" pipe in HDPE yellow with two red stripes, or red with two white stripes. Sleeve height may be easily trimmed for an exact fit.

Smooth Post Sleeves with Reflective Stripes						
Size	I.D.	O.D.	Height	Red	Yellow	Weight
4"	4.75"	5.25"	56"	1735RWS	1735YRS	4 lbs.
6"	6.875"	7.375"	56"	1736RWS	1736YRS	6 lbs.
8"	8.875"	9.375"	57"	1737RWS	1737YRS	8 lbs.

## ArmorKraft™ Decorative Post Sleeves

Beautiful HDPE post sleeves slip over 4" x 4" wooden or steel posts or can be used free standing with optional rubber base. Available in three styles. Includes 6' of poly chain.



Golf Traditions Hitching Post Classic Post

Golf Traditions also available in white for use as 150-yd. marker.

ArmorKraft™ Decorative Post Sleeve			
Model	Description	Dimensions	Weight
1713BLK	Classic	12.5" base dia. x 37" h	10 lbs.
1714BLK/1714WHT	Golf Traditions	12.5" base dia. x 37" h	10 lbs.
1715BLK	Hitching Post	12.5" base dia. x 43" h	10 lbs.
1719BLK/1719WHT	Replacement Chain Kit	6' long	1 lb.
1718BASE	Rubber Base Kit	12" dia. x 4" h	10 lbs.

## Eagle e-CART Industrial Waste Cart

### Features:

- Constructed of durable HDPE
- Ergonomically designed handles
- HDPE wheels on a heavy duty steel axle
- Double-walled hinged lid with a hold-down tab
- Rugged galvanized steel bar handles
- Wear tabs on the bottom



Model 1696BLK 65 Gallon

Eagle e-CART Wheeled Industrial Waste Container				
Model	Description	Capacity	Color	Weight
1696BLK	Eagle e-CART Wheeled Industrial Waste Container	65 gal.	Black	32 lbs.
1696GN	Eagle e-CART Wheeled Industrial Waste Container	65 gal.	Green	32 lbs.
1697BLK	Eagle e-CART Wheeled Industrial Waste Container	95 gal.	Black	38 lbs.
1697GN	Eagle e-CART Wheeled Industrial Waste Container	95 gal.	Green	38 lbs.



Model 1696GN 65 Gallon



Model 1697BLK 95 Gallon



### Protective Parking Stops & Speed Bump-Cable Protectors

**Eagle Parking Stops**, designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours - the rugged HDPE Stops are weather and chemical resistant. Eagle offers four colors - the high-visibility yellow, blue for handicapped areas, gray and black. Anchor kit with three spikes and tube of asphalt adhesive included.

**Eagle Speed Bump-Cable Protectors** add safety to your facility. The high-visibility yellow bumps are engineered at the perfect angle. They also act as a dual channel cable protector, feature a non-skid surface, and are weather and chemical resistant. HDPE construction means you eliminate the need to continually paint bumps. The 6' anchor kit includes six spikes and a tube of asphalt adhesive. The 9' anchor kit includes eight spikes and a tube of asphalt adhesive.


Load Tested to 10,000 lbs. per Pneumatic Tire



Model 1790Y Parking Stop - Yellow / 8" w x 4" h x 72" l



Model 1792 6' Speed Bump - Cable Guard 10" w x 2" h x 72" l  
Inside Channel Dimensions: 1.25" w x 0.875" h



\*Load Tested to 20,000 lbs. per Pneumatic Tire

Model 1793 9' Speed Bump - Cable Guard Kit / 10" w x 2" h x 108" l - Two 4.5' Sections

\*Pre-drill concrete for installation

Protective Parking Stops			
Model	Description	Dimensions	Weight
1790Y	Parking Stop-Yellow	8" w x 4" h x 72" l	15 lbs.
1790B	Parking Stop-Blue	8" w x 4" h x 72" l	15 lbs.
1790G	Parking Stop-Gray	8" w x 4" h x 72" l	15 lbs.
1790BLK	Parking Stop-Black	8" w x 4" h x 72" l	15 lbs.

Speed Bump-Cable Protectors				
Model	Description	Dimensions	Weight	Load*
1792	6' Speed Bump-Cable Guard	10" w x 72" l x 2" h	20 lbs.	20,000 lbs.
1793	9' Speed Bump-Cable Guard	10" w x 108" l x 2" h	25 lbs.	20,000 lbs.

### Poly Guide-Post Delineators™ & Poly Bollard Post

#### Poly Guide-Post Delineators™

Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3"-wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10" sq. poly plate with anchor slots (3/4") for permanent use or used with steel base for portable stability.

#### Poly Bollard Posts

Create a low-cost, maintenance-free caution zone. These 42"-high poly bollards are available in a 5" or 7" model with a poly base with anchor slots (3/4") that can be anchored for maximum stability or used with optional weighted steel base.



Poly Guide-Post Delineators


Poly Bollard Posts

Poly Guide-Post Delineators			
Model	Description	Dimensions	Weight
1734Y	Poly Guide-Post Delineator-Yellow	5.75" w x 42" h	6 lbs.
1734LM	Poly Guide-Post Delineator-Lime	5.75" w x 42" h	6 lbs.
1734OR	Poly Guide-Post Delineator-Orange	5.75" w x 42" h	6 lbs.


Poly Bollard Post			
Model	Description	Dimensions	Weight
1731	5" Poly Bollard	5" w x 42" h	5 lbs.
1733	7" Poly Bollard	7" w x 42" h	8 lbs.
1731BASE	Steel Weighted Base for 1731, 1733 & 1734	10" w x 10" l x 3.75" h	12 lbs.

### All-in-one Steel Bollard Post & Poly Post Sleeve Combos!

These combos bring you the security of our 1/4" thick steel Bollards, packaged with the protection and zero maintenance of our smooth Poly Post Sleeves. The combos are available in round 4" and 6" bollard/sleeves 36" high and 42" high. Each combo includes a foam installation kit for a perfect fit! Kit may be ordered separately.



Bollard Post & Sleeve Combos					
Model	Description	Dimensions	Sleeve Dim.	Item	Weight
1743PS	4" Bollard w/Sleeve	36" h x 4.5" dia.	5" dia. x 36" h	2	50 lbs.
1744PS	4" Bollard w/Sleeve	42" h x 4.5" dia.	5" dia. x 42" h	2	55 lbs.
1763PS	6" Bollard w/Sleeve	36" h x 6.625" dia.	7" dia. x 36" h	2	70 lbs.
1764PS	6" Bollard w/Sleeve	42" h x 6.625" dia.	7" dia. x 42" h	2	77 lbs.
1739KIT	Installation Kit for Post Sleeves				



### Safety Clearance Bars

Eagle introduces two safety clearance bars for use in drive-thrus, parking garages and much more. Clearance Bars provide an early warning for motorists, reducing structural and vehicle damage. This is even more necessary as SUVs and pickups have grown in size. The Clearance Bars are constructed of high-visibility yellow polyethylene and are available in 72" lengths in either 5" or 7" outside diameter. Both come with eyebolts for easy installation (chain not included).

Clearance Bars			
Model	Description	Dimensions	Weight
1780	5" Clearance Bar	5" dia. x 76" l	7 lbs.
1781	7" Clearance Bar	7" dia. x 77" l	9 lbs.



Model 1781 Clearance Bar / 7" dia. x 77" l

# MATERIAL HANDLING



## POLY DOCKPLATES & RAMPS



MODELS  
IN USE

Model Numbers	1794	1795	1797	1796	1795CR
Name	Poly Curb Ramp	Portable Poly Dockplate 35"	Portable Poly Dockplate 48"	Fixed Poly Dockplate	Shipping Container Ramp
Dimension W x L x H	27" x 27" x 4"	35" x 36" x 5"	48" x 36" x 5"	35" x 26" x 5"	35" x 36" x 6"
Weight	9 lbs.	37 lbs.	40 lbs.	20 lbs.	25 lbs.
Max Load <small>Uniform Distributed Load (UDL)</small>	1,000 lbs.	750 lbs.	750 lbs.	1,000 lbs.	750 lbs.
Height Diff.	8" Height Differential	4" Height Differential	4" Height Differential	4" Height Differential	10" Height Differential

- For use with hand trucks or wheeled carts
- Provides an ergonomically correct method to move heavy loads over curbs or up steps
- Raised surface for excellent traction in all weather conditions
- 1" side rails
- Constructed of yellow HDPE
- Lightweight (9 lbs.) with two handles with rounded edges for easy pickup, carrying and handling
- Ramp also used with Eagle Safety Cabinets as cabinet ramp

### For Models 1795 & 1797

- For use with two- and four-wheeled dollies, hand trucks and carts
- Lightweight, ergonomic design is easy to use
- Raised surface for excellent traction in all weather conditions
- Beveled entry and exit edges
- Aluminum legs for durability and strength
- Constructed of yellow HDPE
- Two integrated handles for easy handling
- Available in 35" and 48" widths

Compliance: Meets OSHA 1910.30(a)



- Lift-n-lower ergonomic design helps reduce injuries
- Features molded-in, raised surface and integrated side rails
- Coated steel installation kit installs easily on metal or concrete dock facings
- 6' slide bar for easy truck centering or out-of-the-way storage



**1796KIT** Fixed Poly Dockplate Installation Kit (Sold separately)

- For use with hand trucks and dollies for loading and unloading
- Features a hook rail that attaches to the doorkeepers for secure, three-point contact and support across the width of the ramp, as well as a tab that inserts into the keepers to help prevent lateral movement of the ramp during use




## Eagle Airplane Service Ramp Model 1791Y



Eagle's new Airplane Service Ramp is constructed of durable, lightweight, high-density polyethylene (HDPE) for use in transferring service carts from the service vehicle into the aircraft. This ramp features a lightweight (28 lbs.) ergonomic design with a raised textured surface, beveled entry and exit edges, high-visibility yellow HDPE, full-length guardrails with integrated handles for easy handling and a 1,000-lb. load capacity (UDL). 100 percent made in the USA.

Airplane Service Ramp – Yellow				
Model	Description	Weight	Dimensions	Load
1791Y	Airplane Service Ramp_Y	28 lbs.	60" l x 22" w x 7" h	1,000 lbs.
Packing Dimensions: 61" l x 23" w x 8" h				



# POLY DRUMS



For nearly 30 years, Eagle Manufacturing's ever-growing Poly Drum product line has handled both hazardous and nonhazardous storage needs for customers by offering Lab Packs and Open-Head Drums, for example. The 14-, 20-, 30- and 55-gallon Lab Packs and Open-Head Drums are available with plastic lids and a choice of metal or plastic lever locking rings. All models are

constructed of chemical resistant, high-density polyethylene (HDPE) with UV inhibitors, are durable and lightweight and available in yellow, blue and black. All of our products are 100 percent made in the USA.

## All Drums feature:

- Blow-molded HDPE construction
- Chemical & weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30° F to 130° F)
- Drop tested – max weight @ 0° F (48 hrs.)
- Approved for use with Packing Groups I, II and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except model 1656)
- FDA 21 CFR 177.1520 Food Grade Quality
- Stack tested – three high at maximum weight capacity (24 hrs.)

## Eagle drums are ideal for:

- Safe storage, handling and transportation of hazardous materials
- Spill containment and cleanup of hazardous materials
- Spill kit containers
- Original shipping containers
- Biowaste disposal and incineration



# POLY DRUMS



## 14 GALLON DRUMS

## 20 GALLON DRUMS

NEW! NATURAL COLORS Available for All Banded Drums



HDPE

100% Recyclable



Model Numbers	1610	1610BLK	1610M	1610MB	1610MBLK	1652	1654	1623	1623BLK	1623M
Style	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack	Salvage Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum
Closure Type	Plastic Lever-Lock	Plastic Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Plastic Lever-Lock	Metal Lever-Lock	Plastic Lever-Lock	Plastic Lever-Lock	Metal Lever-Lock
Inside Dimensions <small>Top: Bottom: Height:</small>	13 1/2" 12 3/8" 25"	13 1/2" 12 3/8" 25"	13 1/2" 12 3/8" 25"	13 1/2" 12 3/8" 25"	13 1/2" 12 3/8" 25"	19" 16 5/16" 19"	19" 16 5/16" 19"	15 1/8" 12 3/8" 29 1/8"	15 1/8" 12 3/8" 29 1/8"	15 1/8" 12 3/8" 29 1/8"
Outside Dimensions <small>Top: Bottom: Height:</small>	15" 12 3/4" 26 1/2"	15" 12 3/4" 26 1/2"	15" 12 3/4" 26 1/2"	15" 12 3/4" 26 1/2"	15" 12 3/4" 26 1/2"	20 3/8" 16 11/16" 20 3/8"	20 3/8" 16 11/16" 20 3/8"	15 1/4" 13 1/4" 30 1/2"	15 1/4" 13 1/4" 30 1/2"	15 1/4" 13 1/4" 30 1/2"
Maximum Capacity	143 lbs. 65 kg.	143 lbs. 65 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	88 lbs. 40 kg.	165 lbs. 75 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.
Total Capacity	14 gal. 52.2 l.	14 gal. 52.2 l.	14 gal. 52.2 l.	14 gal. 52.2 l.	14 gal. 52.2 l.	20 gal. 77 l.	20 gal. 77 l.	20 gal. 77 l.	20 gal. 77 l.	20 gal. 77 l.
Maximum Container Size <small>(if used as an overpack drum)</small>	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.
Weight	9 lbs. 3.6 kg.	9 lbs. 3.6 kg.	10 lbs. 4.1 kg.	10 lbs. 4.1 kg.	10 lbs. 4.1 kg.	15 lbs. 5.85 kg.	16 lbs. 6.75 kg.	10.25 lbs. 4.65 kg.	10.25 lbs. 4.65 kg.	11.5 lbs. 5.2 kg.
Pallet Quantity	54	54	54	54	54	40	40	42	42	42
Truckload Quantity	1,188	1,188	1,188	1,188	1,188	1,000	1,000	864	864	864
UN/DOT Rating	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X40/S	1H2/X75/S	1H2/X75/S 1H2/Y100/S	1H2/X75/S 1H2/Y100/S	1H2/X75/S 1H2/Y100/S




**Lab Packs/Open Head** - for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for - NO FREE LIQUIDS.



**Regulatory Compliance:**  
Lab Packs/Open Head: DOT 49 CFR 173.12

**UN Markings: UN 1H2/X340/S/96USA/M4990**  
1- Type of Container (drum), H-material of construction (plastic), 2- Removable head/X-Testing performance (X=Groups I, II, & III), 340-Max. Wt. of Container (Kg)S-solids/96/Year of Manufacture, USA-State Authorization Mark/M - certification compliance, 4990 -Testing Agency number.





# POLY DRUMS



## 20 GALLON DRUMS

## 30 GALLON DRUMS

## 55 GALLON DRUMS

**BUNG LID / BOLT RING OPTIONS** Available for 30 Gallon Eagle Models

NEW! NATURAL COLORS Available for All Banded Drums



HDPE

100% Recyclable



Model Numbers	1623MB	1623MBLK	1601	1601BLK	1601M	1601MB	1601MBLK	1602	1655	1655BLK
Style	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Salvage Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum
Closure Type	Metal Lever-Lock	Metal Lever-Lock	Plastic Lever-Lock	Plastic Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Plastic Lever-Lock	Plastic Lever-Lock
Inside Dimensions <small>Top: Bottom: Height:</small>	15 1/8" 12 1/8" 29 3/8"	15 1/8" 12 1/8" 29 3/8"	19" 16 1/4" 26 3/8"	19" 16 1/4" 26 3/8"	19" 16 1/4" 26 3/8"	19" 16 1/4" 26 3/8"	19" 16 1/4" 26 3/8"	19" 16 1/4" 26 3/8"	22 1/8" 19" 38 1/8"	22 1/8" 19" 38 1/8"
Outside Dimensions <small>Top: Bottom: Height:</small>	15 3/4" 13 1/4" 30 1/2"	15 3/4" 13 1/4" 30 1/2"	21 1/8" 16 5/8" 28 1/2"	21 1/8" 16 5/8" 28 1/2"	21 1/8" 16 5/8" 28 1/2"	21 1/8" 16 5/8" 28 1/2"	21 1/8" 16 5/8" 28 1/2"	21 1/8" 16 5/8" 28 1/2"	23 3/4" 19 3/8" 39 1/8"	23 3/4" 19 3/8" 39 1/8"
Maximum Capacity	220 lbs. 100 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	396 lbs. 180 kg.	396 lbs. 180 kg.	396 lbs. 180 kg.	396 lbs. 180 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.
Total Capacity	20 gal. 77 l.	20 gal. 77 l.	30 gal. 114 l.	30 gal. 114 l.	30 gal. 114 l.	30 gal. 114 l.	30 gal. 114 l.	30 gal. 114 l.	55 gal. 212 l.	55 gal. 212 l.
Maximum Container Size <small>(If used as an overpack drum)</small>	5 gal.	5 gal.	16 gal.	16 gal.	16 gal.	16 gal.	16 gal.	16 gal.	30 gal.	30 gal.
Weight	11.5 lbs. 5.7 kg.	11.5 lbs. 5.2 kg.	16 lbs. 6.3 kg.	18 lbs. 7.2 kg.	18 lbs. 7.2 kg.	18 lbs. 7.2 kg.	18 lbs. 7.2 kg.	18 lbs. 7.2 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.
Pallet Quantity	42	42	40	40	40	40	40	40	36	32
Truckload Quantity	864	864	1,000	1,000	1,000	1,000	1,000	1,000	864	864
UN/DOT Rating	1H2/X75/S 1H2/Y100/S	1H2/X75/S 1H2/Y100/S	1H2/X100/S 1H2/Y100/S	1H2/X100/S 1H2/Y100/S	1H2/X120/S 1H2/Y180/S	1H2/X120/S 1H2/Y180/S	1H2/X120/S 1H2/Y180/S	1H2/X120/S 1H2/Y180/S	1H2/X100/S 1H2/Y100/S	1H2/X100/S 1H2/Y100/S



### Benefits of Blow-Molded HDPE Drums

HDPE is a very high molecular weight material, designed for an optimum balance of density, molecular weight and molecular weight distribution, demonstrating maximum property advantages for large products that require high impact resistance. Some of these advantages include:

- Environmental stress crack resistance (ESCR)
- Impact strength – even at a low temperature
- Flexural modulus – durability and resilience
- Chemical resistance – to wide range of chemicals
- Abrasion resistance – prevents gouging and scuffing
- Ultraviolet (UV) protection – superior blending process

### Lid Styles:

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Salvage Drums pass 3-PSI pressure test

**BOLT BAND W/  
REGULAR LID**  
AVAILABLE IN  
12 & 16 GAUGE



**BUNG LID**  
2 BUNG HOLES,  
ONE 2" AND ONE 3/4" NTP



**PLASTIC  
LEVER-LOCK**



**METAL  
LEVER-LOCK**



# POLY DRUMS



## 55 GALLON DRUMS

**BUNG LID / BOLT RING OPTIONS** Available for 55 Gallon Eagle Models

**NEW! NATURAL COLORS** Available for All Banded Drums



HDPE

100% Recyclable



Model Numbers	1655M	1655MB	1655MBLK	1655MN	1656	1656BLK	1656M	1656MB	1656MBLK
Style	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Salvage Drum	Lab Pack	Lab Pack
Closure Type	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Plastic Lever-Lock	Plastic Lever-Lock	Metal Lever-Lock	Metal Lever-Lock	Metal Lever-Lock
Inside Dimensions <small>Top: Bottom: Height:</small>	22 <sup>7</sup> / <sub>16</sub> " 19" 38 <sup>9</sup> / <sub>16</sub> "	22 <sup>7</sup> / <sub>16</sub> " 19" 38 <sup>9</sup> / <sub>16</sub> "	22 <sup>7</sup> / <sub>16</sub> " 19" 38 <sup>9</sup> / <sub>16</sub> "	22 <sup>7</sup> / <sub>16</sub> " 19" 38 <sup>9</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> " 22 <sup>7</sup> / <sub>16</sub> " 35 <sup>13</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> " 22 <sup>7</sup> / <sub>16</sub> " 35 <sup>13</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> " 22 <sup>7</sup> / <sub>16</sub> " 35 <sup>13</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> " 22 <sup>7</sup> / <sub>16</sub> " 35 <sup>13</sup> / <sub>16</sub> "	20 <sup>1</sup> / <sub>16</sub> " 22 <sup>7</sup> / <sub>16</sub> " 35 <sup>13</sup> / <sub>16</sub> "
Outside Dimensions <small>Top: Bottom: Height:</small>	23 <sup>3</sup> / <sub>4</sub> " 19 <sup>3</sup> / <sub>8</sub> " 39 <sup>1</sup> / <sub>8</sub> "	23 <sup>3</sup> / <sub>4</sub> " 19 <sup>3</sup> / <sub>8</sub> " 39 <sup>1</sup> / <sub>8</sub> "	23 <sup>3</sup> / <sub>4</sub> " 19 <sup>3</sup> / <sub>8</sub> " 39 <sup>1</sup> / <sub>8</sub> "	23 <sup>3</sup> / <sub>4</sub> " 19 <sup>3</sup> / <sub>8</sub> " 39 <sup>1</sup> / <sub>8</sub> "	21" 22 <sup>1</sup> / <sub>2</sub> " 36 <sup>1</sup> / <sub>8</sub> "	21" 22 <sup>1</sup> / <sub>2</sub> " 36 <sup>1</sup> / <sub>8</sub> "	21" 22 <sup>1</sup> / <sub>2</sub> " 36 <sup>1</sup> / <sub>8</sub> "	21" 22 <sup>1</sup> / <sub>2</sub> " 36 <sup>1</sup> / <sub>8</sub> "	21" 22 <sup>1</sup> / <sub>2</sub> " 36 <sup>1</sup> / <sub>8</sub> "
Maximum Capacity	551 lbs. 250 kg.	551 lbs. 250 kg.	551 lbs. 250 kg.	551 lbs. 250 kg.	220 lbs. 100 kg.	220 lbs. 100 kg.	551 lbs. 250 kg.	551 lbs. 250 kg.	551 lbs. 250 kg.
Total Capacity	55 gal. 212 l.	55 gal. 212 l.	55 gal. 212 l.	55 gal. 212 l.	55 gal. 217 l.	55 gal. 217 l.	55 gal. 217 l.	55 gal. 217 l.	55 gal. 217 l.
Maximum Container Size <small>(If used as an overpack drum)</small>	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.	30 gal.
Weight	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.	23.5 lbs. 10.7 kg.
Pallet Quantity	36	36	36	36	8	8	8	8	8
Truckload Quantity	864	864	864	864	336	336	336	336	336
UN/DOT Rating	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X100/S 1H2/Y100/S	1H2/X100/S 1H2/Y100/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S	1H2/X200/S 1H2/Y250/S

### Did you know?

Eagle HDPE poly drums with screw tops or plastic lever-lock lid closures can be incinerated completely.

**Lab Packs/Open Head** - for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for - NO FREE LIQUIDS.

**Regulatory Compliance:**  
Lab Packs/Open Head: DOT 49 CFR 173.12

# EAGLE



PROTECTING PEOPLE, PROPERTY  
AND THE PLANET.



**Eagle Manufacturing Company**

2400 Charles Street • Wellsburg, WV 26070 • P/ 304.737.3171 • F/ 304.737.1752 • E/ sales@eagle-mfg.com