



SPILL CONTAINMENT

Since the 1980s, Eagle Manufacturing has had the most flexible and comprehensive spill containment and storage product line available. As the market leader, we have trusted Compliance Solutions to help keep your personnel and facilities protected. All of our products are 100 percent made in the USA, and are constructed of high-density polyethylene (HDPE) for excellent chemical resistance and maximum performance to meet EPA and SPCC compliance. This product line includes Budget Basins, Modular Platforms, Pallets, Sumps, IBC Containment Units, Outdoor Storage, Workstations and Spill Containment Boxes.

Eagle offers 3 Spill Containment options: Rigid, Flexible and Steel



*Modular Platform
easy to connect
with a built-in
U-channel*



*Poly Pallet
Ramp for easier
loading and
unloading*



All Eagle Basins, Pallets and Platforms feature high-performance engineered plastic construction for excellent chemical resistance and impact durability for long life. Pallets and Platforms are also UV Protected.

Removable grating for easy cleaning

Forklift pockets

Removable flat top grating

Modular platforms easy to connect with built-in U-channel

Most models available with and without drain



SPILL CONTAINMENT

BUDGET BASINS



Yellow No Drain	1636	1631	–
Yellow Drain	–	–	1638
Black No Drain	–	–	–
Black Drain	–	–	–
Common Name	1 Drum Budget Basin	2 Drum Budget Basin	4 Drum Budget Basin
Dimensions <small>Width Depth Height</small>	26¼ in./66.7 cm. 26¼ in./66.7 cm. 6½ in./16.6 cm.	26¼ in./66.7 cm. 51½ in./130.9 cm. 6½ in./16.6 cm.	51½ in./130.9 cm. 51½ in./130.9 cm. 8 in./20.4 cm.
Sump Capacity Drain Plug	17.5 gal./66.3 L Optional	34 gal./128.7 L Optional	66 gal./249.9 L Optional
Weight	12 lbs./5.5 kg.	20 lbs./9.1 kg.	25 lbs./11.4 kg.
Load Capacity <small>Uniform Distributed Load (UDL)</small>	5,000 lbs./2,268 kg.	5,000 lbs./2,268 kg.	5,000 lbs./2,268 kg.
Fork Pockets	No	No	No
Compliance	–	–	–
Use w/1689 Ramp	No	No	No

ADD LOW COST SPILL PROTECTION TO YOUR WORKPLACE



Model 16DRAIN
Containment Drain

NEW

Designed for Eagle spill containment platforms and pallets that have built-in drain plugs. The 16DRAIN connects into the 3/4 in. (1.905 cm.) port in the side of the tub to allow liquid in the tub to drain through the assembly. The assembly includes a replaceable absorbent sock (Model 16FILTER) to collect oil allowing only water to discharge at the other end of the drain assembly for proper disposal. The assembly also has a plastic mesh screen inside to collect debris. When the absorbent sock in the assembly is fully saturated the liquid flow stops. The threaded drain assembly allows for easy removal and replacement of the absorbent sock. (Replacement sock kit sold separately Model 16FILTER).



SPILL CONTAINMENT PALLETS



Yellow No Drain	1620ND	1645ND	1640ND	–
Yellow Drain	1620	1645	1640	1646
Black No Drain	1620BND	1645BND	1640BND	–
Black Drain	1620B	1645B	1640B	–
Common Name	2 Drum Pallet	4 Drum Pallet	4 Drum Pallet	4 Drum Nestable Pallet
Dimensions Width Depth Height	51 in./129.6 cm. 26¼ in./66.7 cm. 13¾ in./35 cm.	51½ in./130.9 cm. 51½ in./130.9 cm. 8 in./20.4 cm.	52½ in./133.4 cm. 51 in./129.6 cm. 13¾ in./35 cm.	58½ in./148.6 cm. 58½ in./148.6 cm. 7¾ in./19.7 cm.
Sump Capacity	66 gal./249.9 L	66 gal./249.9 L	132 gal./499.7 L	66 gal./249.9 L
Weight	52 lbs./23.6 kg.	67 lbs./30.4 kg.	104 lbs./47.2 kg.	72 lbs./32.7 kg.
Load Capacity Uniform Distributed Load (UDL)	4,000 lbs./1,814 kg.	8,000 lbs./3,628.8 kg.	8,000 lbs./3,628.8 kg.	6,000 lbs./2,721.6 kg.
Fork Pockets	Yes	Yes	Yes	Yes
Compliance				
Use w/1689 Ramp	No	Yes	No	Yes

Eagle Tarps are designed to fit Eagle's Spill Containment Products. Tarps help prevent contamination of drums and sump area, permit easy visual inspection, and keep rainwater and debris out when stored outdoors.

- Elasticized bottom with adjustable straps
- Attached document pouch for holding chemical information, MSDS sheets and other documents


Model No.	Description	Color	Weight	Dimensions
T8603	Tarp Cover for 2 Drum	Yellow	5 lbs. 2.3 kg.	in: 60L x 39.25W x 43.31H cm: 152.4L x 99.7W x 106.7H
T8604	Tarp Cover for 4 Drum	Yellow	7 lbs. 3.2 kg.	in: 56.5L x 56.5W x 44H cm: 143.6L x 143.6W x 111.8H
T8605	Tarp Cover for Single IBC Containment Unit	Yellow	11 lbs. 5 kg.	in: 80L x 76W x 73.75H cm: 203.2L x 193.1W x 187.4H
T8609	Tarp Cover for Drum Dollie	Yellow	4 lbs. 1.9 kg.	in: 71L x 34W x 26H cm: 180.4L x 86.4W x 66.1H

Eagle Tarps



SPILL CONTAINMENT

MODULAR SPILL PLATFORMS

			
1633	1632	16323	1635
1633D	1632D	–	1635D
1633B	1632B	–	1635B
1633BD	1632BD	–	1635BD
1 Drum Modular Platform	2 Drum Modular Platform	3 Drum Modular Platform	4 Drum Modular Platform
26¼ in./66.7 cm. 26 in./66.1 cm. 6½ in./16.6 cm.	26¼ in./66.7 cm. 51½ in./130.9 cm. 6½ in./16.6 cm.	26¼ in./66.7 cm. 77½ in./196.9 cm. 6½ in./16.6 cm.	51½ in./130.9 cm. 51½ in./130.9 cm. 6½ in./16.6 cm.
15 gal./56.8 L	30 gal./113.6 L	45 gal./170.3 L	60.5 gal./229.1 L
16 lbs./7.3 kg.	32 lbs./14.6 kg.	48 lbs./21.6 kg.	65 lbs./29.5 kg.
2,000 lbs./907.2 kg.	5,000 lbs./2,268 kg.	5,000 lbs./2,268 kg.	10,000 lbs./4,536 kg.
No	Yes	Yes	Yes
			 
FOR VOLUMES LESS THAN THE CAPACITY LISTED ABOVE			
No	Yes	Yes	Yes

TYPICAL CONFIGURATIONS



100% Recyclable

Modular design allows for multiple configurations. Easy to connect with built-in U-channel. Low profile for easy loading and unloading.

All Eagle Pallets & Platforms feature: High-performance engineered plastic construction for excellent chemical resistance and impact durability for long life.



EPA 40 CFR 264.175: Container storage areas must have a containment system that has sufficient capacity to contain 10 percent of the volume of containers or the volume of the largest container, whichever is greater.



This marker indicates compliance with EPA spill prevention, control and countermeasures regulations.



MODULAR SPILL PLATFORMS

		
1647	1686	1688
1647D	1686D	1688D
1647B	1686B	1688B
1647BD	1686BD	1688BD
4 Drum In-Line Platform	6 Drum Platform	8 Drum Platform
103½ in./262.9 cm. 26¼ in./66.7 cm. 6½ in./16.6 cm.	78¼ in./198.8 cm. 51½ in./130.9 cm. 6½ in./16.6 cm.	103 in./261.7 cm. 51½ in./130.9 cm. 6½ in./16.6 cm.
60.5 gal./229.1 L	88 gal./333.2 L	121 gal./458.1 L (60.5 per side)
64 lbs./29.1 kg.	85 lbs./38.6 kg.	112 lbs./50.8 kg.
10,000 lbs./4,536 kg.	10,000 lbs./4,536 kg.	10,000 lbs./4,536 kg.
Yes	Yes	Yes
		
Yes	Yes	Yes

Did you know?

According to SPCC regulations, containment systems are required by any industry that deals with the storing and transportation of hazardous materials.



Model
1689B



100% Recyclable

Poly Pallet Ramps


Poly Ramp
in: 45½L x 32W x 8H
cm: 115.6L x 81.3W x 20.3H
Weight: 32 lbs. (14.6 kg.)
Capacity: 1,500 lbs. (680.4 kg.) (UDL)

For use with 1632, 1634,
1635, 1645, 1646, 1647,
1686, 1688, 1646RTC
and 1649


Model 1689

SPILL CONTAINMENT

METAL SPILL PALLETS



	1611ST	1620ST	1640ST
No Drain			
Drain	–	–	–
Common Name	1 Drum Steel Pallet	2 Drum Steel Pallet	4 Drum Steel Pallet
Dimensions Width Depth Height	25¼ in./65.4 cm. 27 in./68.6 cm. 6 in./15.3 cm.	51¼ in./130.2 cm. 27 in./68.6 cm. 13 in./58.5 cm.	54¼ in./137.8 cm. 54 in./137.2 cm. 12 in./30.5 cm.
Sump Capacity	17 gal./64.4 L	74 gal./280.2 L	92 gal./348.3 L
Weight	60 lbs./27.3 kg.	130 lbs./59 kg.	200 lbs./90.8 kg.
Load Capacity Uniform Distributed Load (UDL)	1,000 lbs./453.6 kg.	2,000 lbs./907.2 kg. (1,000 lbs./453.6 kg. per grate panel)	4,000 lbs./1,814.4 kg. (1,000 lbs./453.6 kg. per grate panel)
Fork Pockets	Yes	Yes	Yes
Compliance			




Metal Spill Pallet Features:

- Constructed of 12 Gauge Cold Rolled Steel
- Fully welded and leak tested
- Blue baked-on powder coat finish
- Fork-lift pockets in the front and back
- Heavy duty and durable
- For drum storage
- Grating has 1/2 in. (1.3 cm.) drain holes
- Grating is constructed of galvanized steel
- Grating removes for easy cleaning
- Load Capacity: 1,000 lbs. (453.6 kg.) (UDL) per grate

Model 1611STG

Grating Panel
25 in. x 26.5 in.
63.5 cm. x 67.3 cm.






HORIZONTAL DRUM STACKING SYSTEMS

			
1605	1606	1607	1608
–	–	–	–
Cradle	Single Stacker	Double Stacker	Shelf
29 in./73.7 cm. 26¼ in./66.7 cm. 22½ in./57.2 cm.	27 in./68.6 cm. 26¼ in./66.7 cm. 29 in./73.7 cm.	48 in./122 cm. 26½ in./67.4 cm. 13 in./33.1 cm.	19 in./48.3 cm. 23 in./106.7 cm. 19 in./48.3 cm.
–	–	–	–
30 lbs./13.6 kg.	30 lbs./13.6 kg.	30 lbs./13.6 kg.	15 lbs./6.8 kg.
2,000 lbs./907.2 kg.	1,000 lbs./453.6 kg.	2,000 lbs./907.2 kg.	100 lbs./45.4 kg.
–	–	Yes	–
			

Horizontal Stacking Systems



Model 1607
Double Stacker

Horizontal Drum Stacking System Drum Containment

Used in combination with our spill containment platforms, this product meets EPA Secondary Containment Storage requirements (40 CFR 264.175).

All components are 100 percent polyethylene, designed to lock into spill pallet grating for stable drum storage and are ideal for chemical storage and dispensing. Shelf attaches easily, allows for filling multiple containers at once and can be moved via forklift.

SPILL CONTAINMENT

OUTDOOR DRUM STORAGE

WORKSTATIONS



Yellow No Drain	–	1649	1626	1628
Yellow Drain	1645STC	–	–	–
Common Name	Soft Top Containment Unit	4 Drum Poly Storage Building	2 Drum Low-Profile Workstation	2 Drum High-Profile Workstation
Dimensions	Width Depth Height	Width Depth Height	Width Depth Height	Width Depth Height
	62 in./157.6 cm. 74 in./187.9 cm. 68 in./172.8 cm.	57½ in./146.1 cm. 57½ in./146.1 cm. 72 in./182.9 cm.	60 in./152.4 cm. 34 in./86.4 cm. 46 in./116.9 cm.	60 in./152.4 cm. 34 in./86.4 cm. 64 in./162.6 cm.
Sump Capacity	66 gal./249.9 L	66 gal./249.9 L	110 gal./416.4 L	220 gal./832.8 L
Weight	120 lbs./54.4 kg.	250 lbs./113.4 kg.	89 lbs./40.4 kg.	120 lbs./54.5 kg.
Load Capacity <small>Uniform Distributed Load (UDL)</small>	8,000 lbs./3628.8 kg.	8,000 lbs./3,628.8 kg.	4,000 lbs./1,814.4 kg.	4,000 lbs./1,814.4 kg.
Fork Pockets	Yes	Yes	Yes	Yes
Compliance				

Soft Top Containment

The NEW Eagle Soft Top Containment Unit (Model 1645STC) provides protection from the elements for up to four 55-gallon (208.2 L) drums with a durable soft top cover built on a 4-drum HDPE containment pallet. Ships unassembled for reduced shipping costs. Easy step-by-step assembly for a secure and quick weather resistant containment solution. The height of the cover allows storage with drum pumps in place.

The four drum pallet is 100% HDPE construction that resists corrosion and weathering. The flexible soft top is constructed of high-vis yellow PVC fabric over a rugged galvanized steel frame. Access drums through the front or back. For maximum loading and unloading ease use with the Eagle HDPE Poly Ramp (Model 1689 – Sold Separately.)



4 Drum Poly Storage Building

Securely stores up to four 55-gallon (208.2 L) drums. Features four-way forklift pockets, vented door louvers, removable grating and top hooks for moving. **[Note:]** Top hooks are intended only for moving empty building. Door opening accepts up to a 48 in. x 48 in. (122 cm. x 122 cm.) pallet. (Use a cable to lock.)



2 Drum Workstations

A secure way to store drums inside or outside. Available in low (1626) or high (1628) profile for the storage of two drums. Units can be moved via forklift and have optional dolly allowing for easier movement on worksite. Includes locks for secure storage.

Model 1629

Workstation Dolly 1,500 lbs. (680.4 L) capacity (UDL)





IBC CONTAINMENT UNITS



Model 1682 Metal Platform
60 in. x 60 in. x 22 in.
152.4 cm. x 152.4 cm. x 55.9 cm.



1681 (Tub Only)



1683STC



1683 (Tub Only)

1682P Poly Platform
55 in. x 55 in. x 25 in.
139.7 cm. x 139.7 cm. x 63.5 cm.



16812 (Tub Only)

	1680	1683STC	1683	1684
Yellow No Drain				
Yellow Drain	—	—	1683D	1684D
Black No Drain	—	—	1683B	1684B
Black Drain	—	—	1683BD	1684BD
Common Name	IBC Containment Unit with Steel Platform	IBC Containment Unit with Soft Top Cover and Poly Platform (Tank not included)	IBC Containment Unit with Poly Platform (Tank not included)	Double All Poly IBC Containment Unit (Tank not included)
Dimensions Width Depth Height	67 in./170.2 cm. 67 in./170.2 cm. 26 in./66.1 cm.	84.4 in./214.4 cm. 67.3 in./170.9 cm. 91.9 in./233.4 cm.	67 in./170.2 cm. 67 in./170.2 cm. 26 in./66.1 cm.	118 in./299.8 cm. 77½ in./196.9 cm. 20 in./50.8 cm.
Sump Capacity	400 gal./1,514.2 L	400 gal./1,514.2 L	400 gal./1,514.2 L	400 gal./1,514.2 L
Weight	270 lbs./122.5 kg.	315 lbs./142.9 kg.	245 lbs./111.1 kg.	538 lbs./244 kg.
Load Capacity <small>Uniform Distributed Load (UDL)</small>	10,000 lbs./4,536 kg.	10,000 lbs./4,536 kg.	10,000 lbs./ 4,536 kg.	20,000 lbs./9,071.8 kg. (10,000 lbs./4,536 kg. per platform)
Fork Pockets	No	No	No	No
Compliance				

Did you know?

Use a 1645STC Kit to convert an Eagle 1645 model into a 1645STC. Use a 1683STC Kit to convert an Eagle 1683 model into a 1683STC. (Kits ship flat. Assembly required.)



IBC Spill Units:

- Come with 100 percent polyethylene containment tub and your choice of metal or poly platforms
- **Model 1684** includes two front bucket wells for easy dispensing












HDPE

100% Recyclable



SPILL CONTAINMENT

SPILL CONTAINMENT SUMPS AND SPILL KIT BOXES

			 	 
No Drain	16275	16550	1624K 1624KB	1625K 1625KB
Drain	16275D	16550D	–	–
Common Name	Horizontal Tank Spill Containment Sump	Horizontal Tank Spill Containment Sump	Spill Kit Box with Lid	Spill Kit Box with Lid
Dimensions <small>Width Depth Height</small>	44 in./111.8 cm. 84 in./213.4 cm. 30 in./76.2 cm.	62 in./157.5 cm. 88 in./223.6 cm. 33 in./83.9 cm.	60 in./152.4 cm. 34 in./86.4 cm. 24 in./61 cm.	60 in./152.4 cm. 34 in./86.4 cm. 42 in./106.7 cm.
Sump Capacity	373 gal./1,412 L	635 gal./2,403.8 L	110 gal./416.4 L	220 gal./832.8 L
Weight	96 lbs./43.1 kg.	118 lbs./53.6 kg.	75 lbs./34.1 kg.	110 lbs./49.9 kg.
Load Capacity <small>Uniform Distributed Load (UDL)</small>	10,000 lbs./4,536 kg.	10,000 lbs./4,536 kg.	–	–
Fork Pockets	No	No	Yes	Yes
Compliance			–	–



Model 16-275

Spill Containment Sumps:

- Economical containment solutions for 275- (1,040 L) & 550-gallon (2,081 L) horizontal tanks
- One-piece molded HDPE design that will not rust or corrode



Model 1624K
with 1624
Caster Kit



Model 1624CASTER

Wheel kit with 6 casters for 1624K, 1624KB, 1625K, 1625KB (Assembly Required) (Kit Sold Separately)

Spill Kit Boxes:

Spill Kit Boxes come in two sizes (110- and 220-gallon/416.4 and 832.8 L) in yellow or black HDPE, and work well for both routine maintenance and emergency spill response. Optional wheel kit (1624CASTER) sold separately. (two locking and two swivel – 6 in. casters)



DRUM CONTAINMENT DOLLIE

DRUM BOGIE

E-CART



Model	1617Y	1613	1696Y	1697Y
Item	Drum Containment Dollie	Drum Bogie	65 e-CART Wheeled Spill Kit Cart	95 e-CART Wheeled Spill Kit Cart
Dimensions <small>Width Depth Height</small>	31¾ in./81 cm. 69 in./175.2 cm. 26½ in./67 cm.	35¾ in./90 cm. 42 in./106 cm. -	26 in./66.1 cm. 30 in./76.2 cm. 42½ in./108 cm.	36 in./91.5 cm. 30 in./76.2 cm. 44 in./111.8 cm.
Sump Capacity	70 gal./266 L	12 gal./45.6 L	65 gal./247 L	95 gal./359.7 L
Weight	98 lbs./44.5 kg.	30 lbs./13.5 kg.	32 lbs./14.6 kg.	38 lbs./17.3 kg.
Load Capacity <small>Uniform Distributed Load (UDL)</small>	600 lbs./270 kg.	1250 lbs./526 kg.	-	-

Drum Containment Dollie

The Eagle Drum Containment Dollie is constructed of Yellow HDPE with double black straps for easy loading, and its lightweight design with rounded handles for easy tipping. The Dollie transports 55-gallon (208.2 L) drums with ease, and tilts to become a self-dispensing unit. It also acts as its own secondary containment unit.

Features

- Tough yellow polyethylene construction with a lightweight design
- Extra large, easy roll 10 in. (25.4 cm.) poly wheels
- Drain Plug that simplifies removal of contents from sump
- Holds up to 600 lbs. (272.2 kg.) (UDL)
- Double buckle and strap
- Forkliftable from the rear
- Molded handles
- Rounded handle makes lifting easy



Model 1617Y
Drum Containment Dollie



Model T8609
Fitted and durable poly cover available to protect from the elements

Drum Bogie

Mobile dispensing unit protects against incidental spills and leaks for 30- (113.6 L), 55- (208.2 L) and 95-gallon (359.7 L) drums. The durable polyethylene Bogie resists corrosion; has five swivel casters for maximum stability, load capacity and maneuverability; and features a poly push-pull handle. Ships via UPS.



Eagle e-CART Wheeled Spill Kit Cart Features:

- Constructed of durable HDPE
- Ergonomically designed handles
- Double-walled hinged lid with a hold-down tab
- Rugged galvanized steel bar handles
- HDPE wheels on a heavy duty steel axle
- Wear tabs on the bottom
- Ergonomically designed



SPILL CONTAINMENT

Containment Utility Tray


This HDPE tray is an affordable way to contain small spills up to five gallons. For countertop use for the working storage of lab chemicals, as a drip pan under dispensers, or as a floor tray under machinery. These trays are stackable for easy storage and feature a ribbed bottom.



Model No.	Item	Dimensions	Weight
1677	Containment Utility Tray (Yellow)	18 in. x 36 in. x 2 in. 45.8 cm. x 91.5 cm. x 5 cm.	9 lbs./4.1 kg.
1677 BLACK	Containment Utility Tray (Black)	18 in. x 36 in. x 2 in. 45.8 cm. x 91.5 cm. x 5 cm.	9 lbs./4.1 kg.

Model 1677 (Yellow)
Containment Utility Tray
18 in. x 36 in. x 2 in.
45.8 cm. x 91.5 cm. x 5.1 cm.

Model 1677 BLACK
Containment Utility Tray
18 in. x 36 in. x 2 in.
45.8 cm. x 91.5 cm. x 5.1 cm.



Pallet Grating Available

Model 1642IB

For use with pallets and platforms on pages 31-33

Model No.	Dimensions	Grating Opening
1642IB Grating	51½ in. x 25¼ in./130.9 cm. x 64.2 cm.	2½ in. x 3¾ in. max./6.4 cm. x 8.1 cm.
1642B Grating	51½ in. x 25¼ in./130.9 cm. x 64.2 cm.	1½ in. x 1½ in. max./4.5 cm. x 4.5 cm.
1642IS Grating	25¼ in. x 25¼ in./64.2 cm. x 64.2 cm.	2½ in. x 3¾ in. max./6.4 cm. x 8.1 cm.



Single Drum Containment Unit

The Single Drum Containment Unit (1612) is ideal for not only use as a spill containment unit, but also a mobile pumping station or waste collection station. With the addition of model 1698 overpack dolly, the drum is easy to move for dispensing and collection.

Compliance: EPA 40 CFR 264.175



HDPE

100% Recyclable

Model 1954 Drum Lifter



Model 1958 Drum Lifter



Model 1698 Overpack Dolly



Model No.	Item	Dimensions	Weight	Load Capacity (UDL)
1612	Single Drum Unit	31 in. x 33 in. 78.8 cm. x 83.9 cm.	30 lbs./13.6 kg.	1,000 lbs./453.6 kg.
1954	Vertical Drum Lifter	—	12 lbs./5.5 kg.	1,000 lbs./453.6 kg.
1958	Horizontal Drum Lifter	—	5 lbs./2.3 kg.	1,000 lbs./453.6 kg.
1698	Overpack Dolly	21.5 in. x 7 in. 69.9 cm. x 17.8 cm.	30 lbs./13.6 kg.	1,000 lbs./453.6 kg.

Model 1612
Single Drum Unit can be used with model 1698 overpack dolly





Mobile Spill Platform and Drum Accessories

Mobile Spill Control Platform

The safety of a spill containment platform with the convenience of mobility; safely transfer containers between workstations.

Drum Funnel and Cover

The 18 in. (45.8 cm.) wide drum funnel fits both 30- (113.5 L) and 55-gallon (208.2 L) drums. The 6 in. (15.3 cm.) high side walls reduce splashing and spout fits any 2 in. (5.1 cm.) NPT bung. The optional funnel cover keeps out dirt and contaminants.

Compliance: EPA 40 CFR 265.173.

Drum Covers

HDPE construction, covers for closed (1666) or open (1667) head drums.

Drum Tray and Drip Pan

Eagle Poly Drum Tray is ideal under drums where dispensing or filling takes place. The drip pan catches up to one gallon of oils, coolants, water or other non-aggressive liquids. Constructed of high density polyethylene (HDPE). Model 1614 without black HDPE grating, Model 1615 with black HDPE grating. For use with Eagle Model 1618 – Drum Tray Dolly with four 3 inch casters.



2,000 lb./902.2 kg. load capacity

Model 1637 Mobile Spill Platform - 30-gallon (113.6 L) capacity. Lab Pack and Drum not included (2 locking and 2 swivel casters)



Model 1660 Drum Funnel
Model 1664 Drum Funnel Cover



Model 1670 Drip Pan Filled with Polypropylene



Model 1666

Drum Covers

Model 1667

Model No.	Item	Dimensions	Weight	Load Capacity (UDL)
1614	Drum Tray	in: 31 x 6 cm: 78.8 x 15.3	20 lbs./9.1 kg.	—
1615	Drum Tray with Grating	in: 31 x 6 cm: 78.8 x 15.3	24 lbs./10.9 kg.	—
1618	Drum Tray Dolly	in: 31 x 7 cm: 78.8 x 17.8	32 lbs./14.6 kg.	1,000 lbs./453.6 kg.
1637	Mobile Spill Control Platform	in: 28 x 56 x 41 cm: 71.2 x 142.3 x 104.2	92 lbs./41.8 kg.	2,000 lbs./907.2 kg.
1952	Overpack Hand Truck	—	84 lbs./38.1 kg.	1,000 lbs./453.6 kg.
1660	Drum Funnel	in: 18 x 7 cm: 45.8 x 17.8	11 lbs./5 kg.	—
1662	Drum Funnel with Screen	in: 18 x 7 cm: 45.8 x 17.8	11 lbs./5 kg.	—
1664	Drum Funnel Cover	in: 18½ x 5 cm: 47 x 12.7	1 lb./,5 kg.	—
1666	Drum Cover - Closed Head	in: 23 x 5 cm: 58.5 x 12.7	2.5 lbs./1.4 kg.	—
1667	Drum Cover - Open Head	in: 24 x 5 cm: 61 x 12.7	2.5 lbs./1.4 kg.	—
1670	Drip Pan	in: 10½ x 10½ x 3 cm: 26.7 x 26.7 x 7.7	1 lb./,5 kg.	—



Model 1614 Drum Tray
Model 1618 Drum Tray Dolly with Four 3 in. (7.7 cm.) casters



Model 1952
Overpack Hand Truck



Model T8001

Eagle Quik-Deploy™ Spill NEST™

The Eagle Quik-Deploy™ Spill NEST™ is a compact and affordable solution for fast response to leaks and drips. This product features a 4 in. low profile sidewall and is available in six sizes, which are leak tested before shipment. Made in the USA.

Perfect for:

- Changing oils and fluids
- Quick use under leaking vehicles
- Protecting bottom surfaces while dispensing
- Performing maintenance on an item with spill potential
- Constructed of PVC Coated Fabric
- Made in the USA




Model No.	Description	Weight	Spill Capacity	Compliance
T8001	Quik-Deploy™ Spill NEST™ 2 ft. x 2 ft. x 4 in./ .6 m. x .6 m. x 10.2 cm.	1 lb./ .5 kg.	10 gal./37.9 L	
T8002	Quik-Deploy™ Spill NEST™ 2 ft. x 3 ft. x 4 in./ .6 m. x .9 m. x 10.2 cm.	3 lbs./1.4 kg.	15 gal./56.8 L	
T8003	Quik-Deploy™ Spill NEST™ 2 ft. x 4 ft. x 4 in./ .61 m. x 1.3 m. x 10.2 cm.	4 lbs./1.9 kg.	20 gal./75.7 L	
T8004	Quik-Deploy™ Spill NEST™ 3 ft. x 3 ft. x 4 in./ .9 m. x .9 m. x 10.2 cm.	5 lbs./2.3 kg.	22.5 gal./85.2 L	
T8005	Quik-Deploy™ Spill NEST™ 4 ft. x 4 ft. x 4 in./1.22 m. x 1.22 m. x 10.2 cm.	5.5 lbs./2.5 kg.	40 gal./151 L	
T8006	Quik-Deploy™ Spill NEST™ 4 ft. x 6 ft. x 4 in./1.22 m. x 1.9 m. x 10.2 cm.	7 lbs./3.2 kg.	60 gal./227 L	

Eagle Quik-Deploy™ Folding Spill NEST™

The Eagle Quik-Deploy™ Folding Spill NEST™ has the same durable, high-quality construction as the Quik-Deploy™ Spill NEST™.

Features:

- A thinner 2 in. (5.1 cm.) sidewall width
- A safety-secure strap for easy folding and storage
- An extended 6 in. (15.3 cm.) sidewall height that allows for up to 30 percent more spill capacity
- Conveniently folds saving shipping and storage space
- Constructed of PVC Coated Fabric
- Made in the USA



Model T8001FS

Model No.	Description	Weight	Spill Capacity	Compliance
T8001FS	Quik-Deploy™ Folding Spill NEST™ 2 ft. x 2 ft. x 6 in./ .61 m. x .61 m. x 15 cm.	1 lb./ .5 kg.	15 gal./56.8 L	
T8002FS	Quik-Deploy™ Folding Spill NEST™ 2 ft. x 3 ft. x 6 in./ .61 m. x .91 m. x 15 cm.	3 lbs./1.4 kg.	22 gal./83.3 L	
T8003FS	Quik-Deploy™ Folding Spill NEST™ 2 ft. x 4 ft. x 6 in./ .61 m. x 1.22 m. x 15 cm.	4 lbs./1.9 kg.	30 gal./113.6 L	
T8004FS	Quik-Deploy™ Folding Spill NEST™ 3 ft. x 3 ft. x 6 in./ .91 m. x .91 m. x 15 cm.	5 lbs./2.3 kg.	34 gal./128.7 L	
T8005FS	Quik-Deploy™ Folding Spill NEST™ 4 ft. x 4 ft. x 6 in./1.22 m. x 1.22 m. x 15 cm.	5.5 lbs./2.5 kg.	60 gal./227.2 L	
T8006FS	Quik-Deploy™ Folding Spill NEST™ 4 ft. x 6 ft. x 6 in./1.22 m. x 1.83 m. x 15 cm.	7 lbs./3.2 kg.	74 gal./280.2 L	






Eagle SpillNEST™

Available with or without grating

The Eagle SpillNEST™ line delivers easy-to-use, affordable, temporary spill containment for drums, machine parts, small equipment and other jobsite needs. This new product is available with or without the classic black HDPE grating used in Eagle's market-leading HDPE Spill Containment Pallets. Available in six sizes.



Features:

- Foam sidewalls that easily spring back into place after pressure is applied
- Folds for easy storage
- Affordable and reusable
- No need for ramps, drive in and drive out with hand trucks
- Constructed of PVC Coated Fabric
- Made in the USA

Model T8101G



Model No.	Description	Weight	Spill Capacity*	Compliance
T8101	1 Drum SpillNEST™ 32.25 in. x 32.25 in./ .82 m. x .82 m.	2 lbs./ .9 kg.	10 gal./37.9 L	 
T8101G	1 Drum SpillNEST™ with Grate 32.25 in. x 32.25 in./ .82 m. x .82 m.	7 lbs./3.2 kg.	10 gal./37.9 L	
T8102	2 Drum SpillNEST™ 32.25 in. x 57.75 in./ .82 m. x 1.47 m.	4 lbs./1.9 kg.	15 gal./56.8 L	
T8102G	2 Drum SpillNEST™ with Grate 32.25 in. x 57.75 in./ .82 m. x 1.47 m.	15 lbs./6.8 kg.	15 gal./56.8 L	
T8103	4 Drum SpillNEST™ 57.75 in. x 57.75 in./1.47 m. x 1.47 m.	8 lbs./3.7 kg.	30 gal./113.6 L	
T8103G	4 Drum SpillNEST™ with Grate 57.75 in. x 57.75 in./1.47 m. x 1.47 m.	30 lbs./13.6 kg.	30 gal./113.6 L	
T8104	4 Drum In-Line SpillNEST™ 32.25 in. x 107.75 in./ .82 m. x 2.74 m.	8 lbs./3.7 kg.	30 gal./113.6 L	
T8104G	4 Drum In-Line SpillNEST™ with Grate 32.25 in. x 107.75 in./ .82 m. x 2.74 m.	30 lbs./13.6 kg.	30 gal./113.6 L	
T8105	6 Drum SpillNEST™ 57.75 in. x 83 in./1.47 m. x 2.10 m.	12 lbs./ 5.6 kg.	45 gal./170.4 L	
T8105G	6 Drum SpillNEST™ with Grate 57.75 in. x 83 in./1.47 m. x 2.10 m.	45 lbs./20.6 kg.	45 gal./170.4 L	
T8106	8 Drum SpillNEST™ 57.5 in. x 108.5 in./1.47 m. x 2.76 m.	13 lbs./5.9 kg.	60 gal./227.2 L	
T8106G	8 Drum SpillNEST™ with Grate 57.5 in. x 108.5 in./1.47 m. x 2.76 m.	57 lbs./25.9 kg.	60 gal./227.2 L	

*Some capacities may not meet EPA containment requirements.





Eagle SpillNEST™ Berm with Removable Sidewalls

The Eagle SpillNEST™ Berm with Removable Sidewalls assists with safety and compliance on the job site. Available in Economy, Standard and Heavy Duty designs. The sturdy design incorporates high strength connectors and a two-way air relief system to facilitate automatic entry and exit at any angle.

Conveniently folds, stacks and stores on a shelf or in a container for immediate use, setup and reuse. To maintain quality and life of your SpillNEST™ Berm, Eagle offers accessories including Ground Pads, Track Mats and Storage Bags.

- For oil and gas sites and other large area applications
- Easy to assemble
- Folds, stacks and stores conveniently
- Ready for immediate setup and use
- Durable and reusable
- 13 sizes available
- Made in the USA
- Available in Economy, Standard and Heavy Duty material variations
- Entry and exit from any point without harming foam logs



Heavy Duty

Standard















Economy

3 material variations:

- Economy SpillNEST™ Berm is designed for indoor and temporary outdoor use (Yellow PVC)
- Standard SpillNEST™ Berm is designed for indoor and outdoor use with moderate to heavy traffic (Black XR5 Material)
- Heavy Duty SpillNEST™ Berm is designed for rugged outdoor use with heavy to extreme traffic (Tan PTFE)



Eagle SpillNEST™ Berm with Removable Side Walls

Model	Description	Ship Weight	Ground Pad	Track Mat	Compliance
T8201BK T8201TN T8201YE	505 gal./1,912 L, Standard - 12 ft. x 15 ft. x 4.5 in./3.65 m. x 4.50 m. x 11.43 cm. - Black 438 gal./1,658 L, Heavy Duty - 12 ft. x 13 ft. x 4.5 in./3.65 m. x 3.96 m. x 11.43 cm. - Tan 505 gal./1,912 L, Economy - 12 ft. x 15 ft. x 4.5 in./3.65 m. x 4.50 m. x 11.43 cm. - Yellow	58 lbs./26.3 kg. 61 lbs./27.7 kg. 47 lbs./21.3 kg.	T8201GP T8201GP T8201GP	T8201TM T8201TM T8201TM	
T8202BK T8202TN T8202YE	707 gal./2,676 L, Standard - 12 ft. x 21 ft. x 4.5 in./3.65 m. x 6.40 m. x 11.43 cm. - Black 640 gal./2,423 L, Heavy Duty - 12 ft. x 19 ft. x 4.5 in./3.65 m. x 5.79 m. x 11.43 cm. - Tan 707 gal./2,676 L, Economy - 12 ft. x 21 ft. x 4.5 in./3.65 m. x 6.40 m. x 11.43 cm. - Yellow	70 lbs./31.8 kg. 75 lbs./34.1 kg. 56 lbs./25.4 kg.	T8202GP T8202GP T8202GP	T8202TM T8202TM T8202TM	
T8203BK T8203TN T8203YE	1,110 gal./4,202 L, Standard - 12 ft. x 33 ft. x 4.5 in./3.65 m. x 10.06 m. x 11.43 cm. - Black 1,010 gal./3,823 L, Heavy Duty - 12 ft. x 30 ft. x 4.5 in./3.65 m. x 9.14 m. x 11.43 cm. - Tan 1,110 gal./4,202 L, Economy - 12 ft. x 33 ft. x 4.5 in./3.65 m. x 10.06 m. x 11.43 cm. - Yellow	105 lbs./47.6 kg. 112 lbs./50.8 kg. 84 lbs./38.1 kg.	T8203GP T8203GP T8203GP	T8203TM T8203TM T8203TM	
T8204BK T8204TN T8204YE	1,310 gal./4,959 L, Standard - 12 ft. x 39 ft. x 4.5 in./3.65 m. x 11.89 m. x 11.43 cm. - Black 1,380 gal./5,224 L, Heavy Duty - 12 ft. x 41 ft. x 4.5 in./3.65 m. x 12.50 m. x 11.43 cm. - Tan 1,310 gal./4,959 L, Economy - 12 ft. x 39 ft. x 4.5 in./3.65 m. x 11.89 m. x 11.43 cm. - Yellow	140 lbs./63.5 kg. 150 lbs./68.0 kg. 112 lbs./50.8 kg.	T8204GP T8204GP T8204GP	T8204TM T8204TM T8204TM	
T8205BK T8205TN T8205YE	1,715 gal./6,492 L, Standard - 12 ft. x 51 ft. x 4.5 in./3.65 m. x 15.54 m. x 11.43 cm. - Black 1,750 gal./6,625 L, Heavy Duty - 12 ft. x 52 ft. x 4.5 in./3.65 m. x 12.50 m. x 11.43 cm. - Tan 1,715 gal./6,492 L, Economy - 12 ft. x 51 ft. x 4.5 in./3.65 m. x 15.54 m. x 11.43 cm. - Yellow	175 lbs./79.4 kg. 185 lbs./83.9 kg. 140 lbs./63.5 kg.	T8205GP T8205GP T8205GP	T8205TM T8205TM T8205TM	
T8206BK T8206TN T8206YE	2,121 gal./8,029 L, Standard - 12 ft. x 63 ft. x 4.5 in./3.65 m. x 19.2 m. x 11.43 cm. - Black 2,121 gal./8,029 L, Heavy Duty - 12 ft. x 63 ft. x 4.5 in./3.65 m. x 19.2 m. x 11.43 cm. - Tan 2,121 gal./8,029 L, Economy - 12 ft. x 63 ft. x 4.5 in./3.65 m. x 19.2 m. x 11.43 cm. - Yellow	210 lbs./95.3 kg. 223 lbs./101.2 kg. 168 lbs./76.2 kg.	T8206GP T8206GP T8206GP	T8206TM T8206TM T8206TM	
T8207BK T8207TN T8207YE	2,626 gal./9,941 L, Standard - 24 ft. x 39 ft. x 4.5 in./7.32 m. x 11.89 m. x 11.43 cm. - Black 2,760 gal./10,448 L, Heavy Duty - 24 ft. x 41 ft. x 4.5 in./7.32 m. x 12.50 m. x 11.43 cm. - Tan 2,626 gal./9,941 L, Economy - 24 ft. x 39 ft. x 4.5 in./7.32 m. x 11.89 m. x 11.43 cm. - Yellow	280 lbs./127 kg. 310 lbs./141 kg. 224 lbs./102 kg.	T8207GP T8207GP T8207GP	T8207TM T8207TM T8207TM	
T8208BK T8208TN T8208YE	3,434 gal./12,999 L, Standard - 24 ft. x 51 ft. x 4.5 in./11.89 m. x 15.54 m. x 11.43 cm. - Black 3,501 gal./13,253 L, Heavy Duty - 24 ft. x 52 ft. x 4.5 in./11.98 m. x 15.85 m. x 11.43 cm. - Tan 3,434 gal./12,999 L, Economy - 24 ft. x 51 ft. x 4.5 in./11.89 m. x 15.54 m. x 11.43 cm. - Yellow	340 lbs./154 kg. 360 lbs./163 kg. 272 lbs./123 kg.	T8208GP T8208GP T8208GP	T8208TM T8208TM T8208TM	
T8209BK T8209TN T8209YE	4,241 gal./16,054 L, Standard - 24 ft. x 63 ft. x 4.5 in./11.98 m. x 19.20 m. x 11.43 cm. - Black 4,241 gal./16,054 L, Heavy Duty - 24 ft. x 63 ft. x 4.5 in./11.98 m. x 19.20 m. x 11.43 cm. - Tan 4,241 gal./16,054 L, Economy - 24 ft. x 63 ft. x 4.5 in./11.98 m. x 19.20 m. x 11.43 cm. - Yellow	410 lbs./186 kg. 435 lbs./197 kg. 328 lbs./149 kg.	T8209GP T8209GP T8209GP	T8209TM T8209TM T8209TM	
T8210BK T8210TN T8210YE	3,939 gal./14,911 L, Standard - 36 ft. x 39 ft. x 4.5 in./10.97 m. x 11.89 m. x 11.43 cm. - Black 4,140 gal./15,672 L, Heavy Duty - 36 ft. x 41 ft. x 4.5 in./10.97 m. x 12.50 m. x 11.43 cm. - Tan 3,939 gal./14,911 L, Economy - 36 ft. x 39 ft. x 4.5 in./10.97 m. x 11.89 m. x 11.43 cm. - Yellow	385 lbs./175 kg. 403 lbs./183 kg. 308 lbs./140 kg.	T8210GP T8210GP T8210GP	T8210TM T8210TM T8210TM	
T8211BK T8211TN T8211YE	5,150 gal./19,495 L, Standard - 36 ft. x 51 ft. x 4.5 in./10.97 m. x 15.54 m. x 11.43 cm. - Black 5,251 gal./19,877 L, Heavy Duty - 36 ft. x 52 ft. x 4.5 in./10.97 m. x 15.85 m. x 11.43 cm. - Tan 5,150 gal./19,495 L, Economy - 36 ft. x 51 ft. x 4.5 in./10.97 m. x 15.54 m. x 11.43 cm. - Yellow	515 lbs./234 kg. 535 lbs./243 kg. 412 lbs./187 kg.	T8211GP T8211GP T8211GP	T8211TM T8211TM T8211TM	
T8212BK T8212TN T8212YE	6,362 gal./24,083 L, Standard - 36 ft. x 63 ft. x 4.5 in./10.97 m. x 19.20 m. x 11.43 cm. - Black 6,362 gal./24,083 L, Heavy Duty - 36 ft. x 63 ft. x 4.5 in./10.97 m. x 19.20 m. x 11.43 cm. - Tan 6,362 gal./24,083 L, Economy - 36 ft. x 63 ft. x 4.5 in./10.97 m. x 19.20 m. x 11.43 cm. - Yellow	650 lbs./295 kg. 690 lbs./313 kg. 520 lbs./236 kg.	T8212GP T8212GP T8212GP	T8212TM T8212TM T8212TM	
T8213BK T8213TN T8213YE	8,483 gal./32,112 L, Standard - 48 ft. x 63 ft. x 4.5 in./14.60 m. x 19.20 m. x 11.43 cm. - Black 8,483 gal./32,112 L, Heavy Duty - 48 ft. x 63 ft. x 4.5 in./14.60 m. x 19.20 m. x 11.43 cm. - Tan 8,483 gal./32,112 L, Economy - 48 ft. x 63 ft. x 4.5 in./14.60 m. x 19.20 m. x 11.43 cm. - Yellow	800 lbs./363 kg. 850 lbs./286 kg. 640 lbs./290 kg.	T8213GP T8213GP T8213GP	T8213TM T8213TM T8213TM	
T820064 T820070	Removable Foam Log - 64 in. x 4.5 in. x 4.5 in./162.56 cm. x 11.43 cm. x 11.43 cm. - Yellow Removable Foam Log - 70 in. x 4.5 in. x 4.5 in./177.80 cm. x 11.43 cm. x 11.43 cm.	8 lbs./3.6 kg. 9 lbs./4.1 kg.	- -	- -	




Model T8421

Model No.	Description	Weight	Spill Cap.	
T8421	Talon™ SX Berm - Black 4 ft. x 4 ft. x 8 in./1.22 m. x 1.22 m. x 20 cm.	11 lbs./5 kg.	80 gal./303 L	
T8422	Talon™ SX Berm - Black 4 ft. x 4 ft. x 1 ft./1.22 m. x 1.22 m. x 30 cm.	18 lbs./8.2 kg.	119 gal./451 L	
T8423	Talon™ SX Berm - Black 4 ft. x 6 ft. x 8 in./1.22 m. x 1.83 m. x 20 cm.	25 lbs./11.3 kg.	119 gal./451 L	
T8424	Talon™ SX Berm - Black 4 ft. x 6 ft. x 1 ft./1.22 m. x 1.83 m. x 30 cm.	28 lbs./12.7 kg.	179 gal./678 L	
T8425	Talon™ SX Berm - Black 4 ft. x 8 ft. x 8 in./1.22 m. x 2.44 m. x 20 cm.	21 lbs./9.5 kg.	159 gal./602 L	
T8426	Talon™ SX Berm - Black 5 ft. x 10 ft. x 1 ft./1.52 m. x 3.05 m. x 20 cm.	45 lbs./20.4 kg.	374 gal./1,416 L	
T8427	Talon™ SX Berm - Black 6 ft. x 6 ft. x 1 ft./1.83 m. x 1.83 m. x 30 cm.	37 lbs./16.8 kg.	269 gal./1,018 L	
T8428	Talon™ SX Berm - Black 8 ft. x 8 ft. x 8 in./2.44 m. x 2.44 m. x 20 cm.	35 lbs./15.9 kg.	319 gal./1,208 L	
T8429	Talon™ SX Berm - Black 10 ft. x 10 ft. x 1 ft./3.05 m. x 3.05 m. x 20 cm.	60 lbs./27.2 kg.	748 gal./2,832 L	
T8430	Talon™ SX Berm - Black 12 ft. x 12 ft. x 1 ft./3.65 m. x 3.65 m. x 30 cm.	80 lbs./36.3 kg.	1,077 gal./4,077 L	
T8431	Talon™ SX Berm - Black 16 ft. x 16 ft. x 1 ft./4.87 m. x 4.87 m. x 30 cm.	113 lbs./51.3 kg.	1,914 gal./7,245 L	
T8432	Talon™ SX Berm - Black 10 ft. x 26 ft. x 1 ft./3.05 m. x 7.93 m. x 30 cm.	122 lbs./55.3 kg.	1,944 gal./7,359 L	
T8433	Talon™ SX Berm - Black 10 ft. x 40 ft. x 1 ft./3.05 m. x 12.19 m. x 30 cm.	150 lbs./68.0 kg.	2,992 gal./11,326 L	EPA 40 CFR 264.175, SPCC, NPDES
T8434	Talon™ SX Berm - Black 10 ft. x 45 ft. x 1 ft./3.05 m. x 13.72 m. x 30 cm.	155 lbs./70.3 kg.	3,366 gal./12,742 L	EPA 40 CFR 264.175, SPCC, NPDES
T8435	Talon™ SX Berm - Black 12 ft. x 20 ft. x 1 ft./3.66 m. x 6.09 m. x 30 cm.	130 lbs./59 kg.	1,795 gal./6,795 L	EPA 40 CFR 264.175, SPCC, NPDES
T8436	Talon™ SX Berm - Black 12 ft. x 26 ft. x 1 ft./3.66 m. x 7.92 m. x 30 cm.	140 lbs./63.5 kg.	2,334 gal./8,835 L	N/A
T8437	Talon™ SX Berm - Black 12 ft. x 36 ft. x 1 ft./3.66 m. x 10.97 m. x 30 cm.	165 lbs./74.8 kg.	3,231 gal./12,231 L	
T8438	Talon™ SX Berm - Black 12 ft. x 50 ft. x 1 ft./3.66 m. x 15.24 m. x 30 cm.	250 lbs./113 kg.	4,488 gal./16,989 L	EPA 40 CFR 264.175, SPCC, NPDES
T8439	Talon™ SX Berm - Black 15 ft. x 50 ft. x 1 ft./4.57 m. x 15.24 m. x 30 cm.	268 lbs./122 kg.	5,610 gal./21,236 L	
T8440	Talon™ SX Berm - Black 14 ft. x 54 ft. x 1 ft./4.27 m. x 16.46 m. x 30 cm.	252 lbs./114 kg.	5,654 gal./21,402 L	
T8441	Talon™ SX Berm - Black 12 ft. x 60 ft. x 1 ft./3.66 m. x 18.29 m. x 30 cm.	285 lbs./129 kg.	5,385 gal./20,384 L	
T8442	Talon™ SX Berm - Black 14 ft. x 66 ft. x 1 ft./4.27 m. x 20.12 m. x 30 cm.	337 lbs./153 kg.	6,911 gal./26,161 L	
T8443	Talon™ SX Berm - Black 14 ft. x 85 ft. x 1 ft./4.27 m. x 25.91 m. x 30 cm.	500 lbs./227 kg.	8,901 gal./33,694 L	
T8444	Talon™ SX Berm - Black 20 ft. x 40 ft. x 1 ft./6.09 m. x 12.19 m. x 30 cm.	280 lbs./127 kg.	5,984 gal./22,652 L	EPA 40 CFR 264.175, SPCC, NPDES
T8445	Talon™ SX Berm - Black 20 ft. x 60 ft. x 1 ft./6.09 m. x 4.57 m. x 30 cm.	600 lbs./272 kg.	8,976 gal./33,694 L	EPA 40 CFR 264.175, SPCC, NPDES
T8446	Talon™ SX Berm - Black 25 ft. x 40 ft. x 1 ft./7.62 m. x 12.19 m. x 30 cm.	310 lbs./141 kg.	7,480 gal./28,315 L	EPA 40 CFR 264.175, SPCC, NPDES

Eagle Talon™ SX Berm

The Eagle Talon™ SX Berm features excellent rip, tear and puncture resistance for the most demanding application or terrain. To maintain quality and life of your Talon™ SX Berm, Eagle offers accessories including Ground Pads, Track Mats and Storage Bags. See page 51.

- Ideal for fuel use
- Constructed of XR5 Fabric
- Easy to assemble
- Compact storage and transport
- CAD design and cut components
- Lap joint welds for maximum strength
- Snap-up design permits immediate response
- 30 sizes available
- Made in the USA



Model T8424

Eagle Talon™ SX L-Bracket Berm

- Space saving design
- 2 ft. (61 cm.) wall height
- Quick setup
- Brackets can be mounted inboard or outboard
- Available to match many chemical applications
- Compact shipping and storage

Model No.	Description	Weight	Spill Cap.	Compliance
T8447	Talon™ SX L-Bracket Berm - Black 10 ft. x 10 ft. x 2 ft./3.05 m. x 3.05 m. x 61 cm.	180 lbs. 81.7 kg.	1,496 gal. 5,663 L	EPA 40 CFR 264.175, SPCC, NPDES
T8448	Talon™ SX L-Bracket Berm - Black 15 ft. x 15 ft. x 2 ft./4.57 m. x 4.57 m. x 61 cm.	360 lbs. 163 kg.	3,366 gal. 12,742 L	EPA 40 CFR 264.175, SPCC, NPDES
T8449	Talon™ SX L-Bracket Berm - Black 20 ft. x 20 ft. x 2 ft./6.10 m. x 6.10 m. x 61 cm.	380 lbs. 172 kg.	5,984 gal. 22,652 L	EPA 40 CFR 264.175, SPCC, NPDES




Model No.	Description	Weight	Spill Cap.	Compliance
T8401	Talon™ Spill Berm 4 ft. x 4 ft. x 8 in./1.22 m. x 1.22 m. x 20 cm.	15 lbs./6.8 kg.	80 gal./320 L	EPA 40 CFR 264.175, SPCC, NPDES
T8402	Talon™ Spill Berm 6 ft. x 6 ft. x 8 in./1.83 m. x 1.83 m. x 20 cm.	24 lbs./10.9 kg.	180 gal./480 L	EPA 40 CFR 264.175, SPCC, NPDES
T8403	Talon™ Spill Berm 10 ft. x 10 ft. x 8 in./3.05 m. x 3.05 m. x 20 cm.	36 lbs./16.3 kg.	501 gal./2,004 L	EPA 40 CFR 264.175, SPCC, NPDES
T8404	Talon™ Spill Berm 4 ft. x 6 ft. x 8 in./1.22 m. x 1.83 m. x 20 cm.	18 lbs./8.2 kg.	120 gal./480 L	EPA 40 CFR 264.175, SPCC, NPDES
T8405	Talon™ Spill Berm 4 ft. x 8 ft. x 8 in./1.22 m. x 2.44 m. x 20 cm.	28 lbs./12.7 kg.	160 gal./640 L	EPA 40 CFR 264.175, SPCC, NPDES
T8406	Talon™ Spill Berm 8 ft. x 8 ft. x 8 in./2.44 m. x 2.44 m. x 20 cm.	31 lbs./14.1 kg.	320 gal./1,280 L	EPA 40 CFR 264.175, SPCC, NPDES
T8407	Talon™ Spill Berm 8 ft. x 10 ft. x 8 in./2.44 m. x 3.05 m. x 20 cm.	38 lbs./17.2 kg.	400 gal./1,600 L	EPA 40 CFR 264.175, SPCC, NPDES

Eagle Talon™ Spill Berm

The Eagle Talon™ Spill Berm is a lightweight, portable berm constructed of yellow vinyl-coated polyester. Available in seven sizes.

- Snap-up supports
- Folds for compact storage and transport
- Unique and sturdy supports
- Excellent for decontamination applications
- Great addition to a Spill Kit
- Chemical resistant
- Made in the USA
- Constructed of PVC Coated Fabric



Model No.	Description	Weight	Spill Cap.
T8340	Spill/NEST™ Drip Pad 22 in. x 22 in./56 cm. x 56 cm. (Small)	7 lbs./3.2 kg.	1 gal./3.8 L
T8340RP 5 pack	Spill/NEST™ Drip Pad Replacement Pads (Small)	6 lbs./2.7 kg.	1 gal./3.8 L
T8341	Spill/NEST™ Drip Pad 24 in. x 36 in./61 cm. x 91 cm. (Medium)	8 lbs./3.6 kg.	2 gal./7.6 L
T8341RP 5 pack	Spill/NEST™ Drip Pad Replacement Pads (Medium)	9 lbs./4.1 kg.	2 gal./7.6 L
T8342	Spill/NEST™ Drip Pad 24 in. x 54 in./61 cm. x 137 cm. (Large)	9 lbs./4.1 kg.	3 gal./11.4 L
T8342RP 5 pack	Spill/NEST™ Drip Pad Replacement Pads (Large)	12 lbs./5.4 kg.	3 gal./11.4 L
T8343	Spill/NEST™ Drip Pad 38 in. x 42 in./96 cm. x 107 cm. (X-Large)	9 lbs./4.1 kg.	4 gal./15.1 L
T8343RP 5 pack	Spill/NEST™ Drip Pad Replacement Pads (X-Large)	16.5 lbs./7.5 kg.	4 gal./15.1 L
T8360	Spill/NEST™ XT Off-Road Drip Pad w/ Grommets 3 ft. x 3 ft./91 m. x .91 m.	12 lbs./5.4 kg.	4 gal./15.1 L
T8360RP 5 pack	Spill/NEST™ XT Off-Road Drip Pad Replacement 3 ft. x 3 ft./91 m. x .91 m.	17 lbs./7.7 kg.	4 gal./15.1 L
T8361	Spill/NEST™ XT Off-Road Drip Pad w/ Grommets 3 ft. x 6 ft./91 m. x 1.83 m.	15 lbs./6.8 kg.	10 gal./37.9 L
T8361RP 5 pack	Spill/NEST™ XT Off-Road Drip Pad Replacement 3 ft. x 6 ft./91 m. x 1.83 m.	34 lbs./15.4 kg.	10 gal./37.9 L
T8362	Spill/NEST™ XT Off-Road Drip Pad w/ Grommets 4 ft. x 4 ft./1.22 m. x 1.22 m.	19 lbs./8.6 kg.	8 gal./30.3 L
T8362RP 5 pack	Spill/NEST™ XT Off-Road Drip Pad Replacement 4 ft. x 4 ft./1.22 m. x 1.22 m.	32 lbs./14.5 kg.	8 gal./30.3 L
T8363	Spill/NEST™ XT Off-Road Drip Pad w/ Grommets 4 ft. x 5 ft./1.22 m. x 1.52 m.	21 lbs./9.5 kg.	12 gal./45.4 L
T8363RP 5 pack	Spill/NEST™ XT Off-Road Drip Pad Replacement 4 ft. x 5 ft./1.22 m. x 1.52 m.	35 lbs./15.9 kg.	12 gal./45.4 L

Eagle Spill/NEST™ Drip Pads

Eagle Spill/NEST™ Drip Pads are used for leaks. Designed to be used as a durable, portable drip pad. Made in the USA.

- Each unit folds easily
- Refill pads are available in packs of 5



FLEXIBLE CONTAINMENT



Eagle Talon™ Drive-In & Drive-Out

The Eagle Talon™ Drive-In and Drive-Out Spill Berm allows the user to drive in and out without having to lower the end walls. Fuel and chemical resistant.

- Ideal for fuel use
- Constructed of XR5 Fabric
- Easy to assemble
- Lap joint welds for maximum strength
- Design permits quick deployment
- Additional sizes available
- Made in the USA



Model T8430DR
Shown with Ground Pad,
Track Mat and Tie Down Straps




Ground Pads and Track Mats are available for additional protection. See page 51.



Model No.	Description	Weight	Spill Capacity	Compliance
T8430DR	Talon™ Drive-In & Drive-Out Berm 12 ft. x 18 ft. x 1 ft./3.66 m. x 5.49 m. x 30 cm.	120 lbs. 54.4 kg.	1,615 gal. 6,113 L	N/A
T8432DR	Talon™ Drive-In & Drive-Out Berm 10 ft. x 26 ft. x 1 ft./3.05 m. x 7.92 m. x 30 cm.	142 lbs. 64.4 kg.	1,944 gal. 7,359 L	
T8437DR	Talon™ Drive-In & Drive-Out Berm 12 ft. x 36 ft. x 1 ft./3.66 m. x 10.97 m. x 30 cm.	198 lbs. 89.8 kg.	3,231 gal. 12,231 L	BPCC
T8440DR	Talon™ Drive-In & Drive-Out Berm 14 ft. x 54 ft. x 1 ft./4.27 m. x 16.46 m. x 30 cm.	252 lbs. 114.3 kg.	5,654 gal. 21,403 L	NPDES
T8441DR	Talon™ Drive-In & Drive-Out Berm 12 ft. x 60 ft. x 1 ft./3.66 m. x 18.29 m. x 30 cm.	293 lbs. 132.9 kg.	5,385 gal. 20,384 L	EPA
T8443DR	Talon™ Drive-In & Drive-Out Berm 14 ft. x 85 ft. x 1 ft./4.27 m. x 25.91 m. x 30 cm.	475 lbs. 215.5 kg.	8,901 gal. 33,694 L	

Eagle SpillNEST™ Rail Containment

Eagle SpillNEST™ Rail Containment provides portable spill containment and control for bottom loading and unloading rail tank cars. The lightweight containment berm (80 lbs./36.29 kg.) is designed to provide a temporary berm containment area around the valves below a rail tank car.



Model T8610


Eagle SpillNEST™ Containment Pools

The Eagle SpillNEST™ Containment Pool offers excellent resistance to the widest range of chemicals, acids, fuels and other hazardous materials. This lightweight design is durable and fits easily into spill response kits.

Model No.	Description	Capacity	Color	Compliance	Model No.	Description	Color	Weight	Compliance
T8460RB	SpillNEST™ Rail Berm 4 ft. x 6 ft. x 1 ft./ 1.22 m. x 1.83 m. x 30 cm.	120 gal. 454.25 L	Black	EPA	T8610	20 gal./75.7 L SpillNEST™ Pool	Yellow	2 lbs./9 kg.	BPCC
T847ORM	Rail Containment Mats Interior: 56 in. x 35 ft., Exterior: 16 in. x 35 ft.		Black	EPA	T8611	66 gal./249 L SpillNEST™ Pool	Yellow	4 lbs./1.8 kg.	NPDES
					T8601	100 gal./379 L SpillNEST™ Pool	Yellow	4 lbs./1.8 kg.	EPA
					T8612	150 gal./568 L SpillNEST™ Pool	Yellow	5 lbs./2.3 kg.	EPA



DripNEST™ Hose Wraps



Model T8381

The Eagle DripNEST™ Hose Wraps are made of durable and chemically resistant materials with an integrated sorbent pad. The Hose Wrap can absorb leaks from hoses and fittings from 2 in. to 10 in. (5 cm. x 24 cm.) in size.

Model No.	Description	Color	Weight	Compliance
T8381	25 oz. DripNEST™ Hose Wrap 2 in. - 3 in./5 cm. - 8 cm.	Yellow	8 oz. .23 kg.	
T8382	25 oz. DripNEST™ Hose Wrap 4 in. - 5 in./10 cm. - 13 cm.	Yellow	1 lb. .45 kg.	
T8383	25 oz. DripNEST™ Hose Wrap 6 in. - 8 in./15 cm. - 20 cm.	Yellow	1 lb. .45 kg.	
T8384	25 oz. DripNEST™ Hose Wrap 10 in./25.4 cm.	Yellow	3 lbs. 1.4 kg.	

DripNEST™ Maintenance Blanket



The Eagle DripNEST™ Maintenance Blanket is designed to be used under vehicles or leaking equipment. Made of a non-woven geo-textile that is backed by a layer of furl/chemical-resistant polyethylene. The blanket provides a protective sorbent pad between the maintenance item and placement area. Can be rolled or folded into a compact lightweight unit. (See image on pg. 55.)

Model No.	Description	Color	Weight	Compliance
T8390	DripNEST™ Maintenance Blanket 3 ft. x 12 ft./122 cm. x 365 cm.	Y/BLK	5 lbs./ 2.3 kg.	
T8391	DripNEST™ Maintenance Blanket 6 ft. x 12 ft./183 cm. x 365 cm.	Y/BLK	11 lbs./ 5.0 kg.	
T8392	DripNEST™ Maintenance Blanket 9 ft. x 12 ft./244 cm. x 365 cm.	Y/BLK	16 lbs./ 7.3 kg.	
T8393	DripNEST™ Maintenance Blanket 12 ft. x 12 ft./365 cm. x 365 cm.	Y/BLK	21 lbs./ 9.5 kg.	

Eagle SpillNEST™ Decon Pools

The Eagle SpillNEST™ Decon Pool is an inexpensive and quick deployment pool that is small enough to be stored on any truck or emergency response vehicle. (For reuse or discard according to regulations).

The Eagle SpillNEST™ Decon Pool has an excellent puncture, abrasion and chemical resistance along with -60° F cold crack resistance. This lightweight design is resistant to a wide range of chemicals, is 8 in. (20.32 cm.) tall and only takes seconds to set up. (Optional drain)

Model T8602

Model No.	Description	Color	Weight	Compliance
T8602	100-Gallon (378.5 L) SpillNEST™ Decon Pool	Yellow	5 lbs./2.3 kg.	EPA 40 CFR 264.175, SPCC, NPDES
T8602D	100-Gallon (378.5 L) SpillNEST™ Decon Pool with drain	Yellow	5 lbs./2.3 kg.	EPA 40 CFR 264.175, SPCC, NPDES

DripNEST™ Hose Bibbs

Model T8380



The Eagle DripNEST™ Hose Bibb safely wraps quick-disconnect fittings or other hose attachment ends to absorb small leaks when disconnecting hoses from industrial equipment. Integrated internal sorbent allows for containment of up to 1 pint of oil, hydraulic fluid or other hydrocarbons.

Model No.	Description	Color	Weight	Compliance
T8380	DripNEST™ Hose Bibb	Yellow	8 oz. 237 mL.	
T8380BX	DripNEST™ Hose Bibb (5 pack)	Yellow	8 oz. 237 mL. (5)	

Eagle DripNEST™ Leak Diverter

Eagle DripNEST™ Leak Diverters provide an instant drip diversion. Available in various sizes, this funnel style diverter will channel away liquids to minimize the risk of injuries, property damage and contamination. Flow rate: 3 gal. per minute. Includes a garden hose connector with cap for easy set up. Made in the USA.

Model No.	Description	Color	Weight
T8301	DripNEST™ Leak Diverter 3 ft. x 3 ft./91 cm. x 91 cm.	Yellow	2 lbs./9 kg.
T8302	DripNEST™ Leak Diverter 3 ft. x 6 ft./91 cm. x 183 cm.	Yellow	3.5 lbs./1.6 kg.
T8303	DripNEST™ Leak Diverter 3 ft. x 10 ft./91 cm. x 304 cm.	Yellow	5 lbs./2.3 kg.
T8304	DripNEST™ Leak Diverter 5 ft. x 5 ft./152 cm. x 152 cm.	Yellow	4 lbs./1.8 kg.
T8305	DripNEST™ Leak Diverter 6 ft. x 6 ft./183 cm. x 183 cm.	Yellow	5 lbs./2.3 kg.
T8306	DripNEST™ Leak Diverter 6 ft. x 10 ft./183 cm. x 304 cm.	Yellow	7 lbs./3.2 kg.
T8307	DripNEST™ Leak Diverter 6 ft. x 12 ft./183 cm. x 366 cm.	Yellow	9 lbs./4.1 kg.
T8308	DripNEST™ Leak Diverter 10 ft. x 12 ft./304 cm. x 366 cm.	Yellow	9 lbs./4.1 kg.
T8309	DripNEST™ Leak Diverter 12 ft. x 12 ft./366 cm. x 366 cm.	Yellow	10 lbs./4.5 kg.
T8310	DripNEST™ Leak Diverter 12 ft. x 20 ft./366 cm. x 610 cm.	Yellow	13.5 lbs./6.1 kg.
T8311	DripNEST™ Leak Diverter 18 ft. x 18 ft./549 cm. x 549 cm.	Yellow	14 lbs./6.4 kg.
T8312	DripNEST™ Leak Diverter 24 ft. x 24 ft./732 cm. x 732 cm.	Yellow	15 lbs./6.8 kg.

Model T8301



FLEXIBLE CONTAINMENT



Model T8702B

Eagle StormNEST™ Storm Water Control Basin Inserts

The Eagle StormNEST™ Storm Water Control adjustable catch basin inserts to help with NPDES, 40 CFR 122.26 compliance of Stormwater Pollution Prevention Plans when used as Best Management Practices. Designed to protect storm drains and sewers from debris and sediments. Available with or without oil-absorbent bag. Made in the USA.

- Available in rectangular or round designs
- Rectangular models designed to fit catch basins from 16 in. x 20 in. to 42 in. x 42 in.
- Round model designs fit catch basins from 27 in. to 29 in. in diameter
- All models available with or without oil-absorbent feature
- Requires no special tools to install and remove
- Overflow rate of up to 500 gpm helps avoid ponding

Model No.	Description	Weight	Compliance
T8701	500 gpm Basin Insert-Sediment, Round Adjustable 24 in. - 26 in./61 cm. - 66 cm. - Black	2 lbs./,9 kg.	
T8701B	500 gpm Catch Basin Insert - Sediment-Oils, Round 24 in. - 26 in./61 cm. - 66 cm. - Black	2 lbs./,9 kg.	
T8702	500 gpm Catch Basin Insert - Rectangle Adjustable 16 in. x 20 in./41 cm. x 51 cm. to 28 in. x 38 in./71 cm. x 96 cm. - Black	2 lbs./,9 kg.	
T8702B	500 gpm Catch Basin Insert - Sediment-Oils, Rectangle Adjustable 16 in. x 20 in./41 cm. x 51 cm., 28 in. x 38 in./71 cm. x 96 cm. - Black	2 lbs./,9 kg.	
T8702XL	500 gpm Catch Basin Insert - Sediment, Rectangle XL Adjustable 25 in. - 42 in./63.5 cm. - 107 cm. - Black	3 lbs./1.4 kg.	
T8702XLB	500 gpm Catch Basin Insert - Sediment-Oils, Rectangle XL 25 in. - 42 in./63.5 cm. - 107 cm. - Black	3 lbs./1.4 kg.	
T8711	500 gpm Drain Dam (2/Pkg) - Black	6 lbs./2.7 kg.	
T8712	500 gpm Curb Inlet Insert - Sediment - Black	3 lbs./1.4 kg.	
T8713	500 gpm Inlet Insert - Sediment No Frame 36 in. x 48 in./91 cm. x 122 cm. - Black	2 lbs./,9 kg.	
T8713B	500 gpm Inlet Insert - Sediment-Oils No Frame 36 in. x 48 in./91 cm. x 122 cm. - Black	2 lbs./,9 kg.	
T8714	500 gpm Inlet Insert - Sediment No Frame 60 in. x 60 in./152 cm. x 152 cm. - Black	3 lbs./1.4 kg.	
T8714B	500 gpm Inlet Insert - Sediment-Oils No Frame 60 in. x 60 in./152 cm. x 152 cm. - Black	3 lbs./1.4 kg.	



Model T8701




Model T8702B

Eagle Drain Covers

Eagle Drain Covers are durable and chemically resistant. Drain Covers help create a barrier helping to prevent liquids from reaching the drain.

- Available in four sizes
- Easy to use
- Easy to clean
- Reusable
- 100 percent Polyurethane Elastomer

Model No.	Description	Color	Weight	Compliance
T8721	Drain Cover 18 in. x 18 in./46 cm. x 46 cm.	Red	7 lbs./3.2 kg.	
T8722	Drain Cover 24 in. x 24 in./61 cm. x 61 cm.	Red	10 lbs./4.5 kg.	
T8723	Drain Cover 36 in. x 36 in./91 cm. x 91 cm.	Red	15 lbs./6.8 kg.	
T8724	Drain Cover 48 in. x 48 in./122 cm. x 122 cm.	Red	19 lbs./8.6 kg.	



Model T8721



BERM ACCESSORIES



Berm Repair Kits

Fix or repair your damaged berm with a Berm Repair Kit. Standard option is available for a quick-fix or Deluxe for everything needed to get your job back up and running.

Hose Bridge

Connect containment sumps without damaging sidewalls with the convenient hose bridge.

BERM REPAIR KIT

Model	Description	Ship Weight
82BRK	Berm Repair Kit - Black	1 lb./,45 kg.
82BRKD12	Deluxe Berm Repair Kit -12 in./30 cm. - Black	15 lbs./6.8 kg.
82BRKD8	Deluxe Berm Repair Kit - 8 in./20 cm. - Black	15 lbs./6.8 kg.

HOSE BRIDGE

Model	Description	Ship Weight
82BRIDGE	Hose Bridge	38 lbs./17.2 kg.

TRACK MATS



Track Mats for the Eagle Talon™ Series Berms

When used inside the Eagle Talon™ Series Berms, this mat allows trucks to drive in and drive out while helping protect the berm from punctures and tears. Available in sizes to match 6 ft. x 6 ft. (1.82 m. x 1.82 m.) and larger Eagle Talon™ Berms.

Model	Description	Ship Weight	Compliance
T8427TM	Track Mat For 6 ft. x 6 ft./1.83 m. x 1.83 m. Berm - Black	24 lbs./10.9 kg.	
T8429TM	Track Mat For 10 ft. x 10 ft./3.05 m. x 3.05 m. Berm - Black	40 lbs./18.1 kg.	
T8430TM	Track Mat For 12 ft. x 12 ft./3.66 m. x 3.66 m. Berm - Black	48 lbs./21.8 kg.	
T8431TM	Track Mat For 16 ft. x 16 ft./4.88 m. x 4.88 m. Berm - Black	64 lbs./29.0 kg.	
T8432TM	Track Mat For 10 ft. x 26 ft./3.05 m. x 7.92 m. Berm - Black	84 lbs./38.1 kg.	
T8437TM	Track Mat For 12 ft. x 36 ft./3.66 m. x 10.97 m. Berm (2, 3 ft. x 36 ft.) - Black	144 lbs./65.3 kg.	
T8439TM	Track Mat For 15 ft. x 50 ft./4.57 m. x 15.24 m. Berm (2, 3 ft. x 50 ft.) - Black	200 lbs./90.7 kg.	
T8440TM	Track Mat For 14 ft. x 54 ft./4.27 m. x 16.46 m. Berm (2, 3 ft. x 54 ft.) - Black	216 lbs./98.0 kg.	
T8441TM	Track Mat For 12 ft. x 60 ft./3.66 m. x 18.29 m. Berm (2, 3 ft. x 60 ft.) - Black	223 lbs./101 kg.	
T8442TM	Track Mat For 14 ft. x 66 ft./4.27 m. x 20.17 m. Berm (2, 3 ft. x 66 ft.) - Black	263 lbs./119 kg.	
T8443TM	Track Mat For 14 ft. x 85 ft./4.27 m. x 25.91 m. Berm (2, 3 ft. x 85 ft.) - Black	340 lbs./154 kg.	




Storage and Transport Bag

Heavy duty, durable and chemical-resistant storage and transport bag for ease and storage of Eagle Talon™ Berms.

STORAGE AND TRANSPORT BAGS

Model	Description	Ship Weight	Compliance
T8429BAG	Storage & Transport Bag - Up To 10 ft. x 10 ft./3.05 m. x 3.05 m. - Black	15 lbs./6.8 kg.	
T8431BAG	Storage & Transport Bag - Up To 16 ft. x 16 ft./4.88 m. x 4.88 m. - Black	15 lbs./6.8 kg.	
T8432BAG	Storage & Transport Bag - Up To 10 ft. x 26 ft./3.05 m. x 7.92 m. - Black	17 lbs./7.7 kg.	
T8437BAG	Storage & Transport Bag - Up To 12 ft. x 36 ft./3.66 m. x 10.97 m. - Black	21 lbs./9.5 kg.	
T8440BAG	Storage & Transport Bag - Up To 14 ft. x 54 ft./4.27 m. x 16.46 m. - Black	27 lbs./12.2 kg.	



Ground Pad

When used under the Eagle Talon™ Series Berms, the ground pad helps protect berms from truck wheels and rough terrain. Place directly on the ground under the Eagle Talon™ Berm to guard against underside punctures.

GROUND PADS

Model	Description	Ship Weight
T8424GP	Ground Pad For 4 ft. x 6 ft./1.21 m. x 1.83 m. Berm - Black	5 lbs./2.3 kg.
T8427GP	Ground Pad For 6 ft. x 6 ft./1.82 m. x 1.83 m. Berm - Black	22 lbs./10 kg.
T8429GP	Ground Pad For 10 ft. x 10 ft./3.05 m. x 3.05 m. Berm - Black	38 lbs./17.2 kg.
T8430GP	Ground Pad For 12 ft. x 12 ft./3.66 m. x 3.66 m. Berm - Black	30 lbs./13.6 kg.
T8431GP	Ground Pad For 16 ft. x 16 ft./4.88 m. x 4.87 m. Berm - Black	55 lbs./24.9 kg.
T8432GP	Ground Pad For 10 ft. x 26 ft./3.05 m. x 7.92 m. Berm - Black	57 lbs./25.9 kg.
T8437GP	Ground Pad For 12 ft. x 36 ft./3.66 m. x 10.97 m. Berm - Black	92 lbs./41.7 kg.
T8439GP	Ground Pad For 15 ft. x 50 ft./4.57 m. x 15.24 m. Berm - Black	104 lbs./47.2 kg.
T8440GP	Ground Pad For 14 ft. x 54 ft./4.27 m. x 16.45 m. Berm - Black	124 lbs./56.2 kg.
T8441GP	Ground Pad For 12 ft. x 60 ft./3.66 m. x 18.29 m. Berm - Black	124 lbs./56.2 kg.
T8442GP	Ground Pad For 14 ft. x 66 ft./4.27 m. x 20.17 m. Berm - Black	140 lbs./63.5 kg.
T8443GP	Ground Pad For 14 ft. x 85 ft./4.27 m. x 25.91 m. Berm - Black	260 lbs./117.9 kg.