

**Honeywell** | First Responder



## **Firefighting Helmets**

2017 Brochure



# Ben 2 and Lite Force Helmets

## When Durability Meets Protection

### Strength

Proprietary shell material provides superior heat protection with 39% more resistance to impact penetration than conventional fiberglass material.

### Durability

Precision-engineered with rugged components that stand up to the test of time.

### Comfort

Easy-to-adjust padded headband and suspension components ensure a customized fit and low ride.

### Innovation

Unique design and materials provide superior protection and functionality.



DuPont™  
**Nomex®**

DuPont™ and Nomex® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

## BEN 2 HELMETS

### Ben 2 LR Low Rider Models

Deliver a lower center of gravity, and our 6-position suspension provides a full inch and a half of adjustment for a quick and easy custom fit.



- ① **Durable Eagle Front Holder**  
Moves forward and backward to fit any brand/style of front
- ② **High Heat Performance Shells**  
Proprietary technology – standard.
- ③ **FYR-Glass Shells**  
Strongest shell on the market – proprietary technology.
- ④ **Bulldog™ Edge Beading**  
Rugged and durable.
- ⑤ **Large Hang-up Loop**  
Large enough to easily fit over a peg.
- ⑥ **Securely Attached Ear Covers**  
Tough and durable Nomex® ear covers are easily removed for cleaning.
- ⑦ **Reversible 2-point Quick-attach Chinstraps**  
Tough and durable Nomex® chinstraps are quickly and easily changed or switched to right- or left-hand cinch.
- ⑧ **Comfortable and Easy to Replace Suspension**  
Cradles your head in comfort.
- ⑨ **Protected Suspension Straps**  
Internally located and not affected by external heat or flame.  
**Goggle Garage**  
Protects goggles from debris and radiant heat (optional).
- ⑩ **Built-in Easy Attach Goggle System**  
Offers easy attachment for full or 2-strap eyelet goggle).
- ⑪ **CertifiedEZ-Flips™**  
NFA 1971, 2013 Edition and ANSI Z87.1+ standards (optional)
- ⑫ **Anti-catch Safety Bracket for Leather Fronts**  
Exclusive on our traditional helmets



## EZ-FLIPS™

### Flip-down Face Protection

The 2013 edition of NFPA 1971 raised the requirements for helmet-mounted faceshields below the brim. Our team worked arduously to develop a new generation of EZ-Flips that would meet the rigorous new criteria. The new EZ-Flips were born...outperforming those tough requirements, making it the only helmet with flip-down face protection certified to NFPA 1971, current edition.



The only helmet with flip-down face protection Certified to NFPA 1971, 2013 Edition



### Low Riding, Great Fitting Superior Suspension System

Morning Pride provides a one-piece headband and ratchet assembly that can be adjusted without disassembly. It accommodates the widest range of hat sizes of any NFPA helmet on the market— from under size 6 to over size 9. Our new 6-position suspension provides a full inch and a half of adjustment for a quick and easy custom fit. Our unique padded suspension system and wider interior provide superior comfort and fit. The FYR-Glass shell is inherently stronger, eliminating the need for impact caps. The Low Rider models deliver an even lower center of gravity, resulting in significantly less neck strain.

## FYR-Glass

### Strongest Shell on the Market

Available in:

- Ben 2 LR – Structural and Proximity
- Lite Force LR – Structural and Proximity
- Heavy Duty Technical Rescue & Recovery

FYR-Glass is a proprietary custom-blended material found only in Morning Pride helmets. Our testing shows that FYR-Glass helmets are 39% more resistant to impact penetration than conventional fiberglass helmets with or without impact caps. FYR-Glass allows design options not available with other materials, resulting in a helmet that is lighter and better fitting. FYR-Glass also exhibits the best in heat performance. When exposed to radiant heat of two watts per square centimeter (2 W/cm<sup>2</sup> is the NFPA-mandated test exposure), FYR-Glass outperforms other materials. FYR-Glass shows no blistering or finish damage.



STRUCTURAL MODERN HELMET. NFPA 1971 CERTIFIED

## How to Build Your Helmet

### Step 1: Specify base model:

Base model includes FYR-Glass shell, 2-piece padded brow comfort cap and ratchet, 6-point suspension with 6 depth adjustments, aramid liner cap, postman slide chinstrap, 4" x .150" new generation faceshield, 8 lime Reflexite® trapezoids, golden-plated eagle front holder and hang-up loop.

### Step 2: Select required components:

- Choose one ear cover
- Choose one chinstraps
- Choose one eagle front holder
- Choose eye/face protection
- Choose one retroreflective trim pattern/package

### Step 3: Select options:

- Choose accessories
- Choose front
- Choose auxiliary helmet products
- Choose shell color: B – black, W – white, R – red, Y – yellow, O – orange, U – blue, G – green



- Standard Ben 2 LR HT-BFL-BPR with yellow Nomex® moisture barrier FR cotton ear cover
- Standard Ben 2 LR HT-BFL-HDO with yellow Nomex® FR cotton ear cover
- Models HT-BF2-BPR and HT-BF2-HDO also available

### EAR COVERS

(required component)  
Standard HDO yellow Nomex® FR cotton. Optional black Pbi® FR cotton (FDNY spec optional material choice) Other outer shell colors available



**Standard**  
BPR yellow Nomex® moisture barrier FR cotton ear cover



**Optional**  
Canadian-style ear cover

### CHINSTRAPS



**Standard**  
Nomex® postman slide and quick-release chinstrap



**Optional**  
Nomex® 4-point with quick-release chinstrap

### EAGLE FRONT HOLDERS



**Standard** Golden alloy plating traditional eagle front holder



**Optional** stamped brass traditional eagle front holder

### EYE/FACE PROTECTION



**Standard** 4" x .150" new generation faceshield



**Optional** Paulson or ESS NFPA 1971 goggles



**Optional**  
EZ-Flips™ Meets standards of NFPA 1971 and ANSI Z87.1+

### RETROREFLECTIVE TRIM



**Standard**  
8 – trapezoids Reflexite® lime



**Optional**  
8 – trapezoids 3M™ Scotchlite™ lime or orange



**Optional**  
8 – trapezoids 3M™ Scotchlite™ 2-tone lime or orange



**Optional**  
8 – trapezoids Foxfire™ illuminating trapezoids

**ACCESSORIES**



Goggle garage



One-piece brow comfort cap



One-piece leather brow comfort cap and ratchet cover



Low Rider leather headband and ratchet cover



Aluminized Pbi cover – recommended for live fire training – not for Proximity firefighting



Illuminating Foxfire™ Helmet Band

**FRONTS**



FDNY Assigned Officer



FDNY Firefighter



FDNY Covering Officer



FDNY Field Comm Unit



FDNY Heraldic Reflective Insignias



Houston



Memphis



Fort Worth



Sacramento



LA County Passport System



LA County

**CUSTOM FRONTS**

We can design a leather front to meet your specific needs.



Columbus or Chicago



Houston Passport System



Truck Lettered



Acting Batt Chief (recessed or raised)

**FRONT ACCESSORIES**



Metal circular rank insignias



Basic



Gold leaf



Multicolor Integral



Recognition Award



## LITE FORCE HELMET

### Lite Force LR Low Rider Models

Deliver a lower center of gravity, and our 6-position suspension provides a full inch and a half of adjustment for a quick and easy custom fit.



- 1 High Heat Performance Shells**  
Proprietary technology – standard
- 2 FYR-Glass Shells**  
Strongest shell on the market – proprietary technology
- 3 Reflective Trim 5-1~x4~ Reflexite® Lime Bars**
- 4 Bulldog™ Edge Beading**  
Rugged and durable
- 5 Large Hang-up Loop**  
Large enough to easily fit over a peg
- 6 Securely Attached Ear Covers**  
Tough and durable Nomex® ear covers are easily removed for cleaning, available in yellow Nomex® with moisture barrier FR cotton or yellow Nomex® 2-layer FR cotton
- 7 Reversible 2-point Quick-attach Postman Slide Chinstrap**  
*Tough and durable Nomex® chinstraps are quickly and easily changed or switched to right- or left-hand cinch*
- 8 Comfortable and Easy to Replace Suspension**  
Cradles your head in comfort
- 9 Protected Suspension Straps**  
*Internally located and not affected by external heat or flame*
- 10 Built-in Goggle Retention System**  
*Goggle-ready and equipped with our unique integrated goggle strap attachment system. No extra retaining parts are required.*
- 11 Standard 4~x 150~ New Generation Faceshield**  
*Available Shell Colors: Black, white, yellow, red, orange, blue, and green.*

# Strongest shell. Modern styling.

## **FYR-Glass: Strongest Shell on the Market**

The 2013 edition of NFPA 1971 raised the bar. FYR-Glass is a proprietary custom-blended material found only in Morning Pride helmets. Our testing shows that FYR-Glass helmets are 39% more resistant to impact penetration than conventional fiberglass helmets with or without impact caps. FYR-Glass allows design options not available with other materials, resulting in a helmet that is lighter and better fitting. FYR-Glass also exhibits the best in heat performance. When exposed to radiant heat of two watts per square centimeter (2 W/cm<sup>2</sup> is the NFPA-mandated test exposure), FYR-Glass outperforms other materials. FYR-Glass shows no blistering or finish damage.



## **Superior, Low-riding Suspension System**

The 2013 edition of NFPA 1971 raised the bar. Our unique padded suspension system and wider interior provide superior comfort and fit. The FYR-Glass shell is inherently stronger, eliminating the need for impact caps. Low Rider models deliver an even lower center of gravity, resulting in significantly less neck strain.

## **How to Build Your Helmet**

### **Step 1: Specify base model:**

Base model includes FYR-Glass shell, 2-piece padded brow comfort cap and ratchet, 6-point suspension with 6 depth adjustments, aramid liner cap, postman slide chinstrap, 4" x .150" new generation faceshield, 5 lime Reflexite® bars, and hang-up loop

### **Step 2: Select required components:**

- Choose one chinstrap
- Choose one ear cover
- Choose eye/face protection
- Choose one retroreflective trim pattern/package

### **Step 3: Select options:**

- Choose accessories
- Choose front
- Choose auxiliary helmet products
- Choose shell color: B – black, W – white, R – red, Y – yellow, O – orange, U – blue, G – green



- Standard Lite Force LR HT-LFL-BPR with yellow Nomex® moisture barrier FR cotton ear cover
- Standard Lite Force LR HT-LFL-HDO with yellow Nomex® FR cotton ear cover
- Models HT-LF2-BPR and HT-LF2 HDO also available

STRUCTURAL MODERN HELMET. NFPA 1971 CERTIFIED



## EAR COVERS

Standard HDO yellow Nomex® FR cotton.

Optional black Pbi® FR cotton (FDNY spec optional material choice).

Other outer shell colors available.



Standard BPR yellow Nomex® moisture barrier FR cotton ear cover



Optional Canadian-style ear cover

## CHINSTRAPS



Standard Nomex® postman slide and quick-release chinstrap



Optional Nomex® 4-point with quick-release chinstrap

## EYE/FACE PROTECTION



Standard 4" x .150" new generation faceshield



Optional EZ-Flips™ Meets standards of both NFPA 1971 and ANSI Z87.1



Optional Paulson or ESS NFPA 1971 goggles

## RETROREFLECTIVE TRIM



Standard 5 - 1" x 4" bars



Optional 10 - trapezoids Reflectix® lime or 3M™ Scotchlite™ solid lime or orange, 2-tone lime or orange



Optional 3 sets of parallelograms Reflectix® lime or 3M™ Scotchlite™ lime or orange, 2-tone lime or orange



Optional 10 - trapezoids Foxfire™ illuminating trapezoids

## Optional Accessories and Fronts



Goggle garage



One-piece brow comfort cap



One-piece leather brow comfort cap and ratchet cover



Low Rider leather headband and ratchet cover



Leather passport accountability individual fronts



Multi-color integral front



Reflectix® and 3M™ Scotchlite™ retroreflective fronts



Aluminized Pbi cover - recommended for live fire training - not for Proximity firefighting



Illuminating Foxfire™ Helmet Band



Standard Lite Force LR  
Low Rider HT-LFL-PROX



Standard Ben 2 LR Low  
Rider HT-BFL-PROX

## How to Build Your Helmet

### Step 1: Specify base model:

Base model includes FYR-Glass shell, 2-piece padded brow comfort cap and ratchet, 6-point suspension with 6 depth adjustments, postman slide chinstrap, 6" x .150" new generation gold-coat faceshield, hang-up loop, and aluminized helmet cover and shroud

### Step 2: Select required components:

- Choose one chinstrap
- Choose one shroud
- Choose one headband ratchet cover

### REQUIRED COMPONENTS



Standard Nomex®  
postman slide and  
quick-release chinstrap



Standard shroud



Optional J-Fire  
shroud

Models **HT-BF2-PROX** and **HT-LF2 PROX** also available. Both models have Crosstech® moisture barrier.

### OPTIONAL ACCESSORIES



Optional faceshield  
cover



Optional one-piece  
brow comfort cap



Optional one-piece  
leather brow comfort  
cap and ratchet cover



Low Rider optional  
leather headband  
and ratchet cover





## EV1 Helmets

### The Revolution

**Yet another milestone in our history of championing innovation and bringing you revolutionary products, developed with you in mind!**

The progressive interface and cutting-edge features of EV1 helmets offer unmatched performance with a sturdy, sleek, lightweight design that customizes fit for unparalleled comfort and superior functionality. All EV1 helmets feature a low-profile design with patented internal springloaded EZ Touch face and eye protection. Standard features include leather headband and ratchet assembly with hook and loop – so that adjusting can be done on the go.

DuPont™  
**Nomex®**

DuPont™ and Nomex® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.



## EV1 HELMET



- ① **Golden Alloy-plated Traditional Eagle Front Holder**  
Standard
- ② **UV-resistant Shell**  
Available in black, white, blue, yellow, red, orange, green
- ③ **Reflective Trim – 8 Trapezoids Reflexite® Lime**  
Standard
- ④ **Polyurethane Impact Liner**
- ⑤ **Large Hang-up Loop**  
Large enough to easily fit over a peg
- ⑥ **Securely Attached Ear Covers**  
Easily removed for cleaning
- ⑦ **Leather Headband and Ratchet Cover with Mesh Crown**  
Standard on all models
- ⑧ **Anti-catch Safety Bracket for Leather Fronts**  
Exclusive on our traditional helmets
- ⑨ **Lightweight, Low Profile Design**  
Weighs in under 50 oz. Provides superior comfort and optimal balance.
- ⑩ **6-point Suspension with Easy-to-adjust Hook and Loop Headband System**
- ⑪ **Bulldog Edge Beading**  
Rugged and durable.
- ⑫ **Adjustable Integrated EZ Touch Face and Eye Protection with Safety Lock**  
Proprietary EZ touch feature allows for one-touch deployment of your face protection.
- ⑬ **EZ Clip, Reversible Chinstrap with Quick-release Buckle and Postman Slide**  
For easy adjustment and proper fit.

Lightweight,  
Low Profile,  
Unprecedented  
Comfort.

#### **Adjustable, Integrated EZ Touch Lens**

Proprietary EZ Touch feature allows for one-touch deployment of your face and eye protection. No fuss. No hassle. The EZ Touch lens stows internally and is released at the touch of a finger. It truly is the only solution for quick one-handed deployment.

Featuring a safety lock and a nose guard, the EZ Touch lens is easily adjusted to fit your face perfectly, thanks to its spring-loaded innovative design. In the event of impact, the face shield will move freely, avoiding potential nose fractures caused by non-spring loaded face shields available on the market.

Low-profile design combined with lighter-weight materials provides superior comfort and optimal fit. You will be amazed by how comfortable and well-balanced the EV1 feels once customized for perfect fit.

STRUCTURAL TRADITIONAL HELMET. NFPA 1971 CERTIFIED



#### **EV1 Traditional Model**

##### **HT-TRA-EV1**

- Leather headband and ratchet covers
- EZ Touch internal face and eye protection with safety lock
- Black Nomex® FR cotton ear covers
- EZ Clip replaceable and reversible chinstrap with quick-release and postman slide
- Composite fiberglass shell
- Golden alloy-plated eagle front holder
- Anti-catch safety bracket for leather fronts
- 8 Reflexite® lime trapezoids
- Large hang-up loop
- Bulldog edge beading

Available shell colors black, white, yellow, and red.  
Special order: orange, blue, and green.

**EYE/FACE PROTECTION**



4" x .150" new generation faceshield



Paulson or ESS NFPA 1971 goggles



EZ-Flips (Meets standards of NFPA 1971 and ANSI Z87.1+)

**TRAINING COVER**



Aluminized Pbi cover – recommended for live fire training – not for proximity firefighting

**RETROREFLECTIVE TRIM**



8 trapezoids 3M™ Scotchlite™ lime or orange



8 trapezoids 3M™ Scotchlite™ 2-tone lime or orange



**Optional**  
8 – trapezoids  
Foxfire™ illuminating trapezoids

**Optional Accessories**



Illuminating Foxfire™  
Helmet Band



Eagle Front Holder – Stamped brass traditional eagle front holder

**FRONTS**



Fort Worth



Columbus or Chicago



LA County



FDNY Assigned Officer



FDNY Covering Officer



Houston



Sacramento



Truck Lettered



Basic



Memphis



Houston Passport System



Gold Leaf



Acting Batt Chief (recessed or raised)



Recognition Award



Multicolor Integral



LA County Passport System



FDNY Firefighter



FDNY heraldic reflective insignias

**Custom Fronts**

We can design a leather front to meet your specific needs. All inserts sold separately.





**EV1 Modern Model**

**HT-MOD-EV1**

- Leather headband and ratchet covers
- EZ Touch internal face and eye protection with safety lock
- Black Nomex® FR cotton ear covers
- EZ Clip replaceable and reversible chinstrap with quick-release and postman slide
- Composite fiberglass shell
- 5 – 1" x 4" Reflexite® lime bars
- Large hang-up loop
- Bulldog edge beading
- Available shell colors: black, white, yellow, blue, and red. Special order: orange and green.

**EYE/FACE PROTECTION**



4" x 150" or 6" x 130" new generation faceshields



Paulson or ESS NFPA 1971 goggles




EZ-Flips (NFPA 1971 and ANSI Z87.1+)

**TRAINING COVER**



Aluminized Pbi cover – recommended only for live fire training, not for proximity firefighting

**Optional Accessory**



Illuminating Foxfire™ Helmet Band

**RETROREFLECTIVE TRIM**



10 trapezoids Reflexite® lime or 3M™ Scotchlite™ solid lime or orange, 2-tone lime or orange



6 parallelograms Reflexite® lime or 3M™ Scotchlite™ lime or orange, 2-tone lime or orange



**Optional**

10 – trapezoids Foxfire™ illuminating trapezoids

**FRONTS**



Leather passport fronts



Multi-color integral front



Reflexite® and 3M™ Scotchlite™ retroreflective fronts

# Technical Rescue & Recovery/Utility

## How to Build Your Helmet

### Step 1: Specify base model:

- Standard Heavy Duty Modern HT-UHD
- Standard Lightweight HT-ES  
ANSI Z89.1-2003 Type 1, Class E  
certified

### Step 2: Select required components:

- Choose accessories
- Choose front
- Choose auxiliary helmet products
- Choose shell color: B – black, W – white,  
R – red, Y – yellow, O – orange, U – blue,  
G – green

## Standard Heavy Duty Modern HT-UHD



DuPont™  
**Nomex®**

DuPont™ and Nomex® are trademarks or registered trademarks  
of E.I. du Pont de Nemours and Company.

**OPTIONAL ACCESSORIES**



polypropylene 4-point with quick-release chinstrap



Nylon/Crosstech® EMS



Face/neck shroud yellow Nomex® FR cotton



ESS 2-strap quick-attach goggles w/padding



7" mesh screen visor for front- and full-brim helmets



6" x .060" poly /carb visor for front and full-brim helmets

**OPTIONAL FRONTS**



visor bracket required

Optional visor bracket for front brim



Optional visor bracket for full brim



Optional winter liner insert



Leather passport fronts




Multi-color integral front



Reflexite® and 3M™ Scotchlite™ retroreflective fronts

**AUXILIARY HELMET PRODUCTS**



Metal circular rank insignias



Retroreflective circular rank insignias



3M™ Scotchlite™ garment-style arched title tapes



3M™ Scotchlite™ truck-style flag



3M™ Scotchlite™ truck-style arched and straight title tapes



3M™ Scotchlite™ truck-style retroreflective flags



3M™ Scotchlite™ truck-style letters and numbers



## STANDARD CONFIGURATIONS QUICK COMPARISON CHART

HELMET DESCRIPTION	BEN 2 LOW RIDER TRADITIONAL	BEN 2 PLUS TRADITIONAL	LITE FORCE LOW RIDER MODERN	LITE FORCE PLUS MODERN	EV1 TRADITIONAL
MODEL NUMBER	HT-BFL-BPR, HT-BFL-HDO	HT-BF2-BPR, HT-BF2-HDO	HT-LFL-BPR, HT-LFL-HDO	HT-LF2-BPR, HT-LF2-HDO	HT-TRA-EV1
SHELL MATERIAL	FYR-Glass	FYR-Glass	FYR-Glass	FYR-Glass	CompositeFiberglass
SHELL COLORS	B, W, R, Y, U, O, G	B, W, R, Y, U, O, G	B, W, R, Y, U, O, G	B, W, R, Y, U, O, G	B, W, Y, and R. Special order: O, U, and G.
HEAD SIZE RANGE	6 - 9½	6 - 9½	6 - 9½	6 - 9½	6 - 9½
EAR COVERS	BPR = yellow Nomex® Moisture Barrier FR Cotton HDO = yellow Nomex® FR Cotton	BPR = yellow Nomex® Moisture Barrier FR Cotton HDO = yellow Nomex® FR Cotton	BPR = yellow Nomex® Moisture Barrier FR Cotton HDO = yellow Nomex® FR Cotton	BPR = yellow Nomex® Moisture Barrier FR Cotton HDO = yellow Nomex® FR Cotton	Black Nomex® FR cotton
CHINSTRAPS	Nomex® Quick-release Postman Slide	Nomex® Quick-release Postman Slide	Nomex® Quick-release Postman Slide	Nomex® Quick-release Postman Slide	EZ Clip replaceable and reversible chinstrap
EYE/FACE PROTECTION	4" x .150" New Generation Faceshield	4" x .150" New Generation Faceshield	4" x .150" New Generation Faceshield	4" x .150" New Generation Faceshield	EZ Touch internal face and eye protection
TRIM	Reflexite® 8-Trapezoids Lime	Reflexite® 8-Trapezoids Lime	Reflexite® 5 - 1" x 4" Lime	Reflexite® 5 - 1" x 4" Lime	Reflexite® 8-Trapezoids Lime
LOW RIDER	Yes	No	Yes	No	No



EV1 MODERN	PROXIMITY TRADITIONAL LOW RIDER	PROXIMITY MODERN LOW RIDER	TECHNICAL RESCUE & RECOVERY/ UTILITY HEAVY DUTY
<b>HT-MOD-EV1</b>	<b>HT-BFL-PROX Plus HT-BF2-PROX</b>	<b>HT-LFL-PROX Plus HT-LF2-PROX</b>	<b>Full Brim HT-UHD</b>
Composite Fiberglass	FYR-Glass	FYR-Glass	FYR-Glass
B, W, Y, U, and R. Special order: O and G.	*B, W, R, Y, U, O, G	*B, W, R, Y, U, O, G	B, W, R, Y, O, U, G
6 - 9½	6 - 9½	6 - 9½	6 - 9½
Black Nomex® FR cotton	Aluminized Pbi® W.L. Gore Moisture Barrier, Thermal Liner	Aluminized Pbi® W.L. Gore Moisture Barrier, Thermal Liner	Optional
EZ Clip replaceable and reversible chinstrap	Nomex® Quick-release Postman Slide	Nomex® Quick-release Postman Slide	Nomex® Quick-release
EZ Touch internal face and eye protection	New Generation Faceshield Gold Coat 6" x .150"	New Generation Faceshield Gold Coat 6" x .150"	Optional
Reflexite® 5 - 1" x 4" Lime	N/A	N/A	Reflexite® 4 - 1" x 4" Lime
No	Yes	Yes	No



\* When no shell color is specified, we assume color matching is not an issue and will ship the shell color(s) of our choice.  
Available shell colors: B/black, W/white, R/red, Y/yellow, U/blue, O/orange, G/green.

\*\* Standard range of North hardhats

Exclusive Corporate Sponsor



Honeywell is proud to be the exclusive corporate sponsor of the United States Fire Administration/ National Fallen Firefighter Foundation's National Fire Service Vulnerability Assessment Project.

Proudly Supporting



**IAFC**  
International Association of Fire Chiefs



**The IAFF**  
Fire Fighters Burn Foundation



Firefighter Cancer Support Network



International Association of Black Professional Fire Fighters



International Association of Women in Fire & Emergency Services



**NFFF**  
National Fallen Firefighters Foundation



**NVFC**  
National Volunteer Fire Council



**FDSOA**  
Fire Department Safety Officers Association



Congressional Fire Services Institute



**ISFSI**  
International Society of Fire Service Instructors



**NFPA**  
National Fire Protection Association



**FEMSA**  
Fire Equipment Manufacturers & Suppliers Association

**For more information**

www.honeywellsafety.com  
Technical Service: 800.873.5242

**Honeywell First Responder**

#1 Innovation Court  
Dayton, Ohio 45414  
Tel: 800-688-6148  
www.honeywell.com