



Touchless deck-mount faucet with gooseneck spout and Insight™ technology K-13473-CP

FAUCETS

We understand that every commercial project is different in scale, user needs, traffic patterns, code compliance and surrounding materials. That's why we provide a range of faucets that go through a thoughtful design process and incorporate innovations that improve the overall experience. Whether you are a designer, developer, installer, maintenance staff or end user, you can be assured our products will meet your needs. To help you find the right solution, we offer manual and touchless faucets, various power options, vandal-resistant aerators and a variety of flow rates.

TOUCHLESS FAUCETS WITH INSIGHT™ TECHNOLOGY

KOHLER® touchless faucets feature Insight technology, an adaptive infrared sensor that can analyze the surrounding area and calibrate the sensor to filter false triggers, thereby saving water. The faucets are powered by the KOHLER Hybrid energy system, featuring an energy cell that can provide maintenance-free power to the faucet for up to 30 years. And like all KOHLER commercial faucets, touchless faucets feature vandal-resistant aerators.



Sculpted		Geometric		Gooseneck		Streamline	
Hybrid energy-powered	K-7514	Hybrid energy-powered	K-7516	Hybrid energy-powered	K-7518	Hybrid energy-powered	K-45344-BA
Hybrid energy-powered with mixer	K-7515	Hybrid energy-powered with mixer	K-7517	Hybrid energy-powered with mixer (0.5 gpm)	K-7519	Hybrid energy-powered with mixer	
DC-powered	K-13461	DC-powered	K-13467	Hybrid energy-powered with mixer (0.35 gpm)	K-45345-BA		
DC-powered with mixer	K-13460	DC-powered with mixer	K-13466	DC-powered	K-13473		
AC-powered	K-13463	AC-powered	K-13469	DC-powered with mixer	K-13472		
AC-powered with mixer	K-13462	AC-powered with mixer	K-13468	AC-powered	K-13475		
				AC-powered with mixer	K-13474		



Memoirs®		Purist®		Purist		Wall-mount valve and sensor kit	
Wall-mount faucet trim	K-T11838	Wall-mount faucet trim	K-T11839 K-T11841	Wall-mount faucet trim	K-T11837 K-T11840	Hybrid energy-powered round	K-11830
		9½" 90° spout (shown)		8¼" 35° spout (shown)		AC-powered round	K-11843
		6½" 90° spout		6¼" 35° spout		Hybrid energy-powered square	K-11831
						AC-powered square	K-11842

Name/Design	Model Number	Power			Spout Reach/Design	Flow Rate	With Temperature Mixer	Vandal-Resistant Aerator	Flexible Supplies	Required Valve/Sensor Kit	ADA	Buy American Act (BAA)	Polished Chrome CP	Vibrant Stainless VS
		AC	DC	Hybrid										
Deck-Mount														
Geometric	K-7516			•	5½"ⁱ	0.5 gpm		•	•		•		•	•
	K-7517			•	5½"ⁱ		•	•	•		•		•	•
	K-13466		•		5½"ⁱ		•	•	•		•		•	•
	K-13467		•		5½"ⁱ			•	•		•		•	•
	K-13468	•			5½"ⁱ		•	•	•		•		•	•
	K-13469	•			5½"ⁱ			•	•		•		•	•
Gooseneck	K-7518			•	6¾"ⁱ	0.35 gpm		•	•		•		•	•
	K-7519			•	6¾"ⁱ		•	•	•		•		•	•
	K-13472		•		6¾"ⁱ		•	•	•		•		•	•
	K-13473		•		6¾"ⁱ			•	•		•		•	•
	K-13474	•			6¾"ⁱ		•	•	•		•		•	•
	K-13475	•			6¾"ⁱ			•	•		•		•	•
	K-45345-BA			•	6¾"ⁱ		•	•	•		•	•	•	•
Sculpted	K-7514			•	5"ⁱ	0.5 gpm		•	•		•		•	•
	K-7515			•	5"ⁱ		•	•	•		•		•	•
	K-13460		•		5"ⁱ		•	•	•		•		•	•
	K-13461		•		5"ⁱ			•	•		•		•	•
	K-13462	•			5"ⁱ		•	•	•		•		•	•
	K-13463	•			5"ⁱ			•	•		•		•	•
Streamline	K-45344-BA			•	5¾"ⁱ	0.35 gpm	•	•	•		•	•	•	
Wall-Mount														
Memoirs	K-T11838			•	8¾"ⁱ	0.5 gpm			•	K-11831	•		•	•
	K-T11838	•			8¾"ⁱ				•	K-11842	•		•	•
Purist	K-T11837			•	8¼"/35°-angle	0.5 gpm			•	K-11830	•		•	•
	K-T11837	•			8¼"/35°-angle				•	K-11843	•		•	•
	K-T11839			•	9"/90°-angle				•	K-11830	•		•	•
	K-T11839	•			9"/90°-angle				•	K-11843	•		•	•
	K-T11840			•	6¼"/35°-angle				•	K-11830	•		•	•
	K-T11840	•			6¼"/35°-angle				•	K-11843	•		•	•
	K-T11841			•	6"/90°-angle				•	K-11830	•		•	•
	K-T11841	•			6"/90°-angle				•	K-11843	•		•	•

If tempered or premixed water is desired, order thermostatic mixing valve K-99799-NA. Up to 4 faucets can be installed per valve at 0.5 gpm.
 See Price Book for optional aerators available for faucets.
 All faucets meet CEC standards.

TRITON® BOWE LAVATORY FAUCETS



Centerset lavatory faucet with low spout and lever handles

0.5 gpm aerated	K-400T20-4ANA
0.5 gpm laminar	K-400T20-4ANL
1.0 gpm aerated	K-400T20-4AKA
1.0 gpm laminar	K-400T20-4AKL



Centerset lavatory faucet with low spout and wristblade handles

0.5 gpm aerated	K-400T20-5ANA
0.5 gpm laminar	K-400T20-5ANL
1.0 gpm aerated	K-400T20-5AKA
1.0 gpm laminar	K-400T20-5AKL



Centerset lavatory faucet with gooseneck spout and lever handles

0.5 gpm aerated	K-400T70-4ANA
0.5 gpm laminar	K-400T70-4ANL
1.0 gpm aerated	K-400T70-4AKA
1.0 gpm laminar	K-400T70-4AKL



Centerset lavatory faucet with gooseneck spout and wristblade handles

0.5 gpm aerated	K-400T70-5ANA
0.5 gpm laminar	K-400T70-5ANL
1.0 gpm aerated	K-400T70-5AKA
1.0 gpm laminar	K-400T70-5AKL



Widespread lavatory faucet with low spout and lever handles

0.5 gpm aerated	K-800T20-4ANA
0.5 gpm laminar	K-800T20-4ANL
1.0 gpm aerated	K-800T20-4AKA
1.0 gpm laminar	K-800T20-4AKL



Widespread lavatory faucet with low spout and wristblade handles

0.5 gpm aerated	K-800T20-5ANA
0.5 gpm laminar	K-800T20-5ANL
1.0 gpm aerated	K-800T20-5AKA
1.0 gpm laminar	K-800T20-5AKL



Widespread lavatory faucet with gooseneck spout and lever handles

0.5 gpm aerated	K-800T70-4ANA
0.5 gpm laminar	K-800T70-4ANL
1.0 gpm aerated	K-800T70-4AKA
1.0 gpm laminar	K-800T70-4AKL



Widespread lavatory faucet with gooseneck spout and wristblade handles

0.5 gpm aerated	K-800T70-5ANA
0.5 gpm laminar	K-800T70-5ANL
1.0 gpm aerated	K-800T70-5AKA
1.0 gpm laminar	K-800T70-5AKL



Wall-mount faucet with gooseneck spout, lever handles and rose spray

1.2 gpm	K-730T70-4AJR
12.0 gpm (unrestricted flow)	K-730T70-4AR



Monoblock lavatory faucet with gooseneck spout and lever handles

0.5 gpm aerated	K-100T70-4ANA
0.5 gpm laminar	K-100T70-4ANL
1.0 gpm aerated	K-100T70-4AKA
1.0 gpm laminar	K-100T70-4AKL



Monoblock lavatory faucet with gooseneck spout and wristblade handles

0.5 gpm aerated	K-100T70-5ANA
0.5 gpm laminar	K-100T70-5ANL
1.0 gpm aerated	K-100T70-5AKA
1.0 gpm laminar	K-100T70-5AKL

Model Number	Spout		Flow			Flow Rate (GPM)	Drilling	Handles	WaterSense	ADA	Polished Chrome CP	Vibrant Bright Nickel SR	
	Reach	Height (Base to Outlet)	Aerated	Laminar	Rose Spray								
Centerset													
K-400T20-4AKA	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "	•			1.0	4"	Lever	•	•	•		
K-400T20-4AKL	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "		•		1.0		Lever	•	•	•		
K-400T20-4ANA■	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "	•			0.5		Lever		•	•		
K-400T20-4ANL■	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "		•		0.5		Lever		•	•		
K-400T20-5AKA	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "	•			1.0		Wristblade	•	•	•		
K-400T20-5AKL	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "		•		1.0		Wristblade	•	•	•		
K-400T20-5ANA■	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "	•			0.5		Wristblade		•	•		
K-400T20-5ANL■	3 ¹⁵ / ₁₆ "	1 ¹ / ₂ "		•		0.5		Wristblade		•	•		
K-400T70-4AKA	5 ³ / ₁₆ "	7 ³ / ₄ "	•			1.0		Lever	•	•	•		
K-400T70-4AKL	5 ³ / ₁₆ "	7 ³ / ₄ "		•		1.0		Lever	•	•	•		
K-400T70-4ANA■	5 ³ / ₁₆ "	7 ³ / ₄ "	•			0.5		Lever		•	•		
K-400T70-4ANL■	5 ³ / ₁₆ "	7 ³ / ₄ "		•		0.5		Lever		•	•		
K-400T70-5AKA	5 ³ / ₁₆ "	7 ³ / ₄ "	•			1.0		Wristblade	•	•	•		
K-400T70-5AKL	5 ³ / ₁₆ "	7 ³ / ₄ "		•		1.0		Wristblade	•	•	•		
K-400T70-5ANA■	5 ³ / ₁₆ "	7 ³ / ₄ "	•			0.5		Wristblade		•	•		
K-400T70-5ANL■	5 ³ / ₁₆ "	7 ³ / ₄ "		•		0.5		Wristblade		•	•		
Monoblock													
K-100T70-4AKA	5 ¹ / ₄ "	11 ¹ / ₂ "	•			1.0	N/A	Lever	•	•	•		
K-100T70-4AKL				•		1.0		Lever	•	•	•		
K-100T70-4ANA■			•			0.5		Lever		•	•		
K-100T70-4ANL■				•		0.5		Lever		•	•		
K-100T70-5AKA			•			1.0		Wristblade	•	•	•		
K-100T70-5AKL				•		1.0		Wristblade	•	•	•		
K-100T70-5ANA■			•			0.5		Wristblade		•	•		
K-100T70-5ANL■				•		0.5		Wristblade		•	•		
Wall-Mount													
K-730T70-4AJR■	7 ⁵ / ₁₆ "	4 ¹ / ₈ "				1.2		Lever	•	•	•	•	
K-730T70-4AR						12.0	Lever		•	•	•	•	
Widespread													
K-800T20-4AKA	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	•			1.0	8"-16"	Lever	•	•	•		
K-800T20-4AKL	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "		•		1.0	Lever	•	•	•			
K-800T20-4ANA■	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	•			0.5	Lever		•	•			
K-800T20-4ANL■	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "		•		0.5	Lever		•	•			
K-800T20-5AKA	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	•			1.0	Wristblade	•	•	•			
K-800T20-5AKL	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "		•		1.0	Wristblade	•	•	•			
K-800T20-5ANA■	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "	•			0.5	Wristblade		•	•			
K-800T20-5ANL■	5 ¹ / ₂ "	1 ¹⁵ / ₁₆ "		•		0.5	Wristblade		•	•			
K-800T70-4AKA	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "	•			1.0	Lever	•	•	•			
K-800T70-4AKL	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "		•		1.0	Lever	•	•	•			
K-800T70-4ANA■	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "	•			0.5	Lever		•	•			
K-800T70-4ANL■	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "		•		0.5	Lever		•	•			
K-800T70-5AKA	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "	•			1.0	Wristblade	•	•	•			
K-800T70-5AKL	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "		•		1.0	Wristblade	•	•	•			
K-800T70-5ANA■	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "	•			0.5	Wristblade		•	•			
K-800T70-5ANL■	5 ³ / ₁₆ "	7 ⁹ / ₁₆ "		•		0.5	Wristblade		•	•			

■ Meets CEC standards.

TRITON® BOWE

KITCHEN SINK FAUCETS



Kitchen sink faucet with swing spout and lever handles

1.5 gpm aerated K-810T20-4AHA
1.8 gpm aerated K-810T20-4AFA



Kitchen sink faucet with swing spout and wristblade handles

1.5 gpm aerated K-810T20-5AHA
1.8 gpm aerated K-810T20-5AFA



Kitchen sink faucet with swing spout, lever handles and sidespray

1.5 gpm aerated K-810T21-4AHA
1.8 gpm aerated K-810T21-4AFA



Kitchen sink faucet with swing spout, wristblade handles and sidespray

1.5 gpm aerated K-810T21-5AHA
1.8 gpm aerated K-810T21-5AFA



Kitchen sink faucet with gooseneck spout and lever handles

1.5 gpm aerated K-810T70-4AHA
1.8 gpm aerated K-810T70-4AFA



Kitchen sink faucet with gooseneck spout and wristblade handles

1.5 gpm aerated K-810T70-5AHA
1.8 gpm aerated K-810T70-5AFA



Kitchen sink faucet with gooseneck spout, lever handles and sidespray

1.5 gpm aerated K-810T71-4AHA
1.8 gpm aerated K-810T71-4AFA



Kitchen sink faucet with gooseneck spout, wristblade handles and sidespray

1.5 gpm aerated K-810T71-5AHA
1.8 gpm aerated K-810T71-5AFA



Kitchen sink faucet with gooseneck spout and lever handles

1.5 gpm aerated K-815T70-4AHA



Kitchen sink faucet with swing spout and lever handles

1.5 gpm aerated K-815T20-4AHA

Model Number	Spout		Flow			Flow Rate (GPM)	Drilling	Handles	WaterSense	ADA	Polished Chrome CP
	Reach	Height (Base to Outlet)	Aerated	Laminar	Rose Spray						
Kitchen Sink											
K-810T20-4AFA	8 ³ / ₁₆ "	5 ¹ / ₁₆ "	•			1.8	8"	Lever		•	•
K-810T20-4AHA			•			1.5		Lever		•	•
K-810T20-5AFA			•			1.8		Wristblade		•	•
K-810T20-5AHA			•			1.5		Wristblade		•	•
K-810T21-4AFA			•			1.8		Lever		•	•
K-810T21-4AHA			•			1.5		Lever		•	•
K-810T21-5AFA			•			1.8		Wristblade		•	•
K-810T21-5AHA			•			1.5		Wristblade		•	•
K-810T70-4AFA	9 ⁵ / ₁₆ "		•			1.8	8"-16"	Lever		•	•
K-810T70-4AHA			•			1.5		Lever		•	•
K-810T70-5AFA			•			1.8		Wristblade		•	•
K-810T70-5AHA			•			1.5		Wristblade		•	•
K-810T71-4AFA			•			1.8		Lever		•	•
K-810T71-4AHA			•			1.5		Lever		•	•
K-810T71-5AFA			•			1.8		Wristblade		•	•
K-810T71-5AHA			•			1.5		Wristblade		•	•
K-815T20-4AHA	8 ³ / ₁₆ "	4 ⁵ / ₈ "	•			1.5	8"-16"	Lever		•	•
K-815T70-4AHA	9 ⁵ / ₁₆ "	4 ¹³ / ₁₆ "	•			1.5		Lever		•	•

All faucets meet CEC standards.

TRITON® LAVATORY FAUCETS



Centerset lavatory faucet base with low spout

K-7401 / K-7404



Centerset lavatory faucet base with gooseneck spout

K-7305 / K-7422



Widespread lavatory faucet base with low spout

K-7307 / K-7437 / K-7443



Widespread lavatory faucet base with gooseneck spout

K-7303 / K-7304 / K-7435



Widespread lavatory faucet base with gooseneck spout

K-7313

Handle Styles



Standard



K-16010-2



Cross



K-16010-3



Lever



K-16010-4



Wristblade



K-16010-5

Model Number	Spout		Aerated Flow	Vandal-Resistant Aerator	Flow Rate (GPM)	Drilling	Pop-Up Drain	Handles	WaterSense	ADA	Polished Chrome CP
	Reach	Height (Base to Outlet)									
Centerset											
K-7305-5A	5¼"	7⅞"	•		1.5	4"		Wristblade	•	•	•
K-7305-5N■	5¼"	7⅞"	•		0.5			Wristblade		•	•
K-7305-K/-KE	5¼"	7⅞"	•	-KE	1.5			Order separately	•		•
K-7305-KN/-KNE■	5¼"	7⅞"	•	-KNE	0.5			Order separately			•
K-7401-2A	4"	1½"	•		1.5		•	Standard	•		•
K-7401-2N■	4"	1½"	•		0.5		•	Standard			•
K-7401-5A	4"	1½"	•		1.5		•	Wristblade	•	•	•
K-7401-5N■	4"	1½"	•		0.5		•	Wristblade		•	•
K-7401-K	4"	1½"	•		1.5		•	Order separately	•		•
K-7401-KN■	4"	1½"	•		0.5		•	Order separately			•
K-7404-2A	4"	1½"	•		1.5			Standard	•		•
K-7404-2N■	4"	1½"	•		0.5			Standard			•
K-7404-5A	4"	1½"	•		1.5			Wristblade	•	•	•
K-7404-5N■	4"	1½"	•		0.5			Wristblade		•	•
K-7404-K/-KE	4"	1½"	•	-KE	1.5			Order separately	•		•
K-7404-KN/-KNE■	4"	1½"	•	-KNE	0.5			Order separately			•
K-7422-K	5¼"	7⅞"	•		1.5		•	Order separately	•		•
K-7422-KN■	5¼"	7⅞"	•		0.5		•	Order separately			•
Widespread											
K-7303-K/-KE	5¼"	5¼"	•	-KE	2.0	8"-16"		Order separately			•
K-7303-KN/-KNE■	5¼"	5¼"	•	-KNE	0.5			Order separately			•
K-7304-5A	5¼"	7⅞"	•		2.20			Wristblade		•	•
K-7304-5N■	5¼"	7⅞"	•		0.5			Wristblade		•	•
K-7304-K/-KE	5¼"	7⅞"	•	-KE	2.0			Order separately			•
K-7304-KN/-KNE■	5¼"	7⅞"	•	-KNE	0.5			Order separately			•
K-7307-K/-KE	5"	1¾"	•	-KE	2.0			Order separately			•
K-7307-KN/-KNE■	5"	1¾"	•	-KNE	0.5			Order separately			•
K-7313-K/-KE	5¼"	5¼"	•	-KE	2.2			Order separately			•
K-7313-KN/-KNE■	5¼"	5¼"	•	-KNE	0.5			Order separately			•
K-7435-K	5¼"	7⅞"	•		2.20		•	Order separately			•
K-7435-KN■	5¼"	7⅞"	•		0.5		•	Order separately			•
K-7437-2A	5"	1¾"	•		2.0		•	Standard			•
K-7437-2N■	5"	1¾"	•		0.5		•	Standard			•
K-7437-K	5"	1¾"	•		2.0		•	Order separately			•
K-7437-KN■	5"	1¾"	•		0.5		•	Order separately			•
K-7443-2A	5"	1¾"	•		2.0			Standard			•
K-7443-2N■	5"	1¾"	•		0.5			Standard			•
K-7443-5A	5"	1¾"	•		2.0			Wristblade		•	•
K-7443-5N■	5"	1¾"	•		0.5			Wristblade		•	•
K-7443-K/-KE	5"	1¾"	•	-KE	2.0			Order separately			•
K-7443-KN/-KNE■	5"	1¾"	•	-KNE	0.5			Order separately			•
K-7465-K♦	3¾"	6"	•		2.0		•	Order separately			•
K-7465-KN♦■	3¾"	6"	•		0.5		•	Order separately			•
K-7471-K♦	5"	1¾"	•		2.0		•	Order separately			•
K-7471-KN♦■	5"	1¾"	•		0.5		•	Order separately			•

♦ All product displaying this symbol may be available until 6-1-18. After this date, please inquire with your KOHLER distributor before placing an order.

■ Meets CEC standards.

JULY™ & CORALAIS® COMMERCIAL FAUCETS



July single-handle commercial faucet

Without drain
With grid drain

K-97282-4
K-97283-4



Coralais single-handle centerset commercial faucet

Without drain
With grid drain
With pop-up drain

K-15199-4NDRA
K-15198-4RA
K-15583-4RA



Coralais two-handle centerset commercial faucet

Without drain
With grid drain

K-15240-4NDRA
K-15243-4RA

Model Number	Spout		Aerated Flow	Vandal-Resistant Aerator	Flow Rate (GPM)	Drilling	Drain		Handles	Red & Blue Indexing	ADA	Polished Chrome CP
	Reach	Height (Base to Outlet)					Pop-Up	Grid				
Coralais												
K-15198-4RA	4 ³ / ₁₆ "	2 ¹⁵ / ₁₆ "	•	•	0.5	4" centerset		•	Lever (1)	•	•	•
K-15199-4NDRA	4 ³ / ₁₆ "	2 ¹⁵ / ₁₆ "	•	•	0.5	4" centerset			Lever (1)	•	•	•
K-15240-4NDRA	4 ⁷ / ₁₆ "	2 ¹³ / ₁₆ "	•	•	0.5	4" centerset			Lever (2)	•	•	•
K-15243-4RA	4 ⁷ / ₁₆ "	2 ¹³ / ₁₆ "	•	•	0.5	4" centerset		•	Lever (2)	•	•	•
K-15583-4RA	4 ³ / ₁₆ "	2 ¹⁵ / ₁₆ "	•	•	0.5	4" centerset	•		Lever (1)	•	•	•
July												
K-97282-4	4 ³ / ₁₆ "	1 ¹³ / ₁₆ "	•	•	0.5	Single-hole			Lever (1)	•	•	•
K-97283-4	4 ³ / ₁₆ "	1 ¹³ / ₁₆ "	•	•	0.5	Single-hole		•	Lever (1)	•	•	•

All faucets meet CEC standards.

INSTITUTIONAL FAUCETS



Triton® sink faucet with lever handles

K-7319-4



Triton sink faucet with lever handles

K-7320-4



Triton sink faucet with wristblade handles and loose-key stops

K-7308-5A



Triton shelf-back sink faucet with wristblade handles

K-7302-5A



Triton shelf-back sink faucet with standard handles

With pop-up drain K-8040-2A/-2N
With grid drain K-8046-2A/-2N



Triton shelf-back sink faucet with lever handles

With pop-up drain K-8040-3A/-3N
With grid drain K-8046-3A/-3N



Triton shelf-back sink faucet with lever handles

With pop-up drain K-8040-4A/-4N
With grid drain K-8046-4A/-4N



Triton shelf-back sink faucet with wristblade handles

With pop-up drain K-8040-5A/-5N
With grid drain K-8046-5A/-5N

Model Number	Spout		Aerated Flow	Rose Spray	Flow Rate (GPM)	Drilling	Drain		Handles	Red/Blue Indexing	ADA	Polished Chrome CP
	Spout Reach	Wall to Spout Outlet					Pop-Up	Grid				
Sink Faucets												
K-7302-5A	3 $\frac{3}{8}$ "	5"	•		2.2	5 $\frac{1}{2}$ "			Wristblade		•	•
K-7308-5A	3 $\frac{3}{8}$ "	7 $\frac{5}{8}$ "	•		2.5	8"			Wristblade		•	•
K-7319-3	5 $\frac{3}{16}$ "	8 $\frac{5}{16}$ "	•		2.2	8"			Cross		•	•
K-7319-4	5 $\frac{3}{16}$ "	8 $\frac{5}{16}$ "	•	•	2.2	8"			Lever		•	•
K-7320-3	5 $\frac{3}{16}$ "	8 $\frac{5}{16}$ "	•	•	2.2	8"			Cross		•	•
K-7320-4	5 $\frac{3}{16}$ "	8 $\frac{5}{16}$ "	•		2.2	8"			Lever		•	•
K-8040-2N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "	•		Standard	•		•
K-8040-3A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "	•		Cross	•	•	•
K-8040-3N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "	•		Cross	•	•	•
K-8040-4A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "	•		Lever	•	•	•
K-8040-4N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "	•		Lever	•	•	•
K-8040-5A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "	•		Wristblade	•	•	•
K-8040-5N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "	•		Wristblade	•	•	•
K-8046-2A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "		•	Standard	•		•
K-8046-2N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "		•	Standard	•		•
K-8046-3A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "		•	Cross	•	•	•
K-8046-3N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "		•	Cross	•	•	•
K-8046-4A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "		•	Lever	•	•	•
K-8046-4N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "		•	Lever	•	•	•
K-8046-5A	1 $\frac{1}{4}$ "		•		2.0	5 $\frac{1}{2}$ "		•	Wristblade	•	•	•
K-8046-5N■	1 $\frac{1}{4}$ "		•		0.5	5 $\frac{1}{2}$ "		•	Wristblade	•	•	•

K-8040 and K-8046 Triton faucets come with vandal-resistant screws for vandal-resistant use.

■ Meets CEC standards.

INSTITUTIONAL FAUCETS



Knoxford™ service sink faucet

K-8905



Kinlock™ service sink faucet

K-8907



Kinlock service sink faucet with loose-key stops

K-8908



Triton® service sink faucet with loose key stops

K-7309-5A



Service sink faucet with loose-key stops, rubber hose and wall hook

K-8928



Cannock™ service sink faucet

K-8892



Gooseneck spout

K-13770



Bubbler

K-7524

Name	Model Number	Spout		Aerated Flow	Without Drain	Threaded Spout	Rose Spray	Pail Hook	Wall Brace	Handles	ADA	Polished Chrome CP	Rough Plate RP
		Reach	Wall to Spout Outlet										
Service Sink Faucets													
Cannock	K-8892	4"	8 $\frac{3}{8}$ "		•		•			Lever	•		•
Kinlock	K-8907	4 $\frac{5}{8}$ "	7 $\frac{1}{4}$ "		•	•		•	•	Lever	•	•	
	K-8908	4 $\frac{5}{8}$ "	8 $\frac{5}{8}$ "		•	•		•	•	Lever	•	•	
Knoxford	K-8905	2 $\frac{1}{4}$ "	4 $\frac{7}{8}$ "		•	•		•		Lever	•	•	•
KOHLER	K-8928	3"	7"		•	•				Lever	•	•	
Triton	K-7309-5A	9 $\frac{3}{4}$ "	14 $\frac{1}{4}$ "		•			•	•	Wristblade	•	•	
Single Spouts													
Bubbler	K-7524	3 $\frac{3}{16}$ "			•					Push-button		•	
Gooseneck	K-13770	5"		•	•							•	