

## B3093 - Adjustable Pipe Saddle Support

**Size Range:** 1" (25mm) thru 36" (900mm) pipe

**Material:** Steel with cast iron reducer


**Function:** Designed to support horizontal pipe from floor stanchion where vertical adjustment is required. U-bolt and hex nuts are provided to hold pipe securely to saddle. To complete floor stanchion, use with B3088T (page 42) threaded pipe stand.

**Approvals:** Conforms to Federal Specification WW-H-171E & A-A-1192A, Type 38 and Manufacturers Standardization Society ANSI/MSS SP-69 & SP-58, Type 37.

**Finish:** Plain. Contact customer service for alternative finishes and materials.

**Order By:** Figure number and finish

**Note:** Order with B3088T for complete stanchion support.



Part No.	Pipe Size		Maximum O.D. of Pipe		A		Minimum		B		Maximum		C	
	in.	(mm)	in.	(mm)	in.	(mm)	in.	(mm)	in.	(mm)	in.	(mm)	in.	(mm)
B3093-1	1"	(25)	1 <sup>5</sup> / <sub>16</sub> "	(33.3)	3/4"	(20)	5 <sup>21</sup> / <sub>32</sub> "	(143.6)	10 <sup>5</sup> / <sub>32</sub> "	(257.9)	12 <sup>9</sup> / <sub>32</sub> "	(48.4)		
B3093-1 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>4</sub> "	(32)	1 <sup>11</sup> / <sub>16</sub> "	(42.9)	3/4"	(20)	5 <sup>53</sup> / <sub>64</sub> "	(148.0)	10 <sup>21</sup> / <sub>64</sub> "	(2262.3)	2 <sup>5</sup> / <sub>64</sub> "	(52.8)		
B3093-1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub> "	(40)	1 <sup>29</sup> / <sub>32</sub> "	(48.4)	3/4"	(20)	6"	(152.4)	10 <sup>1</sup> / <sub>2</sub> "	(266.7)	2 <sup>1</sup> / <sub>4</sub> "	(58.1)		
B3093-2	2"	(50)	2 <sup>3</sup> / <sub>8</sub> "	(60.3)	3/4"	(20)	6 <sup>3</sup> / <sub>16</sub> "	(157.2)	10 <sup>11</sup> / <sub>16</sub> "	(271.5)	2 <sup>7</sup> / <sub>16</sub> "	(61.9)		
B3093-2 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> "	(65)	2 <sup>7</sup> / <sub>8</sub> "	(73.0)	1 <sup>1</sup> / <sub>2</sub> "	(40)	6 <sup>5</sup> / <sub>16</sub> "	(160.3)	10 <sup>13</sup> / <sub>16</sub> "	(274.6)	2 <sup>9</sup> / <sub>16</sub> "	(65.1)		
B3093-3	3"	(80)	3 <sup>1</sup> / <sub>2</sub> "	(88.9)	1 <sup>1</sup> / <sub>2</sub> "	(40)	6 <sup>5</sup> / <sub>8</sub> "	(168.3)	11 <sup>1</sup> / <sub>8</sub> "	(282.6)	2 <sup>7</sup> / <sub>8</sub> "	(73.0)		
B3093-3 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>2</sub> "	(90)	4"	(101.6)	1 <sup>1</sup> / <sub>2</sub> "	(40)	6 <sup>7</sup> / <sub>8</sub> "	(174.6)	11 <sup>3</sup> / <sub>8</sub> "	(288.9)	3 <sup>1</sup> / <sub>8</sub> "	(79.4)		
B3093-4	4"	(100)	4 <sup>7</sup> / <sub>8</sub> "	(123.8)	2 <sup>1</sup> / <sub>2</sub> "	(65)	7 <sup>1</sup> / <sub>4</sub> "	(184.1)	11 <sup>3</sup> / <sub>4</sub> "	(298.4)	3 <sup>1</sup> / <sub>2</sub> "	(88.9)		
B3093-5	5"	(125)	5 <sup>9</sup> / <sub>16</sub> "	(141.3)	2 <sup>1</sup> / <sub>2</sub> "	(65)	7 <sup>25</sup> / <sub>32</sub> "	(197.6)	12 <sup>9</sup> / <sub>32</sub> "	(311.9)	4 <sup>1</sup> / <sub>32</sub> "	(102.4)		
B3093-6	6"	(150)	7"	(177.8)	2 <sup>1</sup> / <sub>2</sub> "	(65)	8 <sup>7</sup> / <sub>16</sub> "	(214.3)	12 <sup>15</sup> / <sub>16</sub> "	(328.6)	4 <sup>11</sup> / <sub>16</sub> "	(119.1)		
B3093-8	8"	(200)	9 <sup>1</sup> / <sub>8</sub> "	(231.8)	2 <sup>1</sup> / <sub>2</sub> "	(65)	10 <sup>1</sup> / <sub>4</sub> "	(260.3)	14 <sup>3</sup> / <sub>4</sub> "	(374.6)	6 <sup>1</sup> / <sub>2</sub> "	(165.1)		

Part No.	D (Base Stand Not Supplied)		Saddle Steel Size		Approx. Wt./100			
	in.	(mm)	in.	(mm)	Complete		Saddle Only	
					Lbs.	(kg)	Lbs.	(kg)
B3093-1	1 <sup>1</sup> / <sub>2</sub> "	(40)	1/4" x 1 <sup>3</sup> / <sub>4</sub> "	(6.3 x 44.4)	189	(85.7)	49	(22.2)
B3093-1 <sup>1</sup> / <sub>4</sub>	1 <sup>1</sup> / <sub>2</sub> "	(40)	1/4" x 1 <sup>3</sup> / <sub>4</sub> "	(6.3 x 44.4)	221	(100.2)	81	(36.7)
B3093-1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub> "	(40)	1/4" x 1 <sup>3</sup> / <sub>4</sub> "	(6.3 x 44.4)	228	(103.4)	88	(39.9)
B3093-2	1 <sup>1</sup> / <sub>2</sub> "	(40)	1/4" x 1 <sup>3</sup> / <sub>4</sub> "	(6.3 x 44.4)	234	(106.1)	94	(42.6)
B3093-2 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> "	(65)	1/4" x 3"	(6.3 x 76.2)	567	(257.2)	167	(75.8)
B3093-3	2 <sup>1</sup> / <sub>2</sub> "	(65)	1/4" x 3"	(6.3 x 76.2)	576	(261.3)	176	(79.9)
B3093-3 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub> "	(65)	1/4" x 3"	(6.3 x 76.2)	588	(266.7)	188	(85.3)
B3093-4	3"	(80)	1/4" x 4"	(6.3 x 101.6)	1064	(482.6)	364	(165.1)
B3093-5	3"	(80)	1/4" x 4"	(6.3 x 101.6)	1081	(490.3)	381	(172.8)
B3093-6	3"	(80)	3/8" x 4"	(9.5 x 101.6)	1234	(559.7)	534	(242.2)
B3093-8	3"	(80)	3/8" x 4"	(9.5 x 101.6)	1496	(678.6)	796	(361.1)

Note:  
 4" (100) thru 12" (300) fits both steel and ductile iron pipe.  
 For other ductile iron pipe sizes specify B3093DI - size.  
 3" (80) Ductile Iron uses B3093-3<sup>1</sup>/<sub>2</sub>

All dimensions in charts and on drawings are in inches. Dimensions shown in parentheses are in millimeters unless otherwise specified.