



Nipples Product
PVC, CPVC & PE Nipples

PVC, CPVC & PE Nipples



PRODUCT

Contact Spears® for any Information not found.

Nipples Product PVC, CPVC & PE Nipples



- PVC/CPVC Nipples furnished may be produced from extruded stock, or from molding grade PVC/CPVC compounds. Both processes provide quality products meeting ASTM requirements.
- For half Size Nipples, go to the same as the next full size for MSRP.
For example: 7-1/2" is the same as 8".
- CONTACT YOUR LOCAL SPEARS® REPRESENTATIVE FOR MSRP AND AVAILABILITY OF SIZES, LENGTHS, AND/OR CONFIGURATIONS NOT SHOWN.

PVC Nipples

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/8" Diameter						
1/8XCLOSE	879-005 1.45	1879-005 1.45	879-005P 1.45	25	800	120
1/8X1-1/2	879-015 1.45	1879-015 1.45	879-015P 1.45	25	800	120
1/8X2	879-020 1.64	1879-020 1.64	879-020P 1.64	25	800	120
1/8X2-1/2	879-025 1.73	1879-025 1.73	879-025P 1.73	25	800	120
1/8X3	879-030 2.07	1879-030 2.07	879-030P 2.07	25	800	120
1/8X3-1/2	879-035 2.17	1879-035 2.17	879-035P 2.17	25	800	120
1/8X4	879-040 2.31	1879-040 2.31	879-040P 2.31	25	800	120
1/8X4-1/2	879-045 2.34	1879-045 2.34	879-045P 2.46	25	600	120
1/8X5	879-050 2.57	1879-050 2.57	879-050P 2.16	25	600	120
1/8X5-1/2	879-055 2.67	1879-055 2.67	879-055P 2.67	25	600	120
1/8X6	879-060 2.74	1879-060 2.74	879-060P 2.74	25	600	120
1/8X7	879-070 2.87	1879-070 2.87	879-070P 2.87	25	450	120
1/8X8	879-080 3.25	1879-080 3.25	879-080P 3.25	25	600	120
1/8X9	879-090 3.42	1879-090 3.42	879-090P 3.42	25	400	120
1/8X10	879-100 3.94	1879-100 3.94	879-100P 3.94	25	400	120
1/8X11	879-110 4.06	1879-110 4.06	879-110P 4.06	25	400	120
1/8X12	879-120 4.25	1879-120 4.25	879-120P 4.25	25	400	120
1/8X13	879-130 4.46	1879-130 4.46	879-130P 4.46	25	400	120
1/8X14	879-140 4.96	1879-140 4.96	879-140P 4.96	25	250	120
1/8X15	879-150 6.31	1879-150 6.31	879-150P 6.31	25	300	120
1/8X16	879-160 6.97	1879-160 6.97	879-160P 6.97	25	250	120
1/8X17	879-170 7.25	1879-170 7.25	879-170P 7.25	25	250	120
1/8X18	879-180 7.45	1879-180 7.45	879-180P 7.45	25	0	120
1/8X19	879-190 7.94	1879-190 7.94	879-190P 7.94	5	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/8" Diameter						
1/8X20	879-200 8.45	1879-200 8.45	879-200P 8.45	25	0	120
1/8X22	879-220 9.03	1879-220 9.03	879-220P 9.03	25	0	120
1/8X24	879-240 9.13	1879-240 9.13	879-240P 9.13	25	0	120
1/8X30	879-300 12.56	1879-300 12.56	879-300P 12.56	25	0	120
1/8X36	879-360 14.78	1879-360 14.78	879-360P 14.78	25	0	120
1/8X42	879-420 17.22	1879-420 17.22	879-420P 17.22	25	0	120
1/8X48	879-480 19.67	1879-480 19.67	879-480P 19.67	25	0	120
1/4" Diameter						
1/4XCLOSE	880-005 1.51	1880-005 1.96	880-005P 1.96	25	1200	120
1/4X1-1/2	880-015 1.51	1880-015 2.13	880-015P 2.13	25	1200	120
1/4X2	880-020 1.85	1880-020 2.13	880-020P 2.13	25	500	120
1/4X2-1/2	880-025 2.27	1880-025 2.27	880-025P 2.27	25	500	120
1/4X3	880-030 2.47	1880-030 2.59	880-030P 2.59	25	550	120
1/4X3-1/2	880-035 2.74	1880-035 2.74	880-035P 2.74	25	500	120
1/4X4	880-040 2.87	1880-040 2.97	880-040P 2.97	25	300	120
1/4X4-1/2	880-045 3.09	1880-045 3.09	880-045P 3.09	25	250	120
1/4X5	880-050 3.12	1880-050 3.34	880-050P 3.34	25	250	120
1/4X5-1/2	880-055 3.54	1880-055 3.54	880-055P 3.54	25	250	120
1/4X6	880-060 3.58	1880-060 3.58	880-060P 3.58	25	250	120
1/4X7	880-070 3.82	1880-070 3.82	880-070P 3.82	25	250	120
1/4X8	880-080 4.04	1880-080 4.04	880-080P 4.04	25	250	120
1/4X9	880-090 4.16	1880-090 4.16	880-090P 4.16	25	250	120
1/4X10	880-100 4.23	1880-100 4.23	880-100P 4.23	25	250	120
1/4X11	880-110 4.43	1880-110 4.43	880-110P 4.43	25	250	120
1/4X12	880-120 4.63	1880-120 4.63	880-120P 4.63	25	250	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X13	880-130 6.40	1880-130 6.40	880-130P 6.40	25	250	120
1/4X14	880-140 6.46	1880-140 6.46	880-140P 6.46	25	250	120
1/4X15	880-150 6.85	1880-150 6.85	880-150P 6.85	25	500	120
1/4X16	880-160 7.29	1880-160 7.29	880-160P 7.29	25	250	120
1/4X17	880-170 7.53	1880-170 7.53	880-170P 7.53	25	300	120
1/4X18	880-180 7.78	1880-180 7.78	880-180P 7.78	25	300	120
1/4X19	880-190 8.05	1880-190 8.05	880-190P 8.05	25	300	120
1/4X20	880-200 8.65	1880-200 8.65	880-200P 8.65	25	200	120
1/4X22	880-220 9.15	1880-220 9.15	880-220P 9.15	25	300	120
1/4X24	880-240 9.52	1880-240 9.52	880-240P 9.52	25	200	120
1/4X30	880-300 12.68	1880-300 12.68	880-300P 12.68	25	0	120
1/4X36	880-360 15.57	1880-360 15.57	880-360P 15.57	25	0	120
1/4X42	880-420 18.05	1880-420 18.05	880-420P 18.05	25	0	120
1/4X48	880-480 20.37	1880-480 20.37	880-480P 20.37	25	0	120

3/8" Diameter

3/8XCLOSE	881-005 2.04	1881-005 2.04	881-005P 2.04	25	800	120
3/8X1-1/2	881-015 1.57	1881-015 2.25	881-015P 2.25	25	800	120
3/8X2	881-020 2.02	1881-020 2.41	881-020P 2.41	25	600	120
3/8X2-1/2	881-025 2.47	1881-025 2.47	881-025P 2.47	25	600	120
3/8X3	881-030 2.02	1881-030 2.68	881-030P 2.68	25	400	120
3/8X3-1/2	881-035 2.87	1881-035 2.87	881-035P 2.87	25	400	120
3/8X4	881-040 2.41	1881-040 3.06	881-040P 3.06	25	300	120
3/8X4-1/2	881-045 3.15	1881-045 3.15	881-045P 3.15	25	250	120
3/8X5	881-050 3.45	1881-050 3.45	881-050P 3.45	25	250	120
3/8X5-1/2	881-055 3.62	1881-055 3.62	881-055P 3.62	25	250	120
3/8X6	881-060 3.73	1881-060 3.73	881-060P 3.73	25	250	120
3/8X7	881-070 3.88	1881-070 3.88	881-070P 3.88	25	200	120
3/8X8	881-080 4.16	1881-080 4.16	881-080P 4.16	25	200	120
3/8X9	881-090 4.21	1881-090 4.21	881-090P 4.21	25	200	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X10	881-100 4.36	1881-100 4.36	881-100P 4.36	25	200	120
3/8X11	881-110 4.59	1881-110 4.59	881-110P 4.59	25	200	120
3/8X12	881-120 4.83	1881-120 4.83	881-120P 4.83	25	200	120
3/8X13	881-130 6.87	1881-130 6.87	881-130P 6.87	25	0	120
3/8X14	881-140 7.13	1881-140 7.13	881-140P 7.13	25	200	120
3/8X15	881-150 7.46	1881-150 7.46	881-150P 7.46	25	200	120
3/8X16	881-160 7.66	1881-160 7.66	881-160P 7.66	25	200	120
3/8X17	881-170 7.94	1881-170 7.94	881-170P 7.94	25	0	120
3/8X18	881-180 8.21	1881-180 8.21	881-180P 8.21	25	200	120
3/8X19	881-190 8.39	1881-190 8.39	881-190P 8.39	25	0	120
3/8X20	881-200 8.62	1881-200 8.62	881-200P 8.62	25	250	120
3/8X22	881-220 9.33	1881-220 9.33	881-220P 9.33	25	200	120
3/8X24	881-240 9.55	1881-240 9.55	881-240P 9.55	25	200	120
3/8X30	881-300 12.87	1881-300 12.87	881-300P 12.87	25	0	120
3/8X36	881-360 17.02	1881-360 17.02	881-360P 17.02	25	0	120
3/8X42	881-420 18.58	1881-420 18.58	881-420P 18.58	25	0	120
3/8X48	881-480 21.03	1881-480 21.03	881-480P 21.03	25	0	120

1/2" Diameter

1/2XCLOSE	882-005 1.36	1882-005 2.22	882-005P 2.22	25	675	120
1/2X1-1/2	882-015 1.36	1882-015 2.22	882-015P 2.22	25	600	120
1/2X2	882-020 1.45	1882-020 2.32	882-020P 2.32	50	300	120
1/2X2-1/2	882-025 1.45	1882-025 2.51	882-025P 2.51	50	600	120
1/2X3	882-030 1.64	1882-030 2.61	882-030P 2.61	50	600	120
1/2X3-1/2	882-035 1.64	1882-035 2.71	882-035P 2.71	25	300	120
1/2X4	882-040 1.92	1882-040 2.82	882-040P 2.82	25	300	120
1/2X4-1/2	882-045 1.92	1882-045 2.91	882-045P 2.91	25	300	120
1/2X5	882-050 2.14	1882-050 2.94	882-050P 2.94	25	300	120
1/2X5-1/2	882-055 3.02	1882-055 3.02	882-055P 3.02	25	300	120
1/2X6	882-060 2.24	1882-060 3.11	882-060P 3.11	25	300	120
1/2X7	882-070 2.60	1882-070 3.44	882-070P 3.44	25	200	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2" Diameter						
1/2X8	882-080 2.79	1882-080 3.74	882-080P 3.74	25	0	120
1/2X9	882-090 3.94	1882-090 3.94	882-090P 3.94	25	0	120
1/2X10	882-100 3.04	1882-100 4.15	882-100P 4.15	25	0	120
1/2X11	882-110 4.44	1882-110 4.44	882-110P 4.44	25	0	120
1/2X12	882-120 3.36	1882-120 4.66	882-120P 4.66	25	0	120
1/2X13	882-130 4.87	1882-130 4.87	882-130P 4.87	25	0	120
1/2X14	882-140 5.04	1882-140 5.04	882-140P 5.04	100	0	120
1/2X15	882-150 5.25	1882-150 5.25	882-150P 5.25	100	0	120
1/2X16	882-160 5.46	1882-160 5.46	882-160P 5.46	100	0	120
1/2X17	882-170 5.66	1882-170 5.66	882-170P 5.66	100	0	120
1/2X18	882-180 5.92	1882-180 5.92	882-180P 5.92	25	100	120
1/2X19	882-190 6.46	1882-190 6.12	882-190P 6.12	100	0	120
1/2X20	882-200 6.31	1882-200 6.31	882-200P 6.31	100	0	120
1/2X22	882-220 6.74	1882-220 6.74	882-220P 6.74	100	0	120
1/2X24	882-240 7.19	1882-240 7.19	882-240P 7.19	25	100	120
1/2X30	882-300 10.09	1882-300 10.09	882-300P 10.09	25	0	120
1/2X36	882-360 11.36	1882-360 11.36	882-360P 11.36	25	0	120
1/2X42	882-420 15.15	1882-420 15.15	882-420P 15.15	25	0	120
1/2X48	882-480 15.94	1882-480 15.94	882-480P 15.94	25	0	120

3/4" Diameter

3/4XCLOSE	883-005 1.45	1883-005 2.48	883-005P 2.48	25	450	120
3/4X1-1/2	883-015 1.45	1883-015 2.48	883-015P 2.48	25	500	120
3/4X2	883-020 1.45	1883-020 2.67	883-020P 2.67	25	150	120
3/4X2-1/2	883-025 1.64	1883-025 2.67	883-025P 2.67	25	150	120
3/4X3	883-030 1.64	1883-030 2.97	883-030P 2.97	25	300	120
3/4X3-1/2	883-035 2.15	1883-035 2.97	883-035P 2.97	25	300	120
3/4X4	883-040 2.24	1883-040 3.16	883-040P 3.16	25	300	120
3/4X4-1/2	883-045 2.24	1883-045 3.34	883-045P 3.34	25	200	120
3/4X5	883-050 2.67	1883-050 3.40	883-050P 3.40	25	200	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X5-1/2	883-055 3.64	1883-055 3.64	883-055P 3.64	25	200	120
3/4X6	883-060 2.79	1883-060 4.15	883-060P 4.15	25	200	120
3/4X7	883-070 4.42	1883-070 4.42	883-070P 4.42	25	200	120
3/4X8	883-080 3.25	1883-080 4.78	883-080P 4.78	25	0	120
3/4X9	883-090 5.09	1883-090 5.09	883-090P 5.09	25	0	120
3/4X10	883-100 3.74	1883-100 5.23	883-100P 5.23	25	0	120
3/4X11	883-110 5.36	1883-110 5.36	883-110P 5.36	25	0	120
3/4X12	883-120 4.22	1883-120 5.52	883-120P 5.52	25	0	120
3/4X13	883-130 5.77	1883-130 5.77	883-130P 5.77	25	0	120
3/4X14	883-140 5.96	1883-140 5.96	883-140P 5.96	100	0	120
3/4X15	883-150 6.08	1883-150 6.08	883-150P 6.08	100	0	120
3/4X16	883-160 6.34	1883-160 6.34	883-160P 6.34	100	0	120
3/4X17	883-170 6.58	1883-170 6.58	883-170P 6.58	100	0	120
3/4X18	883-180 6.87	1883-180 6.87	883-180P 6.87	25	100	120
3/4X19	883-190 7.11	1883-190 7.11	883-190P 7.11	100	0	120
3/4X20	883-200 7.36	1883-200 7.36	883-200P 7.36	100	0	120
3/4X22	883-220 7.85	1883-220 7.85	883-220P 7.85	100	0	120
3/4X24	883-240 8.40	1883-240 8.40	883-240P 8.40	25	100	120
3/4X30	883-300 11.61	1883-300 11.61	883-300P 11.61	25	0	120
3/4X36	883-360 13.72	1883-360 13.72	883-360P 13.72	25	0	120
3/4X42	883-420 14.71	1883-420 14.71	883-420P 14.71	25	0	120
3/4X48	883-480 17.02	1883-480 17.02	883-480P 17.02	25	0	120

1" Diameter

1XCLOSE	884-005 1.92	1884-005 2.72	884-005P 2.72	50	600	120
1X1-1/2	884-015 2.72	1884-015 2.72	884-015P 2.72	25	300	120
1X2	884-020 2.14	1884-020 2.94	884-020P 2.94	25	300	120
1X2-1/2	884-025 2.24	1884-025 3.07	884-025P 3.07	25	300	120
1X3	884-030 2.43	1884-030 3.24	884-030P 3.24	25	200	120
1X3-1/2	884-035 3.39	1884-035 3.39	884-035P 3.39	25	200	120
1X4	884-040 2.79	1884-040 3.53	884-040P 3.53	25	200	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1" Diameter						
1X4-1/2	884-045 3.74	1884-045 3.74	884-045P 3.74	25	200	120
1X5	884-050 3.36	1884-050 4.01	884-050P 4.01	25	0	120
1X5-1/2	884-055 4.21	1884-055 4.21	884-055P 4.21	25	0	120
1X6	884-060 3.83	1884-060 4.38	884-060P 4.38	25	0	120
1X7	884-070 4.76	1884-070 4.76	884-070P 4.76	25	0	120
1X8	884-080 4.49	1884-080 5.13	884-080P 4.49	25	0	120
1X9	884-090 5.55	1884-090 5.55	884-090P 5.55	25	0	120
1X10	884-100 5.32	1884-100 5.92	884-100P 5.92	25	0	120
1X11	884-110 6.40	1884-110 6.40	884-110P 6.40	25	0	120
1X12	884-120 6.15	1884-120 6.64	884-120P 6.64	25	0	120
1X13	884-130 6.97	1884-130 6.97	884-130P 6.97	25	0	120
1X14	884-140 7.46	1884-140 7.46	884-140P 7.46	50	0	120
1X15	884-150 7.82	1884-150 7.82	884-150P 7.82	50	0	120
1X16	884-160 8.19	1884-160 8.19	884-160P 8.19	50	0	120
1X17	884-170 8.56	1884-170 8.56	884-170P 8.56	50	0	120
1X18	884-180 8.91	1884-180 8.91	884-180P 9.00	50	0	120
1X19	884-190 9.31	1884-190 9.31	884-190P 9.31	50	0	120
1X20	884-200 9.67	1884-200 9.67	884-200P 9.67	50	0	120
1X22	884-220 10.39	1884-220 10.39	884-220P 10.39	50	0	120
1X24	884-240 11.11	1884-240 11.11	884-240P 11.11	50	0	120
1X30	884-300 13.45	1884-300 13.45	884-300P 13.45	15	0	120
1X36	884-360 15.72	1884-360 15.72	884-360P 15.72	15	0	120
1X42	884-420 17.96	1884-420 17.96	884-420P 17.96	15	0	120
1X48	884-480 20.21	1884-480 20.21	884-480P 20.21	15	0	120

1-1/4" Diameter

1-1/4XCLOSE	885-005 2.79	1885-005 2.96	885-005P 2.96	25	200	120
1-1/4X2	885-020 2.87	1885-020 3.20	885-020P 3.20	25	200	120
1-1/4X2-1/2	885-025 3.51	1885-025 3.51	885-025P 3.51	25	200	120
1-1/4X3	885-030 3.25	1885-030 3.62	885-030P 3.62	25	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X3-1/2	885-035 3.74	1885-035 3.74	885-035P 3.74	25	0	120
1-1/4X4	885-040 3.74	1885-040 4.16	885-040P 4.16	25	0	120
1-1/4X4-1/2	885-045 4.34	1885-045 4.34	885-045P 4.34	25	0	120
1-1/4X5	885-050 4.54	1885-050 4.54	885-050P 4.54	25	0	120
1-1/4X5-1/2	885-055 5.05	1885-055 5.05	885-055P 5.05	25	0	120
1-1/4X6	885-060 4.78	1885-060 5.22	885-060P 5.22	25	0	120
1-1/4X7	885-070 5.45	1885-070 5.45	885-070P 5.45	25	0	120
1-1/4X8	885-080 5.74	1885-080 5.74	885-080P 5.74	25	0	120
1-1/4X9	885-090 6.23	1885-090 6.23	885-090P 6.23	25	0	120
1-1/4X10	885-100 6.69	1885-100 6.69	885-100P 6.69	25	0	120
1-1/4X11	885-110 7.16	1885-110 7.16	885-110P 7.16	25	0	120
1-1/4X12	885-120 7.57	1885-120 7.85	885-120P 7.85	25	0	120
1-1/4X13	885-130 8.79	1885-130 8.79	885-130P 8.79	25	0	120
1-1/4X14	885-140 9.09	1885-140 9.09	885-140P 9.09	25	0	120
1-1/4X15	885-150 9.60	1885-150 9.60	885-150P 9.60	25	0	120
1-1/4X16	885-160 10.01	1885-160 10.01	885-160P 10.01	25	0	120
1-1/4X17	885-170 10.32	1885-170 10.32	885-170P 10.32	25	0	120
1-1/4X18	885-180 10.76	1885-180 10.76	885-180P 10.76	25	0	120
1-1/4X19	885-190 11.52	1885-190 11.52	885-190P 11.52	25	0	120
1-1/4X20	885-200 11.97	1885-200 11.97	885-200P 11.97	25	0	120
1-1/4X22	885-220 12.85	1885-220 12.85	885-220P 12.85	25	0	120
1-1/4X24	885-240 13.75	1885-240 13.75	885-240P 13.75	25	0	120
1-1/4X30	885-300 17.55	1885-300 17.55	885-300P 17.55	10	0	120
1-1/4X36	885-360 20.02	1885-360 20.02	885-360P 20.02	10	0	120
1-1/4X42	885-420 25.14	1885-420 25.14	885-420P 25.14	10	0	120
1-1/4X48	885-480 26.45	1885-480 26.45	885-480P 26.45	10	0	120

1-1/2" Diameter

1-1/2XCLOSE	886-005 3.04	1886-005 3.40	886-005P 3.40	25	0	120
1-1/2X2	886-020 3.36	1886-020 3.62	886-020P 3.62	25	0	120
1-1/2X2-1/2	886-025 3.86	1886-025 3.86	886-025P 3.86	25	0	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X3	886-030 3.83	1886-030 4.03	886-030P 4.03	25	0	120
1-1/2X3-1/2	886-035 4.45	1886-035 4.45	886-035P 4.45	25	0	120
1-1/2X4	886-040 5.11	1886-040 5.57	886-040P 5.57	25	0	120
1-1/2X4-1/2	886-045 5.75	1886-045 5.75	886-045P 5.75	25	0	120
1-1/2X5	886-050 5.96	1886-050 5.96	886-050P 5.96	25	0	120
1-1/2X5-1/2	886-055 6.60	1886-055 6.60	886-055P 6.60	25	0	120
1-1/2X6	886-060 6.15	1886-060 6.77	886-060P 6.77	25	0	120
1-1/2X7	886-070 7.01	1886-070 7.01	886-070P 7.01	25	0	120
1-1/2X8	886-080 7.57	1886-080 7.98	886-080P 7.98	25	0	120
1-1/2X9	886-090 8.28	1886-090 8.28	886-090P 8.28	25	0	120
1-1/2X10	886-100 8.45	1886-100 9.12	886-100P 9.12	25	0	120
1-1/2X11	886-110 9.32	1886-110 9.32	886-110P 9.32	25	0	120
1-1/2X12	886-120 10.22	1886-120 10.64	886-120P 10.64	25	0	120
1-1/2X13	886-130 11.28	1886-130 11.28	886-130P 11.28	25	0	120
1-1/2X14	886-140 12.36	1886-140 12.36	886-140P 12.36	25	0	120
1-1/2X15	886-150 13.65	1886-150 13.65	886-150P 13.65	25	0	120
1-1/2X16	886-160 14.34	1886-160 14.34	886-160P 14.34	25	0	120
1-1/2X17	886-170 15.01	1886-170 15.01	886-170P 15.01	25	0	120
1-1/2X18	886-180 15.69	1886-180 15.69	886-180P 15.69	25	0	120
1-1/2X19	886-190 16.05	1886-190 16.05	886-190P 16.05	25	0	120
1-1/2X20	886-200 16.34	1886-200 16.34	886-200P 16.34	25	0	120
1-1/2X22	886-220 16.82	1886-220 16.82	886-220P 16.82	25	0	120
1-1/2X24	886-240 17.27	1886-240 17.27	886-240P 17.27	25	0	120
1-1/2X30	886-300 20.97	1886-300 20.97	886-300P 20.97	5	0	120
1-1/2X36	886-360 23.75	1886-360 23.75	886-360P 23.75	5	0	120
1-1/2X42	886-420 28.37	1886-420 28.37	886-420P 28.37	5	0	120
1-1/2X48	886-480 30.67	1886-480 30.67	886-480P 30.67	5	0	120

2" Diameter

2XCLOSE	887-005 4.00	1887-005 4.25	887-005P 4.25	25	0	120
---------	-----------------	------------------	------------------	----	---	-----

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2" Diameter						
2X2	887-020 4.00	1887-020 4.25	887-020P 4.25	25	0	120
2X2-1/2	887-025 4.93	1887-025 4.93	887-025P 4.93	25	0	120
2X3	887-030 4.78	1887-030 5.34	887-030P 5.34	25	0	120
2X3-1/2	887-035 5.57	1887-035 5.57	887-035P 5.57	25	0	120
2X4	887-040 6.61	1887-040 6.91	887-040P 6.91	25	0	120
2X4-1/2	887-045 7.15	1887-045 7.15	887-045P 7.15	25	0	120
2X5	887-050 7.66	1887-050 7.66	887-050P 7.66	25	0	120
2X5-1/2	887-055 8.57	1887-055 8.57	887-055P 8.57	25	0	120
2X6	887-060 8.79	1887-060 8.99	887-060P 8.99	25	0	120
2X7	887-070 9.29	1887-070 9.29	887-070P 9.29	25	0	120
2X8	887-080 9.72	1887-080 9.72	887-080P 9.72	25	0	120
2X9	887-090 12.18	1887-090 12.18	887-090P 12.18	25	0	120
2X10	887-100 13.21	1887-100 13.21	887-100P 13.21	25	0	120
2X11	887-110 14.17	1887-110 14.17	887-110P 14.17	25	0	120
2X12	887-120 15.14	1887-120 15.14	887-120P 15.14	25	0	120
2X13	887-130 15.38	1887-130 15.38	887-130P 15.38	25	0	120
2X14	887-140 15.65	1887-140 15.65	887-140P 15.65	20	0	120
2X15	887-150 15.79	1887-150 15.79	887-150P 15.79	20	0	120
2X16	887-160 16.24	1887-160 16.24	887-160P 16.24	20	0	120
2X17	887-170 17.08	1887-170 17.08	887-170P 17.08	20	0	120
2X18	887-180 17.48	1887-180 17.48	887-180P 17.48	20	0	120
2X19	887-190 18.18	1887-190 18.18	887-190P 18.18	25	0	120
2X20	887-200 19.15	1887-200 19.15	887-200P 19.15	20	0	120
2X22	887-220 20.71	1887-220 20.71	887-220P 20.71	20	0	120
2X24	887-240 22.28	1887-240 22.28	887-240P 22.28	20	0	120
2X30	887-300 27.55	1887-300 27.55	887-300P 27.55	5	0	120
2X36	887-360 36.60	1887-360 36.60	887-360P 36.60	5	0	120
2X42	887-420 44.52	1887-420 44.52	887-420P 44.52	5	0	120
2X48	887-480 49.81	1887-480 49.81	887-480P 49.81	5	0	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2XCLOSE	888-005 13.72	1888-005 13.72	888-005P 13.72	25	0	120
2-1/2X2-1/2	888-025 14.53	1888-025 14.53	888-025P 14.53	25	0	120
2-1/2X3	888-030 15.63	1888-030 15.63	888-030P 15.63	30	0	120
2-1/2X3-1/2	888-035 17.87	1888-035 17.87	888-035P 17.87	25	0	120
2-1/2X4	888-040 20.21	1888-040 20.21	888-040P 20.21	25	0	120
2-1/2X4-1/2	888-045 21.62	1888-045 21.62	888-045P 21.62	25	0	120
2-1/2X5	888-050 22.77	1888-050 22.77	888-050P 22.77	25	0	120
2-1/2X5-1/2	888-055 23.79	1888-055 23.79	888-055P 23.79	25	0	120
2-1/2X6	888-060 24.94	1888-060 24.94	888-060P 24.94	25	0	120
2-1/2X7	888-070 26.28	1888-070 26.28	888-070P 26.28	16	0	120
2-1/2X8	888-080 27.55	1888-080 27.55	888-080P 27.55	16	0	120
2-1/2X9	888-090 31.87	1888-090 31.87	888-090P 31.87	16	0	120
2-1/2X10	888-100 33.77	1888-100 33.77	888-100P 33.77	16	0	120
2-1/2X11	888-110 36.60	1888-110 36.60	888-110P 36.60	16	0	120
2-1/2X12	888-120 36.86	1888-120 36.86	888-120P 36.86	16	0	120
2-1/2X13	888-130 39.79	1888-130 39.79	888-130P 39.79	25	0	120
2-1/2X14	888-140 41.40	1888-140 41.40	888-140P 41.40	25	0	120
2-1/2X15	888-150 44.52	1888-150 44.52	888-150P 44.52	25	0	120
2-1/2X16	888-160 47.65	1888-160 47.65	888-160P 47.65	20	0	120
2-1/2X17	888-170 48.55	1888-170 48.55	888-170P 48.55	20	0	120
2-1/2X18	888-180 49.38	1888-180 49.38	888-180P 49.38	20	0	120
2-1/2X19	888-190 52.54	1888-190 52.54	888-190P 52.54	25	0	120
2-1/2X20	888-200 54.67	1888-200 54.67	888-200P 54.67	12	0	120
2-1/2X22	888-220 60.75	1888-220 60.75	888-220P 60.75	25	0	120
2-1/2X24	888-240 61.97	1888-240 61.97	888-240P 61.97	10	0	120
2-1/2X30	888-300 75.49	1888-300 75.49	888-300P 75.49	3	0	120
2-1/2X36	888-360 92.24	1888-360 92.24	888-360P 92.24	3	0	120
2-1/2X42	888-420 106.57	1888-420 106.57	888-420P 106.57	3	0	120
2-1/2X48	888-480 115.24	1888-480 115.24	888-480P 115.24	3	0	120

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3" Diameter						
3XCLOSE	889-005 16.38	1889-005 16.38	889-005P 16.38	25	0	120
3X3	889-030 17.87	1889-030 17.87	889-030P 17.87	20	0	120
3X3-1/2	889-035 20.86	1889-035 20.86	889-035P 20.86	30	0	120
3X4	889-040 23.86	1889-040 23.86	889-040P 23.86	30	0	120
3X4-1/2	889-045 25.45	1889-045 25.45	889-045P 23.86	20	0	120
3X5	889-050 26.76	1889-050 26.76	889-050P 26.76	20	0	120
3X5-1/2	889-055 28.91	1889-055 28.91	889-055P 28.91	20	0	120
3X6	889-060 33.43	1889-060 33.43	889-060P 33.43	20	0	120
3X7	889-070 35.28	1889-070 35.28	889-070P 35.28	10	0	120
3X8	889-080 36.33	1889-080 36.33	889-080P 36.33	10	0	120
3X9	889-090 38.19	1889-090 38.19	889-090P 38.19	10	0	120
3X10	889-100 41.57	1889-100 41.57	889-100P 41.57	10	0	120
3X11	889-110 44.52	1889-110 44.52	889-110P 44.52	10	0	120
3X12	889-120 45.27	1889-120 45.27	889-120P 45.27	10	0	120
3X13	889-130 46.94	1889-130 46.94	889-130P 46.94	20	0	120
3X14	889-140 50.92	1889-140 50.92	889-140P 50.92	20	0	120
3X15	889-150 54.06	1889-150 54.06	889-150P 54.06	20	0	120
3X16	889-160 57.21	1889-160 57.21	889-160P 57.21	20	0	120
3X17	889-170 58.85	1889-170 58.85	889-170P 58.85	10	0	120
3X18	889-180 61.97	1889-180 61.97	889-180P 61.97	10	0	120
3X19	889-190 71.54	1889-190 71.54	889-190P 71.54	10	0	120
3X20	889-200 75.49	1889-200 75.49	889-200P 75.49	10	0	120
3X22	889-220 77.17	1889-220 77.17	889-220P 77.17	10	0	120
3X24	889-240 85.04	1889-240 85.04	889-240P 85.04	10	0	120
3X30	889-300 108.29	1889-300 108.29	889-300P 108.29	3	0	120
3X36	889-360 112.01	1889-360 112.01	889-360P 112.01	3	0	120
3X42	889-420 132.15	1889-420 132.15	889-420P 132.15	3	0	120
3X48	889-480 146.27	1889-480 146.27	889-480P 146.27	3	0	120
4" Diameter						
4XCLOSE	890-005 26.76	1890-005 26.76	890-005P 26.76	25	0	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X2-1/2	890-025 28.05	1890-025 28.05	890-025P 28.05	18	0	120
4X3	890-030 28.05	1890-030 28.05	890-030P 28.05	25	0	120
4X3-1/2	890-035 33.55	1890-035 33.55	890-035P 33.55	25	0	120
4X4	890-040 34.03	1890-040 37.14	890-040P 34.03	18	0	120
4X4-1/2	890-045 34.90	1890-045 37.14	890-045P 34.90	12	0	120
4X5	890-050 37.14	1890-050 37.14	890-050P 37.14	12	0	120
4X5-1/2	890-055 37.95	1890-055 37.14	890-055P 37.95	12	0	120
4X6	890-060 39.79	1890-060 39.79	890-060P 39.79	12	0	120
4X7	890-070 43.65	1890-070 43.65	890-070P 43.65	16	0	120
4X8	890-080 46.17	1890-080 46.17	890-080P 46.17	16	0	120
4X9	890-090 46.47	1890-090 46.47	890-090P 46.47	16	0	120
4X10	890-100 49.38	1890-100 49.38	890-100P 49.38	16	0	120
4X11	890-110 55.72	1890-110 55.72	890-110P 55.72	16	0	120
4X12	890-120 64.33	1890-120 64.33	890-120P 64.33	16	0	120
4X13	890-130 66.74	1890-130 66.74	890-130P 66.74	16	0	120
4X14	890-140 68.38	1890-140 68.38	890-140P 68.38	15	0	120
4X15	890-150 71.54	1890-150 71.54	890-150P 71.54	12	0	120
4X16	890-160 74.75	1890-160 74.75	890-160P 74.75	12	0	120
4X17	890-170 79.53	1890-170 79.53	890-170P 79.53	12	0	120
4X18	890-180 89.68	1890-180 89.68	890-180P 89.68	4	0	120
4X19	890-190 90.58	1890-190 90.58	890-190P 90.58	12	0	120
4X20	890-200 96.99	1890-200 96.99	890-200P 96.99	4	0	120
4X22	890-220 100.14	1890-220 100.14	890-220P 100.14	4	0	120
4X24	890-240 106.76	1890-240 106.76	890-240P 106.76	4	0	120
4X30	890-300 127.18	1890-300 127.18	890-300P 127.18	3	0	120
4X36	890-360 151.07	1890-360 151.07	890-360P 151.07	3	0	120
4X42	890-420 175.86	1890-420 176.53	890-420P 175.86	3	0	120
4X48	890-480 226.36	1890-480 226.36	890-480P 226.36	3	0	120

PVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6XCLOSE	892-005 29.35	1892-005 29.35	892-005P 29.35	8	0	120
6X4	892-040 37.53	1892-040 37.53	892-040P 37.53	4	0	120
6X4-1/2	892-045 41.60	1892-045 41.60	892-045P 41.60	4	0	120
6X5	892-050 45.66	1892-050 45.66	892-050P 45.66	1	2	120
6X5-1/2	892-055 49.77	1892-055 49.77	892-055P 49.77	1	2	120
6X6	892-060 54.31	1892-060 54.31	892-060P 54.31	1	2	120
6X7	892-070 62.39	1892-070 62.39	892-070P 62.39	1	2	120
6X8	892-080 70.66	1892-080 70.66	892-080P 70.66	1	0	120
6X9	892-090 78.81	1892-090 78.81	892-090P 78.81	1	0	120
6X10	892-100 87.49	1892-100 87.49	892-100P 87.49	1	0	120
6X11	892-110 95.67	1892-110 95.67	892-110P 95.67	1	0	120
6X12	892-120 103.84	1892-120 103.84	892-120P 103.84	1	0	120
6X13	892-130 111.99	1892-130 111.99	892-130P 111.99	1	0	120
6X14	892-140 120.16	1892-140 120.16	892-140P 120.16	1	0	120
6X15	892-150 128.33	1892-150 128.33	892-150P 128.33	1	0	120
6X16	892-160 136.49	1892-160 136.49	892-160P 136.49	1	2	120
6X17	892-170 145.59	1892-170 145.59	892-170P 145.59	1	2	120
6X18	892-180 152.79	1892-180 152.79	892-180P 152.79	1	6	120
6X19	892-190 162.05	1892-190 162.05	892-190P 162.05	1	0	120
6X20	892-200 169.13	1892-200 169.13	892-200P 169.13	2	0	120
6X22	892-220 186.25	1892-220 186.25	892-220P 186.25	1	0	120
6X24	892-240 202.55	1892-240 202.55	892-240P 202.55	1	5	120
6X30	892-300 251.55	1892-300 251.55	892-300P 251.55	1	0	120
6X36	892-360 301.78	1892-360 301.78	892-360P 301.78	1	0	120
6X42	892-420 350.74	1892-420 350.74	892-420P 350.74	1	0	120
6X48	892-480 399.94	1892-480 399.94	892-480P 399.94	1	0	120
8" Diameter						
8XCLOSE	893-005 52.78	1893-005 52.78	893-005P 52.78	4	0	120
8X4-1/2	893-045 59.72	1893-045 59.72	893-045P 59.72	1	0	120
8X5	893-050 65.62	1893-050 65.62	893-050P 65.62	1	0	120



Nipples Product PVC, CPVC & PE Nipples

PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X5-1/2	893-055 71.54	1893-055 71.54	893-055P 71.54	1	0	120
8X6	893-060 77.33	1893-060 77.33	893-060P 77.33	4	0	120
8X7	893-070 82.40	1893-070 82.40	893-070P 82.40	4	0	120
8X8	893-080 89.96	1893-080 89.96	893-080P 89.96	4	0	120
8X9	893-090 94.85	1893-090 94.85	893-090P 94.85	2	0	120
8X10	893-100 100.56	1893-100 100.56	893-100P 100.56	1	0	120
8X11	893-110 107.80	1893-110 107.80	893-110P 107.80	1	0	120
8X12	893-120 125.55	1893-120 125.55	893-120P 125.55	1	0	120
8X13	893-130 133.38	1893-130 133.38	893-130P 133.38	1	0	120
8X14	893-140 139.85	1893-140 139.85	893-140P 139.85	1	0	120
8X15	893-150 145.13	1893-150 145.13	893-150P 145.13	1	0	120
8X16	893-160 157.59	1893-160 157.59	893-160P 157.59	1	0	120
8X17	893-170 169.23	1893-170 169.23	893-170P 169.23	4	0	120
8X18	893-180 178.56	1893-180 178.56	893-180P 178.56	4	0	120
8X19	893-190 186.14	1893-190 186.14	893-190P 186.14	2	0	120
8X20	893-200 195.23	1893-200 195.23	893-200P 195.23	2	0	120
8X22	893-220 205.05	1893-220 205.05	893-220P 205.05	1	0	120
8X24	893-240 215.45	1893-240 215.45	893-240P 215.45	1	2	120
8X30	893-300 250.92	1893-300 250.92	893-300P 250.92	4	0	120
8X36	893-360 299.29	1893-360 299.29	893-360P 299.29	4	0	120
8X42	893-420 328.03	1893-420 328.03	893-420P 328.03	1	0	120
8X48	893-480 391.32	1893-480 391.32	893-480P 391.32	1	0	120

10" Diameter

10XCLOSE	894-005 58.24	1894-005 58.24	894-005P 58.24	1	0	120
10X2	894-020 58.24	1894-020 58.24	894-020P 58.24	1	6	120
10X4-1/2	894-045 68.85	1894-045 68.85	894-045P 68.85	1	0	120
10X5	894-050 75.77	1894-050 75.77	894-050P 75.77	1	0	120
10X5-1/2	894-055 82.67	1894-055 82.67	894-055P 82.67	1	0	120
10X6	894-060 94.95	1894-060 94.95	894-060P 94.95	2	0	120

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
10" Diameter						
10X7	894-070 103.39	1894-070 103.39	894-070P 103.39	1	0	120
10X8	894-080 114.19	1894-080 114.19	894-080P 114.19	1	0	120
10X9	894-090 127.65	1894-090 127.65	894-090P 127.65	1	0	120
10X10	894-100 139.67	1894-100 139.67	894-100P 139.67	1	0	120
10X11	894-110 151.45	1894-110 151.45	894-110P 151.45	1	0	120
10X12	894-120 158.22	1894-120 158.22	894-120P 158.22	1	0	120
10X13	894-130 168.52	1894-130 168.52	894-130P 168.52	1	0	120
10X14	894-140 181.02	1894-140 181.02	894-140P 181.02	1	0	120
10X15	894-150 193.51	1894-150 193.51	894-150P 193.51	1	0	120
10X16	894-160 206.02	1894-160 206.02	894-160P 206.02	1	0	120
10X17	894-170 218.51	1894-170 218.51	894-170P 218.51	1	0	120
10X18	894-180 232.66	1894-180 232.66	894-180P 232.66	1	2	120
10X19	894-190 242.35	1894-190 242.35	894-190P 242.35	1	0	120
10X20	894-200 246.60	1894-200 246.60	894-200P 246.60	1	0	120
10X22	894-220 257.67	1894-220 257.67	894-220P 257.67	1	0	120
10X24	894-240 271.29	1894-240 271.29	894-240P 271.29	1	2	120
10X30	894-300 326.55	1894-300 326.55	894-300P 326.55	1	0	120
10X36	894-360 390.81	1894-360 390.81	894-360P 390.81	1	0	120
10X42	894-420 455.08	1894-420 455.08	894-420P 455.08	1	0	120
10X48	894-480 519.35	1894-480 519.35	894-480P 519.35	1	0	120

12" Diameter

12XCLOSE	895-005 68.82	1895-005 69.14	895-005P 68.82	1	0	120
12X5	895-050 97.01	1895-050 97.01	895-050P 97.01	1	0	120
12X5-1/2	895-055 105.98	1895-055 105.98	895-055P 105.98	1	0	120
12X6	895-060 114.96	1895-060 114.96	895-060P 114.96	1	0	120
12X7	895-070 132.91	1895-070 132.91	895-070P 132.91	1	0	120
12X8	895-080 150.85	1895-080 150.85	895-080P 150.85	1	0	120
12X9	895-090 160.76	1895-090 160.76	895-090P 160.76	1	0	120
12X10	895-100 179.04	1895-100 179.04	895-100P 179.04	1	0	120
12X11	895-110 195.87	1895-110 195.87	895-110P 195.87	1	0	120

Nipples Product PVC, CPVC & PE Nipples



PVC Nipples

PVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
12" Diameter						
12X12	895-120 207.43	1895-120 207.43	895-120P 207.43	1	0	120
12X13	895-130 219.72	1895-130 219.72	895-130P 219.72	1	0	120
12X14	895-140 236.09	1895-140 236.09	895-140P 236.09	1	0	120
12X15	895-150 252.48	1895-150 252.48	895-150P 252.48	1	0	120
12X16	895-160 273.88	1895-160 273.88	895-160P 273.88	1	0	120
12X17	895-170 286.58	1895-170 286.58	895-170P 286.58	1	0	120
12X18	895-180 302.85	1895-180 302.85	895-180P 302.85	1	0	120
12X19	895-190 318.05	1895-190 318.05	895-190P 318.05	1	0	120
12X20	895-200 349.53	1895-200 349.53	895-200P 349.53	1	0	120
12X22	895-220 367.22	1895-220 367.22	895-220P 367.22	1	0	120
12X24	895-240 400.00	1895-240 400.00	895-240P 400.00	1	0	120
12X30	895-300 474.51	1895-300 474.51	895-300P 474.56	1	0	120
12X36	895-360 568.16	1895-360 568.16	895-360P 568.16	1	0	120
12X42	895-420 661.78	1895-420 661.78	895-420P 661.78	1	0	120
12X48	895-480 755.42	1895-480 755.42	895-480P 755.42	1	0	120

Machined PVC Nipple Options - Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples

1/4" Diameter

880-005M	1/4XCLOSE	25	1200	120	1.96
880-015M	1/4X1-1/2	25	1200	120	2.13
880-020M	1/4X2	25	500	120	2.13
880-030M	1/4X3	25	500	120	2.59
880-040M	1/4X4	25	250	120	2.97
880-050M	1/4X5	25	250	120	3.34

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples

3/8" Diameter

881-015M	3/8X1-1/2	25	800	120	2.25
881-020M	3/8X2	25	600	120	2.41
881-030M	3/8X3	25	400	120	2.68
881-040M	3/8X4	25	300	120	3.06

PVC Schedule 80 Machined Nipples

1/2" Diameter

882-005M	1/2XCLOSE	25	450	120	2.22
882-015M	1/2X1-1/2	25	600	120	2.22
882-020M	1/2X2	25	300	120	2.32
882-025M	1/2X2-1/2	25	300	120	2.51
882-030M	1/2X3	25	300	120	2.61
882-040M	1/2X4	25	300	120	2.82
882-045M	1/2X4-1/2	25	300	120	2.91
882-050M	1/2X5	25	300	120	2.94
882-060M	1/2X6	25	300	120	3.11
882-070M	1/2X7	25	200	120	3.44
882-080M	1/2X8	25	0	120	3.74
882-100M	1/2X10	25	0	120	4.15
882-120M	1/2X12	25	0	120	4.66

PVC Schedule 80 Machined Nipples

3/4" Diameter

883-005M	3/4XCLOSE	25	300	120	2.48
883-015M	3/4X1-1/2	25	300	120	2.48
883-020M	3/4X2	25	300	120	2.67
883-025M	3/4X2-1/2	25	300	120	2.67
883-030M	3/4X3	25	300	120	2.97
883-035M	3/4X3-1/2	25	300	120	2.97
883-040M	3/4X4	25	300	120	3.16
883-045M	3/4X4-1/2	25	200	120	3.34
883-050M	3/4X5	25	200	120	3.40
883-060M	3/4X6	25	200	120	4.15
883-080M	3/4X8	25	0	120	4.78
883-100M	3/4X10	25	0	120	5.23
883-120M	3/4X12	25	0	120	5.52

PVC Schedule 80 Machined Nipples

1" Diameter

884-005M	1XCLOSE	25	300	120	2.72
884-020M	1X2	25	300	120	2.94
884-025M	1X2-1/2	25	200	120	3.07
884-030M	1X3	25	200	120	3.24
884-040M	1X4	25	200	120	3.53



Nipples Product PVC, CPVC & PE Nipples

Machined PVC Nipple Options - Threaded Both Ends (TBE)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

PVC Schedule 80 Machined Nipples (continued)

1" Diameter

884-050M	1X5	25	0	120	4.01
884-060M	1X6	25	0	120	4.38
884-080M	1X8	25	0	120	5.13
884-100M	1X10	25	0	120	5.92
884-120M	1X12	25	0	120	6.64

PVC Schedule 80 Machined Nipples

1-1/4" Diameter

885-005M	1-1/4XCLOSE	25	200	120	2.96
885-020M	1-1/4X2	25	200	120	3.20
885-030M	1-1/4X3	25	0	120	3.62
885-040M	1-1/4X4	25	0	120	4.16
885-060M	1-1/4X6	25	0	120	5.22
885-120M	1-1/4X12	25	0	120	7.85

PVC Schedule 80 Machined Nipples

1-1/2" Diameter

886-005M	1-1/2XCLOSE	25	0	120	3.40
886-020M	1-1/2X2	25	0	120	3.62
886-030M	1-1/2X3	25	0	120	4.03
886-040M	1-1/2X4	25	0	120	5.57
886-060M	1-1/2X6	25	0	120	6.77
886-070M	1-1/2X7	25	0	120	7.01
886-080M	1-1/2X8	25	0	120	7.98
886-100M	1-1/2X10	25	0	120	9.12
886-120M	1-1/2X12	25	0	120	10.64

PVC Schedule 80 Machined Nipples

2" Diameter

887-005M	2XCLOSE	25	0	120	4.25
887-030M	2X3	25	0	120	5.34
887-040M	2X4	25	0	120	6.91
887-060M	2X6	25	0	120	8.99

PVC Reducing Nipples

PVC Reducing Nipples

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
882-101	3/4X1/2	50	300	120	1.91
884-130R	1X1/2	25	300	120	2.57
884-131	1X3/4	50	200	120	2.66

CPVC Nipples

CPVC Schedule 80 Nipples

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
------	--------------------	------------------	-----------	--------	---------	-----------

1/4" Diameter

1/4XCLOSE	880-005C 3.12	1880-005C 3.39	880-005CP 3.39	25	1200	121
1/4X1-1/2	880-015C 3.12	1880-015C 3.59	880-015CP 3.59	25	1200	121
1/4X2	880-020C 3.63	1880-020C 3.63	880-020CP 3.63	25	500	121
1/4X2-1/2	880-025C 4.22	1880-025C 4.22	880-025CP 4.22	25	500	121
1/4X3	880-030C 4.39	1880-030C 4.39	880-030CP 4.39	25	500	121
1/4X3-1/2	880-035C 4.78	1880-035C 4.78	880-035CP 4.78	25	500	121
1/4X4	880-040C 4.97	1880-040C 4.97	880-040CP 4.97	25	250	121
1/4X4-1/2	880-045C 5.35	1880-045C 5.35	880-045CP 5.35	25	250	121
1/4X5	880-050C 5.52	1880-050C 5.52	880-050CP 5.52	25	250	121
1/4X5-1/2	880-055C 5.82	1880-055C 5.82	880-055CP 5.82	25	250	121
1/4X6	880-060C 6.62	1880-060C 6.62	880-060CP 6.62	25	250	121
1/4X7	880-070C 8.81	1880-070C 8.81	880-070CP 8.81	25	250	121
1/4X8	880-080C 9.47	1880-080C 9.47	880-080CP 9.47	25	250	121
1/4X9	880-090C 10.05	1880-090C 10.05	880-090CP 10.05	25	250	121
1/4X10	880-100C 10.58	1880-100C 10.58	880-100CP 10.58	25	250	121
1/4X11	880-110C 11.22	1880-110C 11.22	880-110CP 11.22	25	250	121
1/4X12	880-120C 11.71	1880-120C 11.71	880-120CP 11.71	25	250	121
1/4X13	880-130C 14.82	1880-130C 14.82	880-130CP 14.82	25	250	121
1/4X14	880-140C 19.04	1880-140C 19.04	880-140CP 19.04	25	250	121
1/4X15	880-150C 19.80	1880-150C 19.80	880-150CP 19.80	25	500	121
1/4X16	880-160C 20.04	1880-160C 20.04	880-160CP 20.04	25	250	121
1/4X17	880-170C 21.09	1880-170C 21.09	880-170CP 21.09	25	0	121
1/4X18	880-180C 22.82	1880-180C 22.82	880-180CP 22.82	25	300	121
1/4X19	880-190C 23.29	1880-190C 23.29	880-190CP 23.29	25	0	121
1/4X20	880-200C 23.91	1880-200C 23.91	880-200CP 23.91	25	0	121
1/4X22	880-220C 24.78	1880-220C 24.78	880-220CP 24.78	25	300	121
1/4X24	880-240C 28.64	1880-240C 28.64	880-240CP 28.64	25	0	121
1/4X30	880-300C 34.67	1880-300C 34.67	880-300CP 34.67	25	0	121
1/4X36	880-360C 40.93	1880-360C 40.93	880-360CP 40.93	25	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/4" Diameter						
1/4X42	880-420C 48.03	1880-420C 48.03	880-420CP 48.03	25	0	121
1/4X48	880-480C 50.15	1880-480C 50.15	880-480CP 50.15	25	0	121

3/8" Diameter

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8XCLOSE	881-005C 3.57	1881-005C 3.57	881-005CP 3.57	25	800	121
3/8X1-1/2	881-015C 3.74	1881-015C 3.74	881-015CP 3.74	25	800	121
3/8X2	881-020C 4.22	1881-020C 4.22	881-020CP 4.22	25	600	121
3/8X2-1/2	881-025C 4.76	1881-025C 4.76	881-025CP 4.76	25	600	121
3/8X3	881-030C 5.00	1881-030C 5.00	881-030CP 5.00	25	400	121
3/8X3-1/2	881-035C 5.57	1881-035C 5.57	881-035CP 5.57	25	400	121
3/8X4	881-040C 6.04	1881-040C 6.04	881-040CP 6.04	25	300	121
3/8X4-1/2	881-045C 6.61	1881-045C 6.61	881-045CP 6.61	25	250	121
3/8X5	881-050C 7.13	1881-050C 7.13	881-050CP 7.13	25	250	121
3/8X5-1/2	881-055C 7.82	1881-055C 7.82	881-055CP 7.82	25	250	121
3/8X6	881-060C 8.65	1881-060C 8.65	881-060CP 8.65	25	250	121
3/8X7	881-070C 10.39	1881-070C 10.39	881-070CP 10.39	25	200	121
3/8X8	881-080C 10.87	1881-080C 10.87	881-080CP 10.87	25	200	121
3/8X9	881-090C 12.12	1881-090C 12.12	881-090CP 12.12	25	200	121
3/8X10	881-100C 12.34	1881-100C 12.34	881-100CP 12.34	25	200	121
3/8X11	881-110C 13.09	1881-110C 13.09	881-110CP 13.09	25	200	121
3/8X12	881-120C 13.34	1881-120C 13.34	881-120CP 13.34	25	200	121
3/8X13	881-130C 17.11	1881-130C 17.11	881-130CP 17.11	25	0	121
3/8X14	881-140C 20.83	1881-140C 20.83	881-140CP 20.83	25	200	121
3/8X15	881-150C 21.29	1881-150C 21.29	881-150CP 21.29	25	200	121
3/8X16	881-160C 21.80	1881-160C 21.80	881-160CP 21.80	25	200	121
3/8X17	881-170C 22.57	1881-170C 22.57	881-170CP 22.57	25	0	121
3/8X18	881-180C 23.34	1881-180C 23.34	881-180CP 23.34	25	200	121
3/8X19	881-190C 24.06	1881-190C 24.06	881-190CP 24.06	25	0	121
3/8X20	881-200C 24.82	1881-200C 24.82	881-200CP 24.82	25	0	121
3/8X22	881-220C 25.63	1881-220C 25.63	881-220CP 25.63	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/8" Diameter						
3/8X24	881-240C 26.79	1881-240C 26.79	881-240CP 26.79	25	0	121
3/8X30	881-300C 40.98	1881-300C 40.98	881-300CP 40.98	25	0	121
3/8X36	881-360C 46.88	1881-360C 46.88	881-360CP 46.88	25	0	121
3/8X42	881-420C 51.00	1881-420C 51.00	881-420CP 51.00	25	0	121
3/8X48	881-480C 53.60	1881-480C 53.60	881-480CP 53.60	25	0	121

1/2" Diameter

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2XCLOSE	882-005C 3.36	1882-005C 3.36	882-005CP 3.36	25	450	121
1/2X1-1/2	882-015C 3.63	1882-015C 3.63	882-015CP 3.63	25	600	121
1/2X2	882-020C 4.00	1882-020C 4.45	882-020CP 4.45	25	300	121
1/2X2-1/2	882-025C 4.85	1882-025C 4.85	882-025CP 4.85	25	300	121
1/2X3	882-030C 4.58	1882-030C 5.19	882-030CP 5.19	25	300	121
1/2X3-1/2	882-035C 5.35	1882-035C 5.35	882-035CP 5.35	25	300	121
1/2X4	882-040C 5.35	1882-040C 5.76	882-040CP 5.76	25	300	121
1/2X4-1/2	882-045C 6.01	1882-045C 6.01	882-045CP 6.01	25	300	121
1/2X5	882-050C 6.35	1882-050C 6.35	882-050CP 6.35	25	300	121
1/2X5-1/2	882-055C 6.78	1882-055C 6.78	882-055CP 6.78	25	300	121
1/2X6	882-060C 6.78	1882-060C 7.44	882-060CP 7.44	25	300	121
1/2X7	882-070C 9.89	1882-070C 9.89	882-070CP 9.89	25	200	121
1/2X8	882-080C 10.56	1882-080C 10.56	882-080CP 10.56	25	0	121
1/2X9	882-090C 11.39	1882-090C 11.39	882-090CP 11.39	25	0	121
1/2X10	882-100C 11.99	1882-100C 11.99	882-100CP 11.99	25	0	121
1/2X11	882-110C 12.79	1882-110C 12.79	882-110CP 12.79	25	0	121
1/2X12	882-120C 13.55	1882-120C 13.55	882-120CP 13.55	25	0	121
1/2X13	882-130C 16.71	1882-130C 16.71	882-130CP 16.71	25	0	121
1/2X14	882-140C 19.85	1882-140C 19.85	882-140CP 19.85	100	0	121
1/2X15	882-150C 20.46	1882-150C 20.46	882-150CP 20.46	100	0	121
1/2X16	882-160C 21.14	1882-160C 21.14	882-160CP 21.14	100	0	121
1/2X17	882-170C 22.06	1882-170C 22.06	882-170CP 22.06	100	0	121
1/2X18	882-180C 22.41	1882-180C 22.41	882-180CP 22.41	25	100	121
1/2X19	882-190C 23.24	1882-190C 23.24	882-190CP 23.24	100	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1/2" Diameter						
1/2X20	882-200C 24.02	1882-200C 24.02	882-200CP 24.02	100	0	121
1/2X22	882-220C 25.87	1882-220C 25.87	882-220CP 25.87	100	0	121
1/2X24	882-240C 27.17	1882-240C 27.17	882-240CP 27.17	100	0	121
1/2X30	882-300C 36.02	1882-300C 36.02	882-300CP 36.02	25	0	121
1/2X36	882-360C 40.02	1882-360C 40.02	882-360CP 40.02	25	0	121
1/2X42	882-420C 49.18	1882-420C 49.18	882-420CP 49.18	25	0	121
1/2X48	882-480C 54.25	1882-480C 54.25	882-480CP 54.25	25	0	121

3/4" Diameter

3/4XCLOSE	883-005C 4.14	1883-005C 4.14	883-005CP 4.14	25	300	121
3/4X1-1/2	883-015C 4.43	1883-015C 4.43	883-015CP 4.43	25	300	121
3/4X2	883-020C 4.78	1883-020C 4.78	883-020CP 4.78	25	300	121
3/4X2-1/2	883-025C 5.45	1883-025C 5.45	883-025CP 5.45	25	300	121
3/4X3	883-030C 5.45	1883-030C 6.31	883-030CP 6.31	25	300	121
3/4X3-1/2	883-035C 6.31	1883-035C 6.31	883-035CP 6.31	25	300	121
3/4X4	883-040C 6.46	1883-040C 6.46	883-040CP 6.46	25	300	121
3/4X4-1/2	883-045C 6.99	1883-045C 6.99	883-045CP 6.99	25	200	121
3/4X5	883-050C 7.16	1883-050C 7.16	883-050CP 7.16	25	200	121
3/4X5-1/2	883-055C 7.16	1883-055C 7.16	883-055CP 7.16	25	200	121
3/4X6	883-060C 7.80	1883-060C 8.41	883-060CP 8.41	25	200	121
3/4X7	883-070C 10.67	1883-070C 10.67	883-070CP 10.67	25	200	121
3/4X8	883-080C 10.94	1883-080C 10.94	883-080CP 10.94	25	0	121
3/4X9	883-090C 13.29	1883-090C 13.29	883-090CP 13.29	25	0	121
3/4X10	883-100C 13.95	1883-100C 13.95	883-100CP 13.95	25	0	121
3/4X11	883-110C 14.80	1883-110C 14.80	883-110CP 14.80	25	0	121
3/4X12	883-120C 15.69	1883-120C 15.69	883-120CP 15.69	25	0	121
3/4X13	883-130C 19.60	1883-130C 19.60	883-130CP 19.60	25	0	121
3/4X14	883-140C 23.52	1883-140C 23.52	883-140CP 23.52	100	0	121
3/4X15	883-150C 24.16	1883-150C 24.16	883-150CP 24.16	100	0	121
3/4X16	883-160C 24.86	1883-160C 24.86	883-160CP 24.86	100	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3/4" Diameter						
3/4X17	883-170C 25.68	1883-170C 25.68	883-170CP 25.68	100	0	121
3/4X18	883-180C 26.53	1883-180C 26.53	883-180CP 26.53	100	0	121
3/4X19	883-190C 27.22	1883-190C 27.22	883-190CP 27.22	100	0	121
3/4X20	883-200C 27.94	1883-200C 27.94	883-200CP 27.94	100	0	121
3/4X22	883-220C 29.64	1883-220C 29.64	883-220CP 29.64	100	0	121
3/4X24	883-240C 31.37	1883-240C 31.37	883-240CP 31.37	100	0	121
3/4X30	883-300C 47.83	1883-300C 47.83	883-300CP 47.83	25	0	121
3/4X36	883-360C 52.15	1883-360C 52.15	883-360CP 52.15	25	0	121
3/4X42	883-420C 57.24	1883-420C 57.24	883-420CP 57.24	25	0	121
3/4X48	883-480C 61.04	1883-480C 61.04	883-480CP 61.04	25	0	121

1" Diameter

1XCLOSE	884-005C 5.00	1884-005C 5.69	884-005CP 5.69	25	300	121
1X2	884-020C 5.45	1884-020C 5.88	884-020CP 5.88	25	300	121
1X2-1/2	884-025C 6.78	1884-025C 6.78	884-025CP 6.78	25	200	121
1X3	884-030C 7.14	1884-030C 7.14	884-030CP 7.14	25	200	121
1X3-1/2	884-035C 7.38	1884-035C 7.38	884-035CP 7.38	25	200	121
1X4	884-040C 7.80	1884-040C 7.95	884-040CP 7.95	25	200	121
1X4-1/2	884-045C 8.59	1884-045C 8.59	884-045CP 8.59	25	200	121
1X5	884-050C 8.81	1884-050C 8.81	884-050CP 8.81	25	0	121
1X5-1/2	884-055C 9.53	1884-055C 9.53	884-055CP 9.53	25	0	121
1X6	884-060C 10.22	1884-060C 10.22	884-060CP 10.22	25	0	121
1X7	884-070C 11.32	1884-070C 11.32	884-070CP 11.32	25	0	121
1X8	884-080C 12.81	1884-080C 12.81	884-080CP 12.81	25	0	121
1X9	884-090C 14.51	1884-090C 14.51	884-090CP 14.51	25	0	121
1X10	884-100C 15.61	1884-100C 15.61	884-100CP 15.61	25	0	121
1X11	884-110C 16.75	1884-110C 16.75	884-110CP 16.75	25	0	121
1X12	884-120C 17.85	1884-120C 17.85	884-120CP 17.85	25	0	121
1X13	884-130C 20.54	1884-130C 20.54	884-130CP 20.54	25	0	121
1X14	884-140C 26.45	1884-140C 26.45	884-140CP 26.45	50	0	121
1X15	884-150C 27.80	1884-150C 27.80	884-150CP 27.80	50	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1" Diameter						
1X16	884-160C 29.33	1884-160C 29.33	884-160CP 29.33	50	0	121
1X17	884-170C 30.78	1884-170C 30.78	884-170CP 30.78	50	0	121
1X18	884-180C 32.14	1884-180C 32.14	884-180CP 32.14	50	0	121
1X19	884-190C 33.67	1884-190C 33.67	884-190CP 33.67	50	0	121
1X20	884-200C 35.53	1884-200C 35.53	884-200CP 35.53	50	0	121
1X22	884-220C 38.56	1884-220C 38.56	884-220CP 38.56	50	0	121
1X24	884-240C 40.83	1884-240C 40.83	884-240CP 40.83	50	0	121
1X30	884-300C 54.07	1884-300C 54.07	884-300CP 54.07	15	0	121
1X36	884-360C 57.33	1884-360C 57.33	884-360CP 57.33	15	0	121
1X42	884-420C 66.13	1884-420C 66.13	884-420CP 66.13	15	0	121
1X48	884-480C 74.65	1884-480C 74.65	884-480CP 74.65	15	0	121

1-1/4" Diameter

1-1/4XCLOSE	885-005C 6.31	1885-005C 6.31	885-005CP 6.31	25	200	121
1-1/4X2	885-020C 6.99	1885-020C 6.99	885-020CP 6.99	25	200	121
1-1/4X2-1/2	885-025C 7.84	1885-025C 7.84	885-025CP 7.84	25	200	121
1-1/4X3	885-030C 8.68	1885-030C 8.68	885-030CP 8.68	25	0	121
1-1/4X3-1/2	885-035C 10.17	1885-035C 10.17	885-035CP 10.17	25	0	121
1-1/4X4	885-040C 10.96	1885-040C 10.96	885-040CP 10.96	25	0	121
1-1/4X4-1/2	885-045C 12.12	1885-045C 12.12	885-045CP 12.12	25	0	121
1-1/4X5	885-050C 12.87	1885-050C 12.87	885-050CP 12.87	25	0	121
1-1/4X5-1/2	885-055C 13.83	1885-055C 13.83	885-055CP 13.83	25	0	121
1-1/4X6	885-060C 14.80	1885-060C 14.80	885-060CP 14.80	25	0	121
1-1/4X7	885-070C 15.36	1885-070C 15.36	885-070CP 15.36	25	0	121
1-1/4X8	885-080C 16.91	1885-080C 16.91	885-080CP 16.91	25	0	121
1-1/4X9	885-090C 18.47	1885-090C 18.47	885-090CP 18.47	25	0	121
1-1/4X10	885-100C 20.01	1885-100C 20.01	885-100CP 20.01	25	0	121
1-1/4X11	885-110C 22.41	1885-110C 22.41	885-110CP 22.41	25	0	121
1-1/4X12	885-120C 23.99	1885-120C 23.99	885-120CP 23.99	25	0	121
1-1/4X13	885-130C 27.42	1885-130C 27.42	885-130CP 27.42	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/4" Diameter						
1-1/4X14	885-140C 29.21	1885-140C 29.21	885-140CP 29.21	25	0	121
1-1/4X15	885-150C 33.54	1885-150C 33.54	885-150CP 33.54	25	0	121
1-1/4X16	885-160C 39.04	1885-160C 39.04	885-160CP 39.04	25	0	121
1-1/4X17	885-170C 40.92	1885-170C 40.92	885-170CP 40.92	25	0	121
1-1/4X18	885-180C 43.04	1885-180C 43.04	885-180CP 43.04	25	0	121
1-1/4X19	885-190C 45.24	1885-190C 45.24	885-190CP 45.24	25	0	121
1-1/4X20	885-200C 47.23	1885-200C 47.23	885-200CP 47.23	25	0	121
1-1/4X22	885-220C 51.23	1885-220C 51.23	885-220CP 51.23	25	0	121
1-1/4X24	885-240C 55.11	1885-240C 55.11	885-240CP 55.11	25	0	121
1-1/4X30	885-300C 65.46	1885-300C 65.46	885-300CP 65.46	10	0	121
1-1/4X36	885-360C 77.47	1885-360C 77.47	885-360CP 77.47	10	0	121
1-1/4X42	885-420C 89.47	1885-420C 89.47	885-420CP 89.47	10	0	121
1-1/4X48	885-480C 101.47	1885-480C 101.47	885-480CP 101.47	10	0	121

1-1/2" Diameter

1-1/2XCLOSE	886-005C 6.99	1886-005C 6.99	886-005CP 6.99	25	0	121
1-1/2X2	886-020C 7.80	1886-020C 7.80	886-020CP 7.80	25	0	121
1-1/2X2-1/2	886-025C 8.75	1886-025C 8.75	886-025CP 8.75	25	0	121
1-1/2X3	886-030C 9.72	1886-030C 9.72	886-030CP 9.72	25	0	121
1-1/2X3-1/2	886-035C 11.18	1886-035C 11.18	886-035CP 11.18	25	0	121
1-1/2X4	886-040C 11.75	1886-040C 11.75	886-040CP 11.75	25	0	121
1-1/2X4-1/2	886-045C 13.72	1886-045C 13.72	886-045CP 13.72	25	0	121
1-1/2X5	886-050C 15.63	1886-050C 15.63	886-050CP 15.63	25	0	121
1-1/2X5-1/2	886-055C 18.79	1886-055C 18.79	886-055CP 18.79	25	0	121
1-1/2X6	886-060C 21.93	1886-060C 21.93	886-060CP 21.93	25	0	121
1-1/2X7	886-070C 23.43	1886-070C 23.43	886-070CP 23.43	25	0	121
1-1/2X8	886-080C 25.40	1886-080C 25.40	886-080CP 25.40	25	0	121
1-1/2X9	886-090C 26.13	1886-090C 26.13	886-090CP 26.13	25	0	121
1-1/2X10	886-100C 28.48	1886-100C 28.48	886-100CP 28.48	25	0	121
1-1/2X11	886-110C 29.39	1886-110C 29.39	886-110CP 29.39	25	0	121
1-1/2X12	886-120C 31.33	1886-120C 31.33	886-120CP 31.33	25	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1-1/2" Diameter						
1-1/2X13	886-130C 34.43	1886-130C 34.43	886-130CP 34.43	25	0	121
1-1/2X14	886-140C 37.63	1886-140C 37.63	886-140CP 37.63	25	0	121
1-1/2X15	886-150C 45.39	1886-150C 45.39	886-150CP 45.39	25	0	121
1-1/2X16	886-160C 48.72	1886-160C 48.72	886-160CP 48.72	25	0	121
1-1/2X17	886-170C 49.29	1886-170C 49.29	886-170CP 49.29	25	0	121
1-1/2X18	886-180C 50.76	1886-180C 50.76	886-180CP 50.76	25	0	121
1-1/2X19	886-190C 52.77	1886-190C 52.77	886-190CP 52.77	25	0	121
1-1/2X20	886-200C 54.75	1886-200C 54.75	886-200CP 54.75	25	0	121
1-1/2X22	886-220C 58.68	1886-220C 58.68	886-220CP 58.68	25	0	121
1-1/2X24	886-240C 62.61	1886-240C 62.61	886-240CP 62.61	25	0	121
1-1/2X30	886-300C 78.59	1886-300C 78.59	886-300CP 78.59	5	0	121
1-1/2X36	886-360C 93.20	1886-360C 93.20	886-360CP 93.20	5	0	121
1-1/2X42	886-420C 107.80	1886-420C 107.80	886-420CP 107.80	5	0	121
1-1/2X48	886-480C 125.21	1886-480C 125.21	886-480CP 125.21	5	0	121

2" Diameter

2XCLOSE	887-005C 10.81	1887-005C 10.81	887-005CP 10.81	25	0	121
2X2	887-020C 10.81	1887-020C 10.81	887-020CP 10.81	25	0	121
2X2-1/2	887-025C 12.87	1887-025C 12.87	887-025CP 12.87	25	0	121
2X3	887-030C 15.27	1887-030C 16.26	887-030CP 16.26	25	0	121
2X3-1/2	887-035C 15.75	1887-035C 15.75	887-035CP 15.75	25	0	121
2X4	887-040C 17.66	1887-040C 17.66	887-040CP 17.66	25	0	121
2X4-1/2	887-045C 18.38	1887-045C 18.38	887-045CP 18.38	25	0	121
2X5	887-050C 20.02	1887-050C 20.02	887-050CP 20.02	25	0	121
2X5-1/2	887-055C 22.74	1887-055C 22.74	887-055CP 22.74	25	0	121
2X6	887-060C 28.16	1887-060C 28.16	887-060CP 28.16	25	0	121
2X7	887-070C 29.01	1887-070C 29.01	887-070CP 29.01	25	0	121
2X8	887-080C 30.54	1887-080C 30.54	887-080CP 30.54	25	0	121
2X9	887-090C 33.20	1887-090C 33.20	887-090CP 33.20	25	0	121
2X10	887-100C 35.60	1887-100C 35.60	887-100CP 35.60	25	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2" Diameter						
2X11	887-110C 37.68	1887-110C 37.68	887-110CP 37.68	25	0	121
2X12	887-120C 40.07	1887-120C 40.07	887-120CP 40.07	25	0	121
2X13	887-130C 43.21	1887-130C 43.21	887-130CP 43.21	25	0	121
2X14	887-140C 50.23	1887-140C 50.23	887-140CP 50.23	25	0	121
2X15	887-150C 53.60	1887-150C 53.60	887-150CP 53.60	25	0	121
2X16	887-160C 55.85	1887-160C 55.85	887-160CP 55.85	25	0	121
2X17	887-170C 60.15	1887-170C 60.15	887-170CP 60.15	20	0	121
2X18	887-180C 63.01	1887-180C 63.01	887-180CP 63.01	20	0	121
2X19	887-190C 65.91	1887-190C 65.91	887-190CP 65.91	25	0	121
2X20	887-200C 69.39	1887-200C 69.39	887-200CP 69.39	20	0	121
2X22	887-220C 75.55	1887-220C 75.55	887-220CP 75.55	20	0	121
2X24	887-240C 80.15	1887-240C 80.15	887-240CP 80.15	20	0	121
2X30	887-300C 107.97	1887-300C 107.97	887-300CP 107.97	5	0	121
2X36	887-360C 140.54	1887-360C 140.54	887-360CP 140.54	5	0	121
2X42	887-420C 161.81	1887-420C 161.81	887-420CP 161.81	5	0	121
2X48	887-480C 183.72	1887-480C 183.72	887-480CP 183.72	5	0	121

2-1/2" Diameter

2-1/2XCLOSE	888-005C 19.63	1888-005C 19.63	888-005CP 19.63	25	0	121
2-1/2X3	888-030C 21.54	1888-030C 21.54	888-030CP 21.54	25	0	121
2-1/2X3-1/2	888-035C 26.28	1888-035C 26.28	888-035CP 26.28	25	0	121
2-1/2X4	888-040C 26.28	1888-040C 26.28	888-040CP 26.28	25	0	121
2-1/2X4-1/2	888-045C 28.27	1888-045C 28.27	888-045CP 28.27	25	0	121
2-1/2X5	888-050C 31.40	1888-050C 31.40	888-050CP 31.40	25	0	121
2-1/2X5-1/2	888-055C 34.13	1888-055C 34.13	888-055CP 34.13	25	0	121
2-1/2X6	888-060C 36.83	1888-060C 36.83	888-060CP 36.83	25	0	121
2-1/2X7	888-070C 47.12	1888-070C 47.12	888-070CP 47.12	16	0	121
2-1/2X8	888-080C 52.49	1888-080C 52.49	888-080CP 52.49	16	0	121
2-1/2X9	888-090C 57.61	1888-090C 57.61	888-090CP 57.61	25	0	121
2-1/2X10	888-100C 62.75	1888-100C 62.75	888-100CP 62.75	16	0	121
2-1/2X11	888-110C 68.19	1888-110C 68.19	888-110CP 68.19	16	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
2-1/2" Diameter						
2-1/2X12	888-120C 68.93	1888-120C 68.93	888-120CP 68.93	16	0	121
2-1/2X13	888-130C 71.14	1888-130C 71.14	888-130CP 71.14	25	0	121
2-1/2X14	888-140C 76.12	1888-140C 76.12	888-140CP 76.12	25	0	121
2-1/2X15	888-150C 80.89	1888-150C 80.89	888-150CP 80.89	25	0	121
2-1/2X16	888-160C 85.05	1888-160C 85.05	888-160CP 85.05	20	0	121
2-1/2X17	888-170C 90.85	1888-170C 90.85	888-170CP 90.85	20	0	121
2-1/2X18	888-180C 95.73	1888-180C 95.73	888-180CP 95.73	20	0	121
2-1/2X19	888-190C 100.85	1888-190C 100.85	888-190CP 100.85	25	0	121
2-1/2X20	888-200C 106.65	1888-200C 106.64	888-200CP 106.65	12	0	121
2-1/2X22	888-220C 115.51	1888-220C 115.51	888-220CP 115.51	25	0	121
2-1/2X24	888-240C 127.80	1888-240C 127.80	888-240CP 127.80	10	0	121
2-1/2X30	888-300C 154.44	1888-300C 154.44	888-300CP 154.44	3	0	121
2-1/2X36	888-360C 186.33	1888-360C 186.33	888-360CP 186.33	3	0	121
2-1/2X42	888-420C 214.14	1888-420C 214.14	888-420CP 214.14	3	0	121
2-1/2X48	888-480C 243.85	1888-480C 220.08	888-480CP 243.85	3	0	121

3" Diameter

3XCLOSE	889-005C 25.43	1889-005C 25.43	889-005CP 25.43	25	0	121
3X3	889-030C 28.12	1889-030C 28.12	889-030CP 28.12	20	0	121
3X3-1/2	889-035C 33.25	1889-035C 33.25	889-035CP 33.25	30	0	121
3X4	889-040C 33.25	1889-040C 33.25	889-040CP 33.25	30	0	121
3X4-1/2	889-045C 38.72	1889-045C 38.72	889-045CP 38.72	20	0	121
3X5	889-050C 44.22	1889-050C 44.22	889-050CP 44.22	20	0	121
3X5-1/2	889-055C 45.92	1889-055C 45.92	889-055CP 45.92	20	0	121
3X6	889-060C 52.03	1889-060C 52.03	889-060CP 52.03	20	0	121
3X7	889-070C 55.72	1889-070C 55.72	889-070CP 55.72	10	0	121
3X8	889-080C 64.20	1889-080C 64.20	889-080CP 64.20	10	0	121
3X9	889-090C 71.78	1889-090C 71.78	889-090CP 71.78	10	0	121
3X10	889-100C 72.43	1889-100C 72.43	889-100CP 72.43	10	0	121
3X11	889-110C 75.14	1889-110C 75.14	889-110CP 75.14	10	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
3" Diameter						
3X12	889-120C 74.29	1889-120C 74.29	889-120CP 74.29	10	0	121
3X13	889-130C 75.38	1889-130C 75.38	889-130CP 75.38	20	0	121
3X14	889-140C 80.66	1889-140C 77.51	889-140CP 80.66	20	0	121
3X15	889-150C 85.96	1889-150C 85.96	889-150CP 85.96	20	0	121
3X16	889-160C 91.25	1889-160C 91.25	889-160CP 91.25	20	0	121
3X17	889-170C 97.71	1889-170C 97.71	889-170CP 97.71	10	0	121
3X18	889-180C 103.72	1889-180C 103.72	889-180CP 103.72	10	0	121
3X19	889-190C 109.38	1889-190C 109.38	889-190CP 109.38	10	0	121
3X20	889-200C 114.66	1889-200C 114.66	889-200CP 114.66	10	0	121
3X22	889-220C 125.24	1889-220C 125.24	889-220CP 125.24	10	0	121
3X24	889-240C 135.82	1889-240C 135.82	889-240CP 135.82	10	0	121
3X30	889-300C 164.17	1889-300C 164.17	889-300CP 164.17	3	0	121
3X36	889-360C 195.92	1889-360C 195.92	889-360CP 195.92	3	0	121
3X42	889-420C 227.65	1889-420C 227.65	889-420CP 227.65	3	0	121
3X48	889-480C 259.41	1889-480C 259.41	889-480CP 259.41	3	0	121

4" Diameter

4XCLOSE	890-005C 39.20	1890-005C 39.20	890-005CP 39.20	25	0	121
4X3	890-030C 44.78	1890-030C 44.78	890-030CP 44.78	25	0	121
4X3-1/2	890-035C 45.89	1890-035C 45.89	890-035CP 45.89	25	0	121
4X4	890-040C 47.06	1890-040C 47.06	890-040CP 47.06	18	0	121
4X4-1/2	890-045C 49.12	1890-045C 54.80	890-045CP 49.12	12	0	121
4X5	890-050C 54.80	1890-050C 54.80	890-050CP 54.80	12	0	121
4X5-1/2	890-055C 62.62	1890-055C 62.62	890-055CP 62.62	12	0	121
4X6	890-060C 74.40	1890-060C 74.40	890-060CP 74.40	12	0	121
4X7	890-070C 78.61	1890-070C 78.61	890-070CP 78.61	16	0	121
4X8	890-080C 94.04	1890-080C 94.04	890-080CP 94.04	16	0	121
4X9	890-090C 101.85	1890-090C 101.85	890-090CP 101.85	16	0	121
4X10	890-100C 109.71	1890-100C 109.71	890-100CP 109.71	16	0	121
4X11	890-110C 121.05	1890-110C 121.05	890-110CP 121.05	16	0	121
4X12	890-120C 125.29	1890-120C 125.29	890-120CP 125.29	16	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
4" Diameter						
4X13	890-130C 138.94	1890-130C 138.94	890-130CP 138.94	16	0	121
4X14	890-140C 149.53	1890-140C 149.53	890-140CP 149.53	16	0	121
4X15	890-150C 168.44	1890-150C 168.44	890-150CP 168.44	12	0	121
4X16	890-160C 188.06	1890-160C 188.42	890-160CP 188.06	12	0	121
4X17	890-170C 195.88	1890-170C 195.88	890-170CP 195.88	12	0	121
4X18	890-180C 203.71	1890-180C 203.71	890-180CP 203.71	4	0	121
4X19	890-190C 219.35	1890-190C 219.35	890-190CP 219.35	12	0	121
4X20	890-200C 227.46	1890-200C 227.46	890-200CP 227.46	8	0	121
4X22	890-220C 232.87	1890-220C 232.87	890-220CP 232.87	8	0	121
4X24	890-240C 253.75	1890-240C 253.75	890-240CP 253.75	4	0	121
4X30	890-300C 290.78	1890-300C 290.78	890-300CP 290.78	3	0	121
4X36	890-360C 347.22	1890-360C 347.22	890-360CP 347.22	3	0	121
4X42	890-420C 403.65	1890-420C 403.65	890-420CP 403.65	3	0	121
4X48	890-480C 434.53	1890-480C 434.53	890-480CP 434.53	3	0	121
6" Diameter						
6XCLOSE	892-005C 57.52	1892-005C 57.52	892-005CP 57.52	1	8	121
6X3	892-030C 61.25	1892-030C 61.25	892-030CP 61.25	1	4	121
6X4	892-040C 79.02	1892-040C 79.02	892-040CP 79.02	4	0	121
6X4-1/2	892-045C 86.31	1892-045C 86.31	892-045CP 86.31	1	4	121
6X5	892-050C 96.80	1892-050C 96.80	892-050CP 96.80	1	2	121
6X5-1/2	892-055C 105.14	1892-055C 105.14	892-055CP 105.14	1	2	121
6X6	892-060C 113.51	1892-060C 113.51	892-060CP 113.51	2	0	121
6X7	892-070C 130.22	1892-070C 130.22	892-070CP 130.22	1	2	121
6X8	892-080C 151.18	1892-080C 151.18	892-080CP 151.18	1	0	121
6X9	892-090C 167.88	1892-090C 167.88	892-090CP 167.88	1	0	121
6X10	892-100C 184.72	1892-100C 167.88	892-100CP 184.72	1	0	121
6X11	892-110C 201.20	1892-110C 201.20	892-110CP 201.20	1	0	121
6X12	892-120C 215.16	1892-120C 215.16	892-120CP 215.16	1	0	121
6X13	892-130C 224.51	1892-130C 224.61	892-130CP 224.51	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
6" Diameter						
6X14	892-140C 240.49	1892-140C 240.49	892-140CP 240.49	1	0	121
6X15	892-150C 256.47	1892-150C 256.47	892-150CP 256.47	1	0	121
6X16	892-160C 263.31	1892-160C 263.31	892-160CP 263.31	1	0	121
6X17	892-170C 278.75	1892-170C 278.75	892-170CP 278.75	1	0	121
6X18	892-180C 290.55	1892-180C 290.55	892-180CP 290.55	1	6	121
6X19	892-190C 309.65	1892-190C 309.65	892-190CP 309.65	1	0	121
6X20	892-200C 325.07	1892-200C 325.07	892-200CP 325.07	1	0	121
6X22	892-220C 338.88	1892-220C 338.88	892-220CP 338.88	1	0	121
6X24	892-240C 361.02	1892-240C 361.02	892-240CP 361.02	1	3	121
6X30	892-300C 442.35	1892-300C 442.35	892-300CP 442.35	1	0	121
6X36	892-360C 528.65	1892-360C 528.65	892-360CP 528.65	1	0	121
6X42	892-420C 613.26	1892-420C 613.26	892-420CP 613.26	1	0	121
6X48	892-480C 653.23	1892-480C 653.23	892-480CP 653.23	1	0	121
8" Diameter						
8XCLOSE	893-005C 86.51	1893-005C 86.51	893-005CP 86.51	2	0	121
8X4-1/2	893-045C 106.15	1893-045C 106.15	893-045CP 106.15	1	0	121
8X5	893-050C 112.62	1893-050C 112.62	893-050CP 112.62	1	0	121
8X5-1/2	893-055C 123.01	1893-055C 123.01	893-055CP 123.01	1	0	121
8X6	893-060C 131.52	1893-060C 131.52	893-060CP 131.52	1	0	121
8X7	893-070C 154.20	1893-070C 217.11	893-070CP 154.20	1	0	121
8X8	893-080C 164.37	1893-080C 164.37	893-080CP 164.37	4	0	121
8X9	893-090C 176.20	1893-090C 176.20	893-090CP 176.20	1	0	121
8X10	893-100C 194.92	1893-100C 191.76	893-100CP 194.92	1	0	121
8X11	893-110C 213.62	1893-110C 213.62	893-110CP 213.62	1	0	121
8X12	893-120C 232.33	1893-120C 232.33	893-120CP 232.33	1	0	121
8X13	893-130C 244.60	1893-130C 244.60	893-130CP 244.60	1	0	121
8X14	893-140C 261.04	1893-140C 261.04	893-140CP 261.04	1	0	121
8X15	893-150C 279.16	1893-150C 279.16	893-150CP 279.16	1	0	121
8X16	893-160C 301.57	1893-160C 301.57	893-160CP 301.57	1	0	121
8X17	893-170C 315.37	1893-170C 315.37	893-170CP 315.37	1	0	121

Nipples Product PVC, CPVC & PE Nipples



CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
8" Diameter						
8X18	893-180C 337.95	1893-180C 337.95	893-180CP 337.95	4	0	121
8X19	893-190C 351.59	1893-190C 351.59	893-190CP 351.59	1	0	121
8X20	893-200C 372.99	1893-200C 372.99	893-200CP 372.99	2	0	121
8X22	893-220C 381.31	1893-220C 381.31	893-220CP 381.31	1	0	121
8X24	893-240C 402.66	1893-240C 402.66	893-240CP 402.66	2	2	121
8X30	893-300C 479.99	1893-300C 479.88	893-300CP 479.99	4	0	121
8X36	893-360C 543.36	1893-360C 543.36	893-360CP 543.36	1	0	121
8X42	893-420C 661.35	1893-420C 661.35	893-420CP 661.35	1	0	121
8X48	893-480C 754.92	1893-480C 754.92	893-480CP 754.92	1	0	121
10" Diameter						
10XCLOSE	894-005C 111.75	1894-005C 111.75	894-005CP 111.75	1	0	121
10X4-1/2	894-045C 131.15	1894-045C 131.15	894-045CP 131.15	1	0	121
10X5	894-050C 144.58	1894-050C 144.58	894-050CP 144.58	1	0	121
10X5-1/2	894-055C 158.02	1894-055C 158.02	894-055CP 158.02	1	0	121
10X6	894-060C 171.44	1894-060C 171.44	894-060CP 171.44	1	0	121
10X7	894-070C 185.92	1894-070C 185.92	894-070CP 185.92	1	0	121
10X8	894-080C 193.01	1894-080C 193.01	894-080CP 193.01	1	0	121
10X9	894-090C 204.36	1894-090C 204.36	894-090CP 204.36	1	0	121
10X10	894-100C 212.37	1894-100C 212.37	894-100CP 212.37	1	0	121
10X11	894-110C 232.83	1894-110C 232.83	894-110CP 232.83	1	0	121
10X12	894-120C 247.34	1894-120C 247.34	894-120CP 247.34	1	0	121
10X13	894-130C 256.80	1894-130C 256.80	894-130CP 256.80	1	0	121
10X14	894-140C 275.98	1894-140C 275.98	894-140CP 275.98	1	0	121
10X15	894-150C 295.18	1894-150C 295.18	894-150CP 295.18	1	0	121
10X16	894-160C 314.37	1894-160C 314.37	894-160CP 314.37	1	0	121
10X17	894-170C 333.55	1894-170C 333.55	894-170CP 333.55	1	0	121
10X18	894-180C 352.76	1894-180C 352.76	894-180CP 352.76	1	0	121
10X19	894-190C 371.94	1894-190C 371.94	894-190CP 371.94	1	0	121
10X20	894-200C 391.14	1894-200C 391.14	894-200CP 391.14	1	0	121

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
10" Diameter						
10X22	894-220C 409.98	1894-220C 409.98	894-220CP 409.98	1	0	121
10X24	894-240C 427.53	1894-240C 427.53	894-240CP 427.53	1	2	121
10X30	894-300C 521.01	1894-300C 521.01	894-300CP 521.01	1	0	121
10X36	894-360C 623.91	1894-360C 623.91	894-360CP 623.91	1	0	121
10X42	894-420C 726.80	1894-420C 726.80	894-420CP 726.80	1	0	121
10X48	894-480C 829.69	1894-480C 829.69	894-480CP 829.69	1	0	121
12" Diameter						
12XCLOSE	895-005C 147.75	1895-005C 147.75	895-005CP 147.75	1	0	121
12X5	895-050C 168.42	1895-050C 168.42	895-050CP 168.42	1	0	121
12X5-1/2	895-055C 184.23	1895-055C 184.23	895-055CP 184.23	1	0	121
12X6	895-060C 200.05	1895-060C 200.05	895-060CP 200.05	1	0	121
12X7	895-070C 231.67	1895-070C 231.67	895-070CP 231.67	1	0	121
12X8	895-080C 243.06	1895-080C 243.06	895-080CP 243.06	1	0	121
12X9	895-090C 272.25	1895-090C 272.25	895-090CP 272.25	1	0	121
12X10	895-100C 289.65	1895-100C 289.65	895-100CP 289.65	1	0	121
12X11	895-110C 303.31	1895-110C 303.31	895-110CP 303.31	1	0	121
12X12	895-120C 332.68	1895-120C 332.68	895-120CP 332.68	1	0	121
12X13	895-130C 348.82	1895-130C 348.82	895-130CP 348.82	1	0	121
12X14	895-140C 374.38	1895-140C 374.38	895-140CP 374.38	1	0	121
12X15	895-150C 405.82	1895-150C 405.82	895-150CP 405.82	1	0	121
12X16	895-160C 424.40	1895-160C 424.35	895-160CP 424.40	1	0	121
12X17	895-170C 448.36	1895-170C 448.36	895-170CP 448.36	1	0	121
12X18	895-180C 485.26	1895-180C 485.26	895-180CP 485.26	1	0	121
12X19	895-190C 511.75	1895-190C 511.75	895-190CP 511.75	1	0	121
12X20	895-200C 553.60	1895-200C 553.60	895-200CP 553.60	1	0	121
12X22	895-220C 591.19	1895-220C 591.19	895-220CP 591.19	1	0	121
12X24	895-240C 644.16	1895-240C 644.16	895-240CP 644.16	1	0	121
12X30	895-300C 803.04	1895-300C 803.04	895-300CP 803.04	1	0	121
12X36	895-360C 961.93	1895-360C 961.93	895-360CP 961.93	1	0	121
12X42	895-420C 1120.82	1895-420C 1120.82	895-420CP 1120.82	1	0	121



Nipples Product PVC, CPVC & PE Nipples

CPVC Nipples

CPVC Schedule 80 Nipples (continued)

Size	Threaded Both Ends	Threaded One End	Plain End	Std Pk	Mstr Pk	Prod Code
1 1/2" Diameter						
12X48	895-480C 1250.61	1895-480C 1250.61	895-480CP 1250.61	1	0	121

Machined CPVC Nipple Options -Threaded Both Ends (TBE)

The following nipples are normally injection molded, but are optionally available as machined nipples listed below. All other nipples are normally machined.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

CPVC Schedule 80 Machined Nipples

1/4" Diameter

880-005CM	1/4XCLOSE	25	1200	121	3.39
-----------	-----------	----	------	-----	------

CPVC Schedule 80 Machined Nipples

1/2" Diameter

882-020CM	1/2X2	25	300	121	4.45
882-030CM	1/2X3	25	300	121	5.19
882-040CM	1/2X4	25	300	121	5.76

CPVC Schedule 80 Machined Nipples

3/4" Diameter

883-030CM	3/4X3	25	300	121	6.31
883-060CM	3/4X6	25	200	121	8.41

CPVC Schedule 80 Machined Nipples

1" Diameter

884-005CM	1XCLOSE	25	300	121	5.69
884-020CM	1X2	25	300	121	5.88

PE Nipples

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

1/2" Diameter

P42-005	1/2XCLOSE	25	450	120	1.15
P42-015	1/2X1-1/2	25	300	120	1.15
P42-020	1/2X2	25	300	120	1.15
P42-025	1/2X2-1/2	25	300	120	1.36
P42-030	1/2X3	25	300	120	1.36

Polyethylene Schedule 40 Nipple (continued)

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
1/2" Diameter					
P42-035	1/2X3-1/2	25	300	120	1.45
P42-040	1/2X4	25	300	120	1.45
P42-045	1/2X4-1/2	25	300	120	1.45
P42-050	1/2X5	25	300	120	1.92
P42-055	1/2X5-1/2	25	300	120	1.92
P42-060	1/2X6	25	300	120	2.17
P42-070	1/2X7	25	200	120	2.87
P42-080	1/2X8	25	100	120	2.93
P42-090	1/2X9	25	0	120	3.04
P42-100	1/2X10	25	0	120	3.11
P42-110	1/2X11	25	0	120	3.25
P42-120	1/2X12	25	0	120	3.27
P42-140	1/2X14	100	0	120	4.49
P42-150	1/2X15	100	0	120	5.00
P42-160	1/2X16	100	0	120	5.45
P42-180	1/2X18	100	0	120	5.91
P42-240	1/2X24	100	0	120	8.62

Polyethylene Schedule 40 Nipple

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
3/4" Diameter					
P43-005	3/4XCLOSE	25	150	120	1.36
P43-020	3/4X2	25	300	120	1.36
P43-025	3/4X2-1/2	25	300	120	1.92
P43-030	3/4X3	25	300	120	1.92
P43-035	3/4X3-1/2	25	300	120	2.14
P43-040	3/4X4	25	300	120	2.14
P43-045	3/4X4-1/2	25	200	120	2.24
P43-050	3/4X5	25	200	120	2.24
P43-055	3/4X5-1/2	25	200	120	2.43
P43-060	3/4X6	25	200	120	2.43
P43-070	3/4X7	25	200	120	7.48
P43-080	3/4X8	25	0	120	7.82
P43-090	3/4X9	25	0	120	8.55
P43-100	3/4X10	25	0	120	9.19
P43-110	3/4X11	25	0	120	9.65
P43-120	3/4X12	25	0	120	9.89

Polyethylene Cut-Off Nipples


Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
491-060	1/2 MPXx6 CutXOff	50	400	120	1.15
492-060	1/2x3/4MPXTx6Cut-Off	50	350	120	1.73
493-060	3/4 MPXx6 CutXOff	50	300	120	1.73

Nipples Product

PVC, CPVC & PE Nipples & Four-In-One • Cut-Off Nipples & Grooved Nipples



PE Nipples



Polyethylene Cut-Off Riser Extension

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M434-005-3	1/2X3	50	600	120	1.74
M434-007-4	3/4X4	50	0	120	2.31

FIPT x MIPT Cut-Off
 (1/2" = 3 - Section Cut-Off; 3/4" = 4 - Section Cut-Off)


M434-005-3	1/2X3	50	600	120	1.74
M434-007-4	3/4X4	50	0	120	2.31

Four-In-One • Cut-Off Nipples

- High quality polyethylene construction
- Reduces inventory
- Reduces contractor down time
- Choice of sizes from just one nipple
- Eliminates waste

Four-In-One Cut-Off Nipple


Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M481-005	1/2X6	50	350	123	1.33
M481-007	3/4X6	25	200	123	1.91



Four-In-One Cut-Off Nipple - Reducing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
M481-101	3/4X1/2X6	50	300	123	1.45

Four-In-One Cut-Off Nipple - Reducing (continued)



Grooved Nipples

PVC Schedule 80 Grooved Nipples

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
------	-----------------	----------------	-----------------	--------	---------	-----------

1-1/2" Diameter

1-1/2X3	886-030GG 4.03	886-030PG 4.03	886-030TG 4.03	25	0	120
1-1/2X4	886-040GG 5.57	886-040PG 5.57	886-040TG 5.57	25	0	120
1-1/2X6	886-060GG 6.77	886-060PG 6.77	886-060TG 6.77	25	0	120

2" Diameter

2X3	887-030GG 5.34	887-030PG 5.34	887-030TG 5.34	25	0	120
2X4	887-040GG 6.91	887-040PG 6.91	887-040TG 6.91	25	0	120
2X6	887-060GG 8.99	887-060PG 8.99	887-060TG 8.99	25	0	120

3" Diameter

3X3	889-030GG 17.87	889-030PG 17.87	889-030TG 17.87	20	0	120
3X4	889-040GG 23.86	889-040PG 23.86	889-040TG 23.86	30	0	120
3X6	889-060GG 33.43	889-060PG 33.43	889-060TG 33.43	20	0	120

4" Diameter

4X3	890-030GG 28.05	890-030PG 28.05	890-030TG 28.05	25	0	120
4X4	890-040GG 34.03	890-040PG 34.03	890-040TG 34.03	18	0	120
4X6	890-060GG 39.79	890-060PG 39.79	890-060TG 39.79	12	0	120

PVC Schedule 80 Grooved Nipple

Size	Groove X Groove	Plain X Groove	Thread X Groove	Std Pk	Mstr Pk	Prod Code
------	-----------------	----------------	-----------------	--------	---------	-----------

6" Diameter

6X3	892-030GG 31.53	892-030PG 31.53	892-030TG 31.53	1	4	120
6X4	892-040GG 37.53	892-040PG 37.53	892-040TG 37.53	4	0	120
6X6	892-060GG 54.31	892-060PG 54.31	892-060TG 54.31	2	0	120