



# EverTUFF® TURF™ Swing Joint Riser Assemblies



## PRODUCT

Contact Spears® for any Information not found.

**Irrigation & Turf Product**  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



**Swing Joint Socket Inlet x Mipt Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5805-01008	1X8LG	25	0	030	63.60
5805-01010	1X10LG	25	0	030	67.00
5805-01012	1X12LG	25	0	030	70.67
5805-01208	1-1/4X8LG	20	0	030	84.47
5805-01210	1-1/4X10LG	20	0	030	88.92
5805-01212	1-1/4X12LG	20	0	030	93.57
5805-16808	1-1/4X1X8LG	20	0	030	84.47
5805-16810	1-1/4X1X10LG	20	0	030	88.92
5805-16812	1-1/4X1X12LG	20	0	030	93.57
5805-16908	1-1/4X1-1/2X8LG	20	0	030	84.47
5805-16910	1-1/4X1-1/2X10LG	20	0	030	88.92
5805-16912	1-1/4X1-1/2X12LG	20	0	030	93.57
5805-01508	1-1/2X8LG	15	0	030	102.88
5805-01510	1-1/2X10LG	15	0	030	108.09
5805-01512	1-1/2X12LG	15	0	030	113.74

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



**Swing Joint Mipt Inlet x Mipt Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5807-01008	1X8LG	25	0	030	63.60
5807-01010	1X10LG	25	0	030	67.00
5807-01012	1X12LG	25	0	030	70.67
5807-01208	1-1/4X8LG	20	0	030	84.47
5807-01210	1-1/4X10LG	20	0	030	88.92
5807-01212	1-1/4X12LG	20	0	030	93.57
5807-16808	1-1/4X1X8LG	20	0	030	84.47
5807-16810	1-1/4X1X10LG	20	0	030	88.92
5807-16812	1-1/4X1X12LG	20	0	030	93.57
5807-16908	1-1/4X1-1/2X8LG	20	0	030	84.47
5807-16910	1-1/4X1-1/2X10LG	20	0	030	88.92
5807-16912	1-1/4X1-1/2X12LG	20	0	030	93.57
5807-01508	1-1/2X8LG	15	0	030	102.88
5807-01510	1-1/2X10LG	15	0	030	108.09
5807-01512	1-1/2X12LG	15	0	030	113.74

**Swing Joint Spigot Inlet x Mipt Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5806-01008	1X8LG	25	0	030	63.60
5806-01010	1X10LG	25	0	030	67.00
5806-01012	1X12LG	25	0	030	70.67
5806-01208	1-1/4X8LG	20	0	030	84.47
5806-01210	1-1/4X10LG	20	0	030	88.92
5806-01212	1-1/4X12LG	20	0	030	93.57
5806-16808	1-1/4X1X8LG	20	0	030	84.47
5806-16810	1-1/4X1X10LG	20	0	030	88.92
5806-16812	1-1/4X1X12LG	20	0	030	93.57
5806-16908	1-1/4X1-1/2X8LG	20	0	030	84.47
5806-16910	1-1/4X1-1/2X10LG	20	0	030	88.92
5806-16912	1-1/4X1-1/2X12LG	20	0	030	93.57
5806-01508	1-1/2X8LG	15	0	030	102.88
5806-01510	1-1/2X10LG	15	0	030	108.09
5806-01512	1-1/2X12LG	15	0	030	113.74

**Swing Joint Socket Tee Inlet x Mipt Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5808-24908	2X1 X8LG	15	0	030	90.78
5808-24910	2X1 X10LG	15	0	030	95.65
5808-24912	2X1 X12LG	15	0	030	100.75
5808-25008	2X1-1/4X8LG	15	0	030	110.83
5808-25010	2X1-1/4X10LG	15	0	030	116.68
5808-25012	2X1-1/4X12LG	10	0	030	122.80
5808-25108	2X1-1/2X8LG	10	0	030	146.56
5808-25110	2X1-1/2X10LG	10	0	030	154.48
5808-25112	2X1-1/2X12LG	10	0	030	162.87

**Swing Joint Socket Inlet x MAT Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5809-01008	1X8LG	25	0	030	63.60
5809-01010	1X10LG	25	0	030	67.00
5809-01012	1X12LG	25	0	030	70.67
5809-01208	1-1/4X8LG	20	0	030	84.47
5809-01210	1-1/4X10LG	20	0	030	88.92



Irrigation & Turf Product  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Swing Joint Socket Inlet x MAT Outlet (continued)**

5809-01212	1-1/4X12LG	20	0	030	93.57
5809-01508	1-1/2X8LG	15	0	030	102.88
5809-01510	1-1/2X10LG	15	0	030	108.09
5809-01512	1-1/2X12LG	15	0	030	113.74



**Swing Joint Spigot Inlet x MAT Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5810-01008	1X8LG	25	0	030	63.60
5810-01010	1X10LG	25	0	030	67.00
5810-01012	1X12LG	25	0	030	70.67
5810-01208	1-1/4X8LG	20	0	030	84.47
5810-01210	1-1/4X10LG	20	0	030	88.92
5810-01212	1-1/4X12LG	20	0	030	93.57
5810-01508	1-1/2X8LG	15	0	030	102.88
5810-01510	1-1/2X10LG	15	0	030	108.09
5810-01512	1-1/2X12LG	15	0	030	113.74



**Swing Joint Mipt Inlet x MAT Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5811-01008	1X8LG	25	0	030	63.60
5811-01010	1X10LG	25	0	030	67.00
5811-01012	1X12LG	25	0	030	70.67
5811-01208	1-1/4X8LG	20	0	030	84.47
5811-01210	1-1/4X10LG	20	0	030	88.92
5811-01212	1-1/4X12LG	20	0	030	93.57
5811-01508	1-1/2X8LG	15	0	030	102.88
5811-01510	1-1/2X10LG	15	0	030	108.09
5811-01512	1-1/2X12LG	15	0	030	113.74



**Swing Joint Socket Tee Inlet x MAT Outlet**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5812-24908	2X1 X8LG	15	0	030	90.78
5812-24910	2X1 X10LG	15	0	030	95.65
5812-24912	2X1 X12LG	15	0	030	100.75
5812-25008	2X1-1/4X8LG	20	0	030	110.83
5812-25010	2X1-1/4X10LG	15	0	030	116.68

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Swing Joint Socket Tee Inlet x MAT Outlet (continued)**

5812-25012	2X1-1/4X12LG	15	0	030	122.80
5812-25108	2X1-1/2X8LG	10	0	030	146.56
5812-25110	2X1-1/2X10LG	10	0	030	154.48
5812-25112	2X1-1/2X12LG	10	0	030	162.87



**Swing Joint Socket Inlet x Mipt Outlet Multi Ell**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5855-01008	1X8LG	20	0	030	91.87
5855-01010	1X10LG	15	0	030	98.81
5855-01012	1X12LG	15	0	030	102.22
5855-01208	1-1/4X8LG	20	0	030	117.19
5855-01210	1-1/4X10LG	15	0	030	124.12
5855-01212	1-1/4X12LG	15	0	030	127.53
5855-01508	1-1/2X8LG	10	0	030	142.35
5855-01510	1-1/2X10LG	10	0	030	149.22
5855-01512	1-1/2X12LG	10	0	030	152.65



**Swing Joint Spigot Inlet x Mipt Outlet Multi-Ell**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5856-01008	1X8LG	20	0	030	91.87
5856-01010	1X10LG	15	0	030	98.81
5856-01012	1X12LG	15	0	030	102.22
5856-01208	1-1/4X8LG	20	0	030	117.19
5856-01210	1-1/4X10LG	15	0	030	124.12
5856-01212	1-1/4X12LG	15	0	030	127.53
5856-01508	1-1/2X8LG	10	0	030	142.35
5856-01510	1-1/2X10LG	10	0	030	149.22
5856-01512	1-1/2X12LG	10	0	030	152.65



**Swing Joint Mipt Inlet x Mipt Outlet Multi-Ell**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5857-01008	1X8LG	20	0	030	91.87
5857-01010	1X10LG	15	0	030	98.81
5857-01012	1X12LG	15	0	030	102.22
5857-01208	1-1/4X8LG	20	0	030	117.19
5857-01210	1-1/4X10LG	15	0	030	124.12
5857-01212	1-1/4X12LG	15	0	030	127.53
5857-01508	1-1/2X8LG	10	0	030	142.35

**Irrigation & Turf Product**  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Swing Joint Mipt Inlet x Mipt Outlet Multi-Ell</b> (continued)					
5857-01510	1-1/2X10LG	10	0	030	149.22
5857-01512	1-1/2X12LG	10	0	030	152.65



**Swing Joint Tee Inlet x Mipt Outlet Multi-Ell**

8"-10"-12" Nipple Length (LG) shown. See previous pages for ordering other lengths.

5858-24908	2X1 X8LG	15	0	030	131.32
5858-24910	2X1 X10LG	15	0	030	141.15
5858-24912	2X1 X12LG	10	0	030	146.03
5858-25008	2X1-1/4X8LG	10	0	030	167.43
5858-25010	2X1-1/4X10LG	10	0	030	177.28
5858-25012	2X1-1/4X12LG	10	0	030	182.20
5858-25108	2X1-1/2X8LG	10	0	030	203.35
5858-25110	2X1-1/2X10LG	10	0	030	213.12
5858-25112	2X1-1/2X12LG	10	0	030	218.07

**Swing Joint Solvent Cemented Riser Nipple Style**

**Socket Inlet x Mipt Outlet**

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5905-01000	1	1	10	030	52.05
5905-010_*	1	25	0	030	86.93
5905-010_**	1	25	0	030	98.81
5905-01200	1-1/4	1	10	030	68.86
5905-012_*	1-1/4	20	0	030	115.91
5905-012_**	1-1/4	20	0	030	131.78
5905-01500	1-1/2	1	8	030	85.67
5905-015_*	1-1/2	15	0	030	134.01
5905-015_**	1-1/2	15	0	030	152.27

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

\* = For assembly with 6" to 18" length cemented Riser Nipple  
 \*\* = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Swing Joint Solvent Cemented Riser Nipple Style**

**Spigot Inlet x Mipt Outlet**

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5906-01000	1	1	10	030	52.05
5906-010_*	1	25	0	030	86.93
5906-010_**	1	25	0	030	98.81
5906-01200	1-1/4	1	10	030	68.86
5906-012_*	1-1/4	20	0	030	115.91
5906-012_**	1-1/4	20	0	030	131.78
5906-01500	1-1/2	1	8	030	85.67
5906-015_*	1-1/2	15	0	030	134.01
5906-015_**	1-1/2	15	0	030	152.27

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

\* = For assembly with 6" to 18" length cemented Riser Nipple  
 \*\* = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable

**Swing Joint Solvent Cemented Riser Nipple Style**

**Mipt Inlet x Mipt Outlet**

Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5907-01000	1	1	10	030	52.05
5907-010_*	1	25	0	030	86.93
5907-010_**	1	25	0	030	98.81
5907-01200	1-1/4	1	10	030	68.86
5907-012_**	1-1/4	10	0	030	131.78
5907-012_*	1-1/4	15	0	030	115.91
5907-01500	1-1/2	1	8	030	85.67
5907-015_*	1-1/2	15	0	030	134.01
5907-015_**	1-1/2	15	0	030	152.27

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

\* = For assembly with 6" to 18" length cemented Riser Nipple  
 \*\* = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable



Irrigation & Turf Product  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Swing Joint Solvent Cemented Riser Nipple Style

**Socket Tee Inlet x Mipt Outlet**



Assembly Without Nipple (part numbers ending in "00") & Optional Factory Assembled Unit With Customer Specified Nipple Length (see below)

5908-24900	<b>2X1</b>	1	8	030	61.24
5908-249__*	<b>1</b>	15	0	030	102.54
5908-249__**	<b>1</b>	15	0	030	116.47
5908-25000	<b>2X1-1/4</b>	5	0	030	77.75
5908-250__*	<b>1-1/4</b>	15	0	030	129.01
5908-250__**	<b>1-1/4</b>	15	0	030	138.51
5908-25100	<b>2X1-1/2</b>	1	6	030	86.93
5908-251__*	<b>1/2</b>	10	0	030	136.05
5908-251__**	<b>1/2</b>	10	0	030	154.65

Factory Assembled With Solvent Cemented Riser

Specify desired nipple length by filling in blank at end of Part Number with appropriate two-digit code (06 - 24) representing 1" increments.

\* = For assembly with 6" to 18" length cemented Riser Nipple

\*\* = For assembly with 19" to 24" length cemented Riser Nipple

Note: Cement Assembled Risers are Non-cancelable and Non-Returnable

Swing Joint Cap

**FAT**



548-010-28A	<b>1</b>	50	0	030	2.43
548-012-28A	<b>1-1/4</b>	25	0	030	2.96
548-015-28A	<b>1-1/2</b>	25	0	030	3.17

Swing Joint Outlet Adapter

**MAT x Mipt with O-rings**



559-010-21AR	<b>1</b>	1	25	030	9.12
559-012-21AR	<b>1-1/4</b>	1	25	030	11.24
559-015-21AR	<b>1-1/2</b>	1	25	030	14.91

Swing Joint Outlet Adapter

**MAT x SR Fipt with O-rings**



559-010-22SRAR	<b>1</b>	1	25	030	12.08
559-012-22SRAR	<b>1-1/4</b>	1	100	030	22.45
559-015-22SRAR	<b>1-1/2</b>	1	80	030	33.82

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Swing Joint Outlet Adapter

**FAT x MAT with O-rings**



559-212-101AR	<b>1-1/2X1-1/4</b>	1	100	030	22.79
---------------	--------------------	---	-----	-----	-------

Swing Joint Outlet Adapter

**MAT x FAT with O-rings**



559-212-85AR	<b>1-1/2X1-1/4</b>	1	80	030	24.41
--------------	--------------------	---	----	-----	-------

Swing Joint Inlet/Outlet Male Adapter - Spigot

**Mipt x Spigot**



May be used with SOC Inlet or Outlet to convert to MIPT Inlet or Outlet

590-015	<b>1-1/2</b>	25	0	030	13.78
590-211	<b>1-1/2X1</b>	25	0	030	7.96
590-212	<b>1-1/2X1-1/4</b>	25	0	030	7.96

Swing Joint Inlet/Outlet Reinforced Male Adapter - Spigot

**R Mipt x Spigot Adapter**



May be used with SOC Inlet or Outlet to convert to MIPT Inlet or Outlet

590-168R	<b>1-1/4X1</b>	50	0	030	94.14
----------	----------------	----	---	-----	-------

Swing Joint Inlet Adapter

**Socket x MBT with O-rings**



591-010-3AR	<b>1</b>	1	25	030	15.58
591-012-3AR	<b>1-1/4</b>	1	10	030	19.63
591-015-3AR	<b>1-1/2</b>	1	25	030	23.74

Swing Joint Inlet Adapter

**Spigot x MBT with O-rings**



592-010-4AR	<b>1</b>	1	25	030	22.41
592-012-4AR	<b>1-1/4</b>	1	10	030	24.82
592-015-4AR	<b>1-1/2</b>	1	25	030	27.19

Swing Joint Inlet Adapter

**JIS Spigot x MBT with O-rings**



594-010-4AR	<b>25</b>	1	10	030	22.41
594-012-4AR	<b>32</b>	1	10	030	24.82
594-015-4AR	<b>40</b>	1	10	030	27.19



**Irrigation & Turf Product**  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Swing Joint Inlet Adapter**



**DIN Spigot x MBT with O-rings**

595-010-4AR	<b>32</b>	1	10	030	22.41
595-012-4AR	<b>40</b>	1	10	030	24.82
595-015-4AR	<b>50</b>	1	10	030	27.19

**Swing Joint Inlet Adapter**



**Mipt x MBT with O-rings**

596-010-4AR	<b>1</b>	1	25	030	19.04
596-012-4AR	<b>1-1/4</b>	1	10	030	22.23
596-015-4AR	<b>1-1/2</b>	1	25	030	25.35

**Swing Joint Inlet Adapter - Reducing**



**Mipt x MBT with O-rings**

596-212-4AR	<b>1-1/2X1-1/4</b>	1	25	030	33.89
-------------	--------------------	---	----	-----	-------

**Swing Joint Inlet Adapter**



**BSP x MBT with O-rings**

597-010-4AR	<b>1</b>	1	25	030	19.04
597-012-4AR	<b>1-1/4</b>	1	10	030	22.23
597-015-4AR	<b>1-1/2</b>	1	25	030	25.35

**Swing Joint Long Spigot Inlet**



**Spigot x MBT with O-ring (4" in length)**

598-010-4AR	<b>1</b>	1	25	030	22.41
598-012-4AR	<b>1-1/4</b>	1	25	030	24.83
598-015-4AR	<b>1-1/2</b>	1	25	030	27.19

**Swing Joint Reducer Bushing**



**Spigot x FAT (Female Acme Thread)**

598-168-27	<b>1-1/4X1</b>	20	120	030	5.20
598-212-27	<b>1-1/2X1-1/4</b>	15	90	030	6.35
598-251-27	<b>2X1-1/2</b>	10	60	030	6.95

**Swing Joint Reducer Bushing**



**Spigot x FBT (Female Buttress Thread)**

598-168-26	<b>1-1/4X1</b>	20	120	030	5.11
598-212-26	<b>1-1/2X1-1/4</b>	10	60	030	5.73

Made in the U.S.A.

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Swing Joint Reducer Bushing (continued)**

**Spigot x FBT (Female Buttress Thread)**

598-251-26	<b>2X1-1/2</b>	10	60	030	6.72
------------	----------------	----	----	-----	------

**Swing Joint Tee - Reducing**



**Socket x Socket x FBT**

593-249-5A	<b>2X1</b>	30	0	030	39.79
593-250-5A	<b>2X1-1/4</b>	30	0	030	39.79
593-251-5A	<b>2X1-1/2</b>	25	0	030	39.79

**Swing Joint 90° Ell Outlet**



**FBT x Socket**

591-010-2A	<b>1</b>	115	0	030	24.68
591-012-2A	<b>1-1/4</b>	80	0	030	28.64
591-015-2A	<b>1-1/2</b>	50	0	030	32.52

**Swing Joint 90° Street Ell Outlet**



**FBT x Mipt**

591-010-4A	<b>1</b>	140	0	030	21.07
591-012-4A	<b>1-1/4</b>	1	90	030	25.01
591-015-4A	<b>1-1/2</b>	60	0	030	28.91
591-168-4A	<b>1-1/4X1</b>	110	0	030	48.91

**Swing Joint 90° Street Ell Outlet**



**FBT x BSP**

591-010-5A	<b>1</b>	140	0	030	24.68
591-012-5A	<b>1-1/4</b>	1	100	030	25.01
591-015-5A	<b>1-1/2</b>	60	0	030	32.52

**Swing Joint 90° Street Ell Outlet**



**FBT x MAT with O-rings**

591-010-7AR	<b>1</b>	1	25	030	27.53
591-012-7AR	<b>1-1/4</b>	1	25	030	32.06
591-015-7AR	<b>1-1/2</b>	1	25	030	36.58
591-132-7AR	<b>1X1-1/4</b>	1	25	030	32.06
591-133-7AR	<b>1X1-1/2</b>	1	25	030	28.79
591-168-7AR	<b>1-1/4X1</b>	1	10	030	31.71
591-211-7AR	<b>1-1/2X1</b>	1	25	030	36.26
591-212-7AR	<b>1-1/2X1-1/4</b>	1	25	030	35.49

Suitable for Oil-Free air handling to 25 psi, not for distribution of compressed air or gas

Effective 02/01/2020 See MSRP-1 Sheet or Check Spears® On-line Catalog @ [www.spearsmfg.com](http://www.spearsmfg.com) for Pricing



Irrigation & Turf Product  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Swing Joint 90° Ell Outlet - Special Reinforced



**FBT x SR Fipt**

591-010-8SRA	1	15	0	030	35.04
591-012-8SRA	1-1/4	15	0	030	40.04
591-015-8SRA	1-1/2	15	0	030	42.98

Swing Joint Brass Thread 90° Ell Outlet



**FBT x Fipt with Brass Thread Insert**

591-010-8BRA	1	15	0	030	43.60
591-012-8BRA	1-1/4	10	0	030	96.55
591-015-8BRA	1-1/2	10	0	030	139.56

**Not intended to convey or dispense water for human consumption through drinking or cooking**

Swing Joint 90° Street Ell Outlet



**MBT x FBT with O-rings**

591-010-1AR	1	1	25	030	27.53
591-012-1AR	1-1/4	1	10	030	32.06
591-015-1AR	1-1/2	1	25	030	36.58

Swing Joint Riser Extension Coupling

May be used with 5800 Series Buttress Threaded Nipples to Extend Height of Riser

58-010-1	1	140	0	030	18.66
58-012-1	1-1/4	100	0	030	19.62
58-015-1	1-1/2	80	0	030	21.99

Swing Joint Riser Nipple



**MBT (8" Length) with O-rings**

59-010-08R	1X8	1	25	030	20.29
59-012-08R	1-1/4X8	1	10	030	26.44
59-015-08R	1-1/2X8	1	25	030	32.58

Swing Joint Riser Nipple



**MBT (10" Length) with O-rings**

59-010-10R	1X10	1	25	030	21.75
59-012-10R	1-1/4X10	1	10	030	28.07
59-015-10R	1-1/2X10	1	25	030	34.43

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Swing Joint Riser Nipple



**MBT (12" Length) with O-rings**

59-010-12R	1X12	1	25	030	24.66
59-012-12R	1-1/4X12	1	10	030	30.40
59-015-12R	1-1/2X12	1	25	030	36.24

Swing Joint Riser Nipple



**MBT (14" Length) with O-rings**

59-010-14R	1	1	25	030	17.60
59-012-14R	1-1/4	1	15	030	21.45
59-015-14R	1-1/2	1	15	030	24.14

Swing Joint Riser Nipple



**MBT (16" Length) with O-rings**

59-010-16R	1	1	45	030	19.16
59-012-16R	1-1/4	1	25	030	23.94
59-015-16R	1-1/2	1	20	030	27.09

Swing Joint 90° Street Ell Outlet



**Socket x MBT with O-rings**

593-010-1AR	1	1	25	030	27.53
593-012-1AR	1-1/4	1	10	030	32.06
593-015-1AR	1-1/2	1	25	030	36.58

Swing Joint 90° Ell Outlet



**FBT x FBT**

591-010-6A	1	95	0	030	22.41
591-012-6A	1-1/4	1	65	030	25.01
591-015-6A	1-1/2	50	0	030	32.81

Swing Joint Wire Holder

Holds up to 4-wires, #12 or #14 gauge single feeder irrigation control cable. Snaps onto Spears® Swing Joint Risers.



58WH-010	1	1500	0	030	2.74
58WH-012	1-1/4	450	0	030	2.98
58WH-015	1-1/2	400	0	030	3.39

**Irrigation & Turf Product**  
**EverTUFF® TURF™ Swing Joint Riser Assemblies**



**Swing Joint Riser Dimensions**

RISER NIPPLE LENGTH(IN.)	CENTER TO CENTER C/L			OVERALL LENGTH O/L		
	1"	1-1/4"	1-1/2"	1"	1-1/4"	1-1/2"
<b>5800 SERIES* — MALE BUTTRESS THREADED STYLE</b>						
8	9-11/16	10-3/16	10-7/16	12-1/16	12-11/16	13-1/4
10	11-11/16	12-3/16	12-7/16	14-1/16	14-11/16	15-1/4
12	13-11/16	14-3/16	14-7/16	16-1/16	16-11/16	17-1/4
14	15-11/16	16-3/16	16-7/16	18-1/16	18-11/16	19-1/4
16	17-11/16	18-3/16	18-7/16	20-1/16	20-11/16	21-1/4
18	19-11/16	20-3/16	20-7/16	22-1/16	22-11/16	23-1/4
20	21-11/16	22-3/16	22-7/16	24-1/16	24-11/16	25-1/4
24	25-11/16	26-3/16	26-7/16	28-1/16	28-11/16	29-1/4
<b>5900 SERIES** — CUT &amp; SOLVENT CEMENTED STYLE</b>						
6	9-11/16	10-3/16	10-7/16	12-1/16	12-11/16	12-1/4
7	10-11/16	11-3/16	11-7/16	13-1/16	13-11/16	14-1/4
8	11-11/16	12-3/16	12-7/16	14-1/16	14-11/16	15-1/4
9	12-11/16	13-3/16	13-7/16	15-1/16	15-11/16	16-1/4
10	13-11/16	14-3/16	14-7/16	16-1/16	16-11/16	17-1/4
11	14-11/16	15-3/16	15-7/16	17-1/16	17-11/16	18-1/4
12	15-11/16	16-3/16	16-7/16	18-1/16	18-11/16	19-1/4
13	16-11/16	17-3/16	17-7/16	19-1/16	19-11/16	20-1/4
14	17-11/16	18-3/16	18-7/16	20-1/16	20-11/16	21-1/4
15	18-11/16	19-3/16	19-7/16	21-1/16	21-11/16	22-1/4
16	19-11/16	20-3/16	20-7/16	22-1/16	22-11/16	23-1/4
17	20-11/16	21-3/16	21-7/16	23-1/16	23-11/16	24-1/4
18	21-11/16	22-3/16	22-7/16	24-1/16	24-11/16	25-1/4
19	22-11/16	23-3/16	23-7/16	25-1/16	25-11/16	26-1/4
20	23-11/16	24-3/16	24-7/16	26-1/16	26-11/16	27-1/4
21	24-11/16	25-3/16	25-7/16	27-1/16	27-11/16	28-1/4
22	25-11/16	26-3/16	26-7/16	28-1/16	28-11/16	29-1/4
23	26-11/16	27-3/16	27-7/16	29-1/16	29-11/16	30-1/4
24	27-11/16	28-3/16	28-7/16	30-1/16	30-11/16	31-1/4

\* Buttress Threaded Riser Lengths may be extended with the use of Riser Extension Couplings.  
 \*\*Additional Nipple lengths are available. Please contact your servicing Spears® Regional Distribution center.

BSP	=	British Standard Pipe
C/L	=	Centerline to Centerline
DIN	=	European Metric Standard
FAT	=	Female Acme Thread
FBT	=	Female Buttress Thread
FIPT	=	Female Iron Pipe Thread
GMPT	=	Glued Male Pipe Thread
JIS	=	Japanese Industrial Standard
MAT	=	Male Acme Thread
MBT	=	Male Buttress Thread
MIPT	=	Male Iron Pipe Thread
NPL	=	Nipple
O/L	=	Overall Length
SOC	=	IPS Solvent Weld Socket
SPIG	=	Spigot End
SR	=	Special Reinforced
FIPT	=	Female Iron Pipe Thread

