



Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings



PRODUCT

Contact Spears® for any Information not found.



Schedule 40 CPVC Pipe - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Pipe - CPVC Schedule 40 Plain End

10' Lengths, Price Per Foot



CG-PD400-005C10	1/2	10	0	175	2.75
CG-PD400-007C10	3/4	10	0	175	3.67
CG-PD400-010C10	1	10	0	175	5.36
CG-PD400-012C10	1-1/4	10	0	175	7.26
CG-PD400-015C10	1-1/2	10	0	175	8.69
CG-PD400-020C10	2	10	0	175	11.66
CG-PD400-025C10	2-1/2	10	0	175	18.43
CG-PD400-030C10	3	10	0	175	24.06
CG-PD400-040C10	4	10	0	175	34.29
CG-PD400-060C10	6	10	0	175	63.26
CG-PD400-080C10	8	10	0	175	103.05
CG-PD400-100C10	10	10	0	175	176.36
CG-PD400-120C10	12	10	0	175	232.79

Pipe - CPVC Schedule 40 Plain End - MARINE

20' Lengths, Price Per Foot



CG-PD-400-005C	1/2	20	0	175	2.75
CG-PD-400-007C	3/4	20	0	175	3.67
CG-PD-400-010C	1	20	0	175	5.36
CG-PD-400-012C	1-1/4	20	0	175	7.26
CG-PD-400-015C	1-1/2	20	0	175	8.69
CG-PD-400-020C	2	20	0	175	11.66
CG-PD-400-025C	2-1/2	20	0	175	18.43
CG-PD-400-030C	3	20	0	175	24.06
CG-PD-400-040C	4	20	0	175	34.29
CG-PD-400-060C	6	20	0	175	63.26
CG-PD-400-080C	8	20	0	175	103.05
CG-PD-400-100C	10	20	0	175	176.36
CG-PD-400-120C	12	20	0	175	232.79

Schedule 80 CPVC Pipe - ABS & USCG Approved

Pipe - CPVC Schedule 80 Plain End - MARINE

10' Lengths, Price Per Foot



CG-PD800-005C10	1/2	10	0	175	3.22
CG-PD800-007C10	3/4	10	0	175	4.40
CG-PD800-010C10	1	10	0	175	6.47
CG-PD800-012C10	1-1/4	10	0	175	8.91
CG-PD800-015C10	1-1/2	10	0	175	10.80
CG-PD800-020C10	2	10	0	175	14.98
CG-PD800-025C10	2-1/2	10	0	175	22.83

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Pipe - CPVC Schedule 80 Plain End - MARINE (continued)

10' Lengths, Price Per Foot

CG-PD800-030C10	3	10	0	175	30.59
CG-PD800-040C10	4	10	0	175	44.73
CG-PD800-060C10	6	10	0	175	87.05
CG-PD800-080C10	8	10	0	175	144.37
CG-PD800-100C10	10	10	0	175	261.83
CG-PD800-120C10	12	10	0	175	359.93

Pipe - CPVC Schedule 80 Plain End - MARINE

20' Lengths, Price Per Foot



CG-PD-800-005C	1/2	20	0	175	3.22
CG-PD-800-007C	3/4	20	0	175	4.40
CG-PD-800-010C	1	20	0	175	6.47
CG-PD-800-012C	1-1/4	20	0	175	8.91
CG-PD-800-015C	1-1/2	20	0	175	10.80
CG-PD-800-020C	2	20	0	175	14.98
CG-PD-800-025C	2-1/2	20	0	175	22.83
CG-PD-800-030C	3	20	0	175	30.59
CG-PD-800-040C	4	20	0	175	44.73
CG-PD-800-060C	6	20	0	175	87.05
CG-PD-800-080C	8	20	0	175	144.37
CG-PD-800-100C	10	20	0	175	261.83
CG-PD-800-120C	12	20	0	175	359.93

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Tee - MARINE



Socket x Socket x Socket

CG-801-005C	1/2	25	200	172	21.73
CG-801-007C	3/4	15	120	172	22.12
CG-801-010C	1	25	0	172	27.11
CG-801-012C	1-1/4	10	0	172	57.17
CG-801-015C	1-1/2	10	0	172	65.48
CG-801-020C	2	10	0	172	72.88
CG-801-025C	2-1/2	10	0	172	185.55
CG-801-030C	3	5	0	172	185.55
CG-801-040C	4	5	0	172	246.94
CG-801-060C	6	2	0	172	642.64
CG-801-080C	8	2	0	172	1840.81
CG-801-100C	10	1	0	181	3641.67
CG-801-120C	12	1	0	181	5628.14

Tee - Reducing - MARINE



Socket x Socket x Socket

CG-801-101C	3/4X1/2	15	120	172	48.47
CG-801-130C	1X1/2	15	0	172	55.88



Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - MARINE (continued)

Socket x Socket x Socket

CG-801-131C	1X3/4	15	0	172	55.88
CG-801-157C	1-1/4X1X3/4	12	0	172	106.20
CG-801-158C	1-1/4X1X1	15	0	172	69.31
CG-801-159C	1-1/4X1X1-1/4	15	0	172	69.31
CG-801-166C ¹	1-1/4X1/2	10	0	172	128.14
CG-801-167C	1-1/4X3/4	12	0	172	109.35
CG-801-168C	1-1/4X1	15	0	172	109.35
CG-801-202C	1-1/2X1-1/4X1	10	0	172	109.35
CG-801-209C	1-1/2X1/2	10	0	172	114.22
CG-801-210C	1-1/2X3/4	15	0	172	114.22
CG-801-211C	1-1/2X1	10	0	172	114.22
CG-801-212C	1-1/2X1-1/4	10	0	172	114.22
CG-801-247C	2X1/2	10	0	172	136.05
CG-801-248C	2X3/4	10	0	172	136.05
CG-801-249C	2X1	10	0	172	136.05
CG-801-250C	2X1-1/4	10	0	172	188.48
CG-801-251C	2X1-1/2	10	0	172	136.05
CG-801-254C ¹	2X2X4	4	0	172	527.16
CG-801-287C	2-1/2X1/2	10	0	172	156.23
CG-801-288C	2-1/2X3/4	10	0	172	156.23
CG-801-289C	2-1/2X1	10	0	172	156.23
CG-801-290C	2-1/2X1-1/4	10	0	172	156.23
CG-801-291C	2-1/2X1-1/2	10	0	172	156.23
CG-801-292C	2-1/2X2	10	0	172	161.72
CG-801-333C ¹	3X1/2	5	0	172	343.87
CG-801-334C ¹	3X3/4	6	0	172	343.87
CG-801-335C	3X1	5	0	172	277.60
CG-801-336C ¹	3X1-1/4	5	0	172	332.96
CG-801-337C	3X1-1/2	5	0	172	277.60
CG-801-338C	3X2	5	0	172	277.60
CG-801-339C	3X2-1/2	6	0	172	277.60
CG-801-415C ¹	4X1/2	5	0	172	422.16
CG-801-416C	4X3/4	5	0	172	422.16
CG-801-417C	4X1	5	0	172	422.16
CG-801-418C ¹	4X1-1/4	5	0	172	422.16
CG-801-419C	4X1-1/2	5	0	172	422.16
CG-801-420C	4X2	5	0	172	350.86
CG-801-421C ¹	4X2-1/2	5	0	172	472.13
CG-801-422C	4X3	5	0	172	350.86
CG-801-426C	4X6	4	0	172	1216.26
CG-801-524C ¹	6X3/4	5	0	172	1206.81
CG-801-525C	6X1	6	0	172	1206.81
CG-801-526C ¹	6X1-1/4	4	0	172	1206.81
CG-801-527C ¹	6X1-1/2	4	0	172	1206.81
CG-801-528C	6X2	6	0	172	1121.26
CG-801-529C ¹	6X2-1/2	4	0	172	1237.87
CG-801-530C	6X3	5	0	172	1121.26
CG-801-532C	6X4	5	0	172	990.92
CG-801-578C ¹	8X2	2	0	172	2094.89
CG-801-580C ¹	8X3	2	0	172	2094.89

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tee - Reducing - MARINE (continued)

Socket x Socket x Socket

CG-801-582C ¹	8X4	2	0	172	2094.89
CG-801-585C	8X6	2	0	172	1819.03
CG-801-621C	10X2	1	0	181	3667.19
CG-801-623C ¹	10X3	1	0	181	3480.12
CG-801-624C ¹	10X4	1	0	181	3480.12
CG-801-626C	10X6	1	0	181	3204.71
CG-801-628C ¹	10X8	1	0	181	5242.86
CG-801-664C ¹	12X4	1	0	181	6312.66
CG-801-666C ¹	12X6	1	0	181	5912.76
CG-801-668C	12X8	1	0	181	5007.45
CG-801-670C	12X10	1	0	181	7641.48

¹ Sized with Bushing

Tee- Special Reinforced - MARINE

Socket x Socket x SR Fipt - Stainless Steel Collar



CG-802-005CSR	1/2	50	0	180	30.19
CG-802-007CSR	3/4	15	120	180	44.12
CG-802-010CSR	1	15	0	180	55.51
CG-802-012CSR	1-1/4	15	0	180	64.39
CG-802-015CSR	1-1/2	10	0	180	64.39
CG-802-020CSR	2	10	0	180	105.26
CG-802-030CSR	3	5	0	180	151.59
CG-802-040CSR	4	5	0	180	285.59

Tee - Special Reinforced Reducing - MARINE

Socket x Socket x SR Fipt - Stainless Steel Collar



CG-802-101CSR	3/4X1/2	50	0	180	40.35
CG-802-130CSR	1X1/2	50	0	180	24.65
CG-802-131CSR	1X3/4	15	0	180	62.32
CG-802-166CSR	1-1/4X1/2	15	0	180	65.64
CG-802-168CSR	1-1/4X1	10	0	180	66.98
CG-802-211CSR	1-1/2X1	10	0	180	78.65
CG-802-212CSR	1-1/2X1-1/4	10	0	180	78.65
CG-802-247CSR	2X1/2	10	0	180	122.67
CG-802-248CSR	2X3/4	10	0	180	136.27
CG-802-287CSR	2-1/2X1/2	10	0	180	93.72

90° Ell - MARINE

Socket x Socket



CG-806-005C	1/2	20	240	172	9.26
CG-806-007C	3/4	20	160	172	11.84
CG-806-010C	1	25	0	172	18.78
CG-806-012C	1-1/4	10	0	172	40.64
CG-806-015C	1-1/2	10	0	172	45.33
CG-806-020C	2	25	0	172	54.73
CG-806-025C	2-1/2	5	0	172	126.02
CG-806-030C	3	6	0	172	142.67



EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° EII - MARINE (continued)

Socket x Socket

CG-806-040C	4	5	0	172	256.97
CG-806-060C	6	4	0	172	516.36
CG-806-080C	8	2	0	172	1263.59
CG-806-100C	10	1	0	181	3376.79
CG-806-120C	12	1	0	181	4568.79



90° EII - Sweep - MARINE

Socket x Socket

CG-806-005SC	1/2	25	150	172	18.24
CG-806-007SC	3/4	25	100	172	23.53
CG-806-010SC	1	20	0	172	37.77
CG-806-012SC	1-1/4	25	0	172	49.91
CG-806-015SC	1-1/2	25	0	172	53.62
CG-806-020SC	2	25	0	172	64.94



90° EII - Long Sweep - MARINE

Socket x Socket

CG-806-005LSCF	1/2	25	0	182	84.04
CG-806-007LSCF	3/4	25	0	182	94.16
CG-806-010LSCF	1	25	0	182	106.46
CG-806-012LSCF	1 1/4	25	0	182	111.56
CG-806-015LSCF	1 1/2	25	0	182	124.55
CG-806-020LSCF	2	1	10	182	174.72
CG-806-025LSCF	2-1/2	1	7	182	229.07
CG-806-030LSCF	3	1	5	182	242.38
CG-806-040LSCF	4	1	4	182	299.83
CG-806-060LSCF	6	1	2	182	442.17
CG-806-080LSCF	8	1	0	182	1137.38
CG-806-100LSCF	10	1	0	183	1733.12



90° EII - Special Reinforced - MARINE

Socket x SR Fipt - Stainless Steel Collar

CG-807-005CSR	1/2	20	240	180	14.66
CG-807-007CSR	3/4	75	0	180	17.22
CG-807-010CSR	1	50	0	180	20.73
CG-807-012CSR	1-1/4	25	0	180	42.81
CG-807-015CSR	1-1/2	10	0	180	51.45
CG-807-020CSR	2	10	0	180	64.38
CG-807-030CSR	3	5	0	180	93.69
CG-807-040CSR	4	5	0	180	173.02

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

90° Street EII - MARINE

Spigot x Socket



CG-809-005C	1/2	50	200	172	11.63
CG-809-007C	3/4	50	0	172	14.79
CG-809-010C	1	50	0	172	23.53
CG-809-012C	1-1/4	25	0	172	50.81
CG-809-015C	1-1/2	10	0	172	56.73
CG-809-020C	2	25	0	172	68.47
CG-809-025C	2-1/2	5	0	172	138.22
CG-809-030C	3	5	0	172	190.28
CG-809-040C	4	4	0	172	342.64
CG-809-060C	6	1	0	172	688.59
CG-809-080C	8	2	0	172	1684.80
CG-809-100C	10	1	0	181	4501.88
CG-809-120C	12	1	0	181	6089.35



11-1/4° EII - MARINE

Socket x Socket

CG-811-005CF	1/2	1	52	182	49.84
CG-811-007CF	3/4	1	20	182	51.36
CG-811-010CF	1	1	50	182	71.03
CG-811-012CF	1-1/4	1	26	182	75.78
CG-811-015C	1-1/2	25	0	172	56.66
CG-811-020C	2	10	0	172	69.31
CG-811-025CF	2-1/2	1	25	182	171.58
CG-811-030C	3	10	0	172	181.97
CG-811-040C	4	4	0	172	249.80
CG-811-060CF	6	1	5	182	479.71
CG-811-080CF	8	1	3	182	911.56
CG-811-100CF	10	1	2	183	1513.13
CG-811-120CF	12	1	2	183	1992.96



45° EII - MARINE

Socket x Socket

CG-817-005C	1/2	20	120	172	11.35
CG-817-007C	3/4	20	120	172	16.38
CG-817-010C	1	15	120	172	26.04
CG-817-012C	1-1/4	10	80	172	51.15
CG-817-015C	1-1/2	10	0	172	52.52
CG-817-020C	2	10	0	172	58.91
CG-817-025C	2-1/2	5	0	172	120.38
CG-817-030C	3	5	0	172	154.66
CG-817-040C	4	5	0	172	212.31
CG-817-060C	6	4	0	172	654.07
CG-817-080C	8	2	0	172	1360.83
CG-817-100C	10	1	0	181	2582.33
CG-817-120C	12	1	0	181	4543.17



Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

15° Ell - MARINE

Socket x Socket

CG-818-005CF	1/2	1	25	182	49.84
CG-818-007CF	3/4	1	23	182	51.36
CG-818-010CF	1	1	20	182	71.03
CG-818-012CF	1-1/4	1	15	182	75.78
CG-818-015CF	1-1/2	1	25	182	81.69
CG-818-020CF	2	1	25	182	153.56
CG-818-025CF	2-1/2	1	18	182	171.58
CG-818-030CF	3	1	35	182	191.39
CG-818-040CF	4	1	18	182	249.92
CG-818-060CF	6	1	8	182	479.71
CG-818-080CF	8	1	3	182	911.56
CG-818-100CF	10	1	2	183	1513.13
CG-818-120CF	12	1	0	183	1992.96

45° Street Ell - MARINE

Spigot x Socket

CG-827-005C	1/2	50	400	172	11.35
CG-827-007C	3/4	50	0	172	16.38
CG-827-010C	1	50	0	172	26.04
CG-827-012C	1-1/4	25	0	172	51.15
CG-827-015C	1-1/2	25	0	172	52.44
CG-827-020C	2	10	0	172	58.91
CG-827-025C	2-1/2	12	0	172	130.36
CG-827-030C	3	10	0	172	154.66
CG-827-040C	4	5	0	172	212.31
CG-827-060C	6	4	0	172	769.51
CG-827-080C	8	2	0	172	1600.93
CG-827-100C	10	1	0	181	3038.04
CG-827-120C	12	1	0	181	5344.87

Cross - MARINE

Socket x Socket x Socket x Socket

CG-820-005C	1/2	50	0	172	92.63
CG-820-007C	3/4	50	0	172	97.49
CG-820-010C	1	50	0	172	108.06
CG-820-012C	1-1/4	25	0	174	115.62
CG-820-015C	1-1/2	25	0	172	125.66
CG-820-020C	2	10	0	172	162.99
CG-820-025C	2-1/2	10	0	172	217.29
CG-820-030C	3	5	0	172	276.75
CG-820-040C	4	3	0	172	494.36
CG-820-060CF	6	1	0	182	1299.15

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Cross - MARINE (continued)

Socket x Socket x Socket x Socket

CG-820-080CF	8	1	0	182	2471.14
CG-820-100CF	10	1	0	183	3675.96
CG-820-120CF	12	1	0	183	5222.98

Coupling - MARINE

Socket x Socket

CG-829-005C	1/2	25	150	172	9.80
CG-829-007C	3/4	15	90	172	13.68
CG-829-010C	1	15	90	172	18.44
CG-829-012C	1-1/4	10	60	172	27.62
CG-829-015C	1-1/2	10	40	172	34.74
CG-829-020C	2	20	0	172	40.40
CG-829-025C	2-1/2	10	0	172	89.87
CG-829-030C	3	5	0	172	97.67
CG-829-040C	4	5	0	172	127.99
CG-829-060C	6	4	0	172	301.45
CG-829-080C	8	4	0	172	814.72
CG-829-100C	10	1	0	181	1024.82
CG-829-120C	12	1	0	172	1200.31

Coupling - Reducing - MARINE

Socket x Socket

CG-829-101C	3/4X1/2	50	400	172	25.61
CG-829-130C	1X1/2	25	200	172	36.55
CG-829-131C	1X3/4	25	200	172	36.55
CG-829-166C	1-1/4X1/2	25	0	172	83.66
CG-829-167C	1-1/4X3/4	25	0	172	83.66
CG-829-168C	1-1/4X1	25	0	172	83.66
CG-829-209C	1-1/2X1/2	25	0	172	83.00
CG-829-210C	1-1/2X3/4	25	0	172	83.00
CG-829-211C	1-1/2X1	25	0	172	83.00
CG-829-212C	1-1/2X1-1/4	25	0	172	83.00
CG-829-247C	2X1/2	25	0	172	109.75
CG-829-248C	2X3/4	10	80	172	109.75
CG-829-249C	2X1	25	0	172	109.75
CG-829-251C	2X1-1/2	10	40	172	109.75
CG-829-290C	2-1/2X1-1/4	10	0	172	177.21
CG-829-291C	2-1/2X1-1/2	10	0	172	124.98
CG-829-292C	2-1/2X2	10	0	172	124.98
CG-829-335C	3X1	8	0	172	309.09
CG-829-336C	3X1-1/4	6	0	172	318.55
CG-829-337C	3X1-1/2	8	0	172	318.55
CG-829-338C	3X2	10	0	172	252.52
CG-829-339C	3X2-1/2	10	0	172	253.57
CG-829-416C	4X3/4	4	0	172	364.15
CG-829-417C	4X1	4	0	172	364.15
CG-829-419C	4X1-1/2	4	0	172	364.15
CG-829-420C	4X2	6	0	172	301.22
CG-829-421C	4X2-1/2	4	0	172	301.22


EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Coupling - Reducing - MARINE (continued)
Socket x Socket

CG-829-422C	4X3	4	0	172	301.22
CG-829-528C	6X2	6	0	172	796.89
CG-829-529C	6X2-1/2	4	0	172	939.16
CG-829-530C	6X3	12	0	172	813.20
CG-829-532C	6X4	4	0	172	684.25
CG-829-580CF	8X3	1	6	182	724.68
CG-829-582C	8X4	2	0	172	1241.64
CG-829-585C	8X6	2	0	172	1185.59
CG-829-621CF	10X2	1	0	183	1342.48
CG-829-623CF	10X3	1	2	183	1125.88
CG-829-624CF	10X4	1	2	183	1082.19
CG-829-626C	10X6	1	0	181	1843.75
CG-829-628C	10X8	1	0	181	1843.75
CG-829-664CF	12X4	1	2	183	2408.71
CG-829-666CF	12X6	1	0	183	2240.21
CG-829-668C	12X8	1	0	181	2008.84
CG-829-670CF	12X10	1	2	183	914.17

Grooved Coupling Adapter - MARINE
Groove x Socket

CG-833-012C	1-1/4	10	60	172	44.05
CG-833-015C	1-1/2	10	80	172	58.09
CG-833-020C	2	5	40	172	75.52
CG-833-025C	2-1/2	5	0	172	124.19
CG-833-030C	3	5	0	172	153.12
CG-833-040C	4	5	0	172	260.57
CG-833-060C	6	5	0	172	372.73
CG-833-080CF	8	1	4	182	470.09
CG-833-100CF	10	1	0	183	737.77
CG-833-120CF	12	1	0	183	1040.51

Female Adapter - Special Reinforced - MARINE
Socket x SR Fipt - Stainless Steel Collar

CG-835-005CSR	1/2	25	150	180	8.62
CG-835-007CSR	3/4	25	150	180	9.31
CG-835-010CSR	1	25	200	180	21.22
CG-835-012CSR	1-1/4	10	60	180	21.77
CG-835-015CSR	1-1/2	10	80	180	25.26
CG-835-020CSR	2	10	0	180	35.91
CG-835-025CSR	2 1/2	5	0	180	83.46
CG-835-030CSR	3	15	0	180	171.51
CG-835-040CSR	4	5	0	180	285.43
CG-835-060CSR	6	6	0	180	445.91

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Special Reinforced Reducing - MARINE
Socket x SR Fipt - Stainless Steel Collar

CG-835-074CSR	1/2X3/4	50	400	180	9.31
CG-835-101CSR	3/4X1/2	50	400	180	9.31
CG-835-102CSR	3/4X1	50	0	180	21.22
CG-835-130CSR	1X1/2	50	0	180	21.22
CG-835-131CSR	1X3/4	25	200	180	21.22

Female Adapter- Special Reinforced-Marine-Metric
Spigot X BSPT- Stainless Steel Collar

CG-378-005CSR	1/2	50	600	180	7.84
CG-378-007CSR	3/4	25	300	180	8.54
CG-378-010CSR	1	50	0	180	9.42
CG-378-015CSR	1-1/2	25	0	180	13.99
CG-378-020CSR	2	15	0	180	22.52

Female Adapter - Stainless Steel Transition - MARINE
Spigot x Fipt With Type 316 Stainless Steel Thread Insert

CG-835-005CSS	1/2	25	150	180	95.35
CG-835-007CSS	3/4	15	90	180	133.13
CG-835-010CSS	1	15	90	180	232.98
CG-835-012CSS	1-1/4	25	0	180	378.65
CG-835-015CSS	1-1/2	10	40	180	493.96
CG-835-020CSS	2	8	32	180	578.09

Female Adapter - Encapsulated Special Reinforced - MARINE
Socket x ESR Fipt

CG-835-005CESR	1/2	25	300	180	13.20
CG-835-007CESR	3/4	25	300	180	13.94
CG-835-010CESR	1	25	200	180	30.71
CG-835-012CESR	1-1/4	10	80	180	31.42
CG-835-015CESR	1-1/2	10	80	180	40.71
CG-835-020CESR	2	10	0	180	63.25

Male Adapter - MARINE
Mipt x Socket

CG-836-005C	1/2	25	150	172	12.64
CG-836-007C	3/4	25	150	172	15.43
CG-836-102C	3/4X1	25	0	172	56.80
CG-836-131C	1X3/4	25	0	172	53.95
CG-836-010C	1	20	240	172	25.99
CG-836-012C	1-1/4	10	60	172	38.32
CG-836-015C	1-1/2	10	120	172	51.79
CG-836-020C	2	10	80	172	70.25



Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Male Adapter - MARINE (continued)

Mipt x Socket

CG-836-025C	2-1/2	10	0	172	191.53
CG-836-030C	3	5	0	172	257.39
CG-836-040C	4	5	0	172	435.12
CG-836-060C	6	5	0	172	623.60
CG-836-080CF	8	1	2	182	564.26
CG-836-100CF	10	1	2	183	1045.53
CG-836-120CF	12	1	0	183	1216.72

Male Adapter - Internal Reinforced - MARINE

R Mipt x Socket - Stainless Steel Sleeve

CG-836-005CR	1/2	25	150	180	13.23
CG-836-007CR	3/4	25	300	180	15.16
CG-836-010CR	1	10	120	180	17.98
CG-836-012CR	1-1/4	10	60	180	16.42
CG-836-015CR	1-1/2	10	120	180	47.70
CG-836-020CR	2	10	0	180	63.90

Male Spigot Adapter - MARINE

Spigot x Mipt

CG-861-005C	1/2	50	300	172	15.41
CG-861-007C	3/4	25	150	172	19.15
CG-861-010C	1	50	0	172	32.46
CG-861-131C	1X3/4	50	200	172	37.94
CG-861-012C	1-1/4	25	200	172	36.83
CG-861-015C	1-1/2	25	0	172	40.65
CG-861-020C	2	25	0	172	47.58

Female Spigot Adapter - Special Reinforced - MARINE

Spigot x SR Fipt - Stainless Steel Collar

CG-878-005CSR	1/2	50	600	180	13.59
CG-878-007CSR	3/4	25	300	180	9.68
CG-878-010CSR	1	50	0	180	21.78
CG-878-012CSR	1-1/4	25	0	180	22.53
CG-878-015CSR	1-1/2	25	0	180	26.15
CG-878-020CSR	2	15	0	180	47.63
CG-878-030CSR	3	5	0	180	173.66
CG-878-040CSR	4	5	0	180	291.52

Female Spigot Adapter - Stainless Steel Transition - MARINE

Socket x Fipt With Type 316 Stainless Steel Thread Insert

CG-878-005CSS	1/2	25	150	180	94.46
---------------	-----	----	-----	-----	-------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter - Stainless Steel Transition - MARINE

(continued)

Socket x Fipt With Type 316 Stainless Steel Thread Insert

CG-878-007CSS	3/4	25	150	180	121.49
CG-878-010CSS	1	15	90	180	157.68

Reducer Bushing Flush Style - MARINE

Spigot x Socket

CG-837-101C	3/4X1/2	50	300	172	10.45
CG-837-130C	1X1/2	50	400	172	16.23
CG-837-131C	1X3/4	50	300	172	16.23
CG-837-166C	1-1/4X1/2	25	300	172	43.06
CG-837-167C	1-1/4X3/4	25	150	172	43.06
CG-837-168C	1-1/4X1	25	150	172	43.06
CG-837-209C	1-1/2X1/2	25	200	172	48.69
CG-837-210C	1-1/2X3/4	25	200	172	48.69
CG-837-211C	1-1/2X1	25	200	172	48.69
CG-837-212C	1-1/2X1-1/4	25	200	172	48.69
CG-837-247C	2X1/2	10	120	172	62.86
CG-837-248C	2X3/4	10	60	172	62.86
CG-837-249C	2X1	10	120	172	62.86
CG-837-250C	2X1-1/4	10	60	172	62.86
CG-837-251C	2X1-1/2	10	60	172	62.86
CG-837-289C	2-1/2X1	10	80	172	108.07
CG-837-290C	2-1/2X1-1/4	10	80	172	76.52
CG-837-291C	2-1/2X1-1/2	10	40	172	76.52
CG-837-292C	2-1/2X2	15	0	172	76.52
CG-837-333C	3X1/2	10	0	172	135.53
CG-837-334C ¹	3X3/4	10	0	172	133.29
CG-837-335C	3X1	10	0	172	116.61
CG-837-336C	3X1-1/4	10	0	172	116.61
CG-837-337C	3X1-1/2	10	0	172	116.61
CG-837-338C	3X2	10	0	172	116.61
CG-837-339C	3X2-1/2	15	0	172	116.61
CG-837-416C ¹	4X3/4	10	0	172	195.67
CG-837-418C ¹	4X1-1/4	6	0	172	209.64
CG-837-419C	4X1-1/2	6	0	172	195.69
CG-837-420C	4X2	6	0	172	128.92
CG-837-421C	4X2-1/2	6	0	172	128.92
CG-837-422C	4X3	6	0	172	128.92
CG-837-525C ¹	6X1	5	0	172	346.41
CG-837-527C ¹	6X1-1/2	5	0	172	358.46
CG-837-528C	6X2	5	0	172	276.61
CG-837-530C	6X3	5	0	172	276.61
CG-837-532C	6X4	5	0	172	274.67
CG-837-578C ¹	8X2	4	0	172	1192.49
CG-837-580C	8X3	4	0	172	1192.49
CG-837-582C	8X4	4	0	172	1192.49
CG-837-585C	8X6	4	0	172	904.22
CG-837-621C ¹	10X2	2	0	181	1986.55
CG-837-624C ¹	10X4	4	0	181	1986.55
CG-837-626C	10X6	3	0	181	1600.39
CG-837-628C	10X8	3	0	181	1600.39



EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style - MARINE (continued)

Spigot x Socket

CG-837-664C ¹	12X4	2	0	181	3261.83
CG-837-668C	12X8	2	0	181	2017.71
CG-837-670CF	12X10	1	3	183	1444.72

¹ Sized with Bushing

Reducer Bushing Flush Style - MARINE

Spigot x Fipt

CG-838-101C	3/4X1/2	50	600	172	11.39
CG-838-130C	1X1/2	50	400	172	14.45
CG-838-131C	1X3/4	50	400	172	14.45
CG-838-166C	1-1/4X1/2	25	150	172	46.64
CG-838-167C	1-1/4X3/4	25	300	172	46.64
CG-838-168C	1-1/4X1	25	300	172	46.64
CG-838-207C	1-1/2X1/4	25	200	172	57.44
CG-838-209C	1-1/2X1/2	25	200	172	57.44
CG-838-210C	1-1/2X3/4	25	200	172	57.44
CG-838-211C	1-1/2X1	25	200	172	57.44
CG-838-212C	1-1/2X1-1/4	25	200	172	57.44
CG-838-247C	2X1/2	10	120	172	78.98
CG-838-248C	2X3/4	10	60	172	78.98
CG-838-249C	2X1	10	120	172	78.98
CG-838-250C	2X1-1/4	10	120	172	78.98
CG-838-251C	2X1-1/2	10	120	172	78.98
CG-838-287C	2-1/2X1/2	10	0	172	126.35
CG-838-288C	2-1/2X3/4	10	40	172	126.35
CG-838-289C	2-1/2X1	10	40	172	126.35
CG-838-290C	2-1/2X1-1/4	10	0	172	126.35
CG-838-291C	2-1/2X1-1/2	10	40	172	125.48
CG-838-292C	2-1/2X2	10	40	172	125.48
CG-838-334C	3X3/4	10	0	172	334.33
CG-838-335C	3X1	10	0	172	334.33
CG-838-336C	3X1-1/4	10	0	172	292.46
CG-838-337C	3X1-1/2	10	0	172	292.46
CG-838-338C	3X2	10	0	172	279.73
CG-838-339C	3X2-1/2	10	0	172	281.99
CG-838-420C	4X2	6	0	172	570.01
CG-838-421C	4X2-1/2	6	0	172	570.01
CG-838-422C	4X3	6	0	172	570.01
CG-838-528C	6X2	5	0	172	1149.19
CG-838-530C	6X3	5	0	172	1149.19
CG-838-532C	6X4	5	0	172	1149.19

Reducer Bushing - Special Reinforced - MARINE

Spigot x SR Fipt - Stainless Steel Collar

CG-838-209CSR	1-1/2X1/2	10	120	180	34.46
---------------	-----------	----	-----	-----	-------



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing - Special Reinforced - MARINE (continued)

Spigot x SR Fipt - Stainless Steel Collar

CG-838-210CSR	1-1/2X3/4	10	120	180	34.46
CG-838-247CSR	2X1/2	10	80	180	47.36
CG-838-248CSR	2X3/4	10	80	180	47.36
CG-838-249CSR	2X1	10	120	180	47.36
CG-838-334CSR	3X3/4	10	0	180	200.56
CG-838-335CSR	3X1	10	0	180	200.56
CG-838-336CSR	3X1-1/4	10	0	180	200.56
CG-838-337CSR	3X1-1/2	10	0	180	200.56
CG-838-528CSR	6X2	5	0	180	689.48
CG-838-530CSR	6X3	5	0	180	689.48
CG-838-532CSR	6X4	5	0	180	730.58

Cap - MARINE

Socket

CG-847-005C	1/2	50	300	172	15.24
CG-847-007C	3/4	25	300	172	21.73
CG-847-010C	1	15	90	172	38.45
CG-847-012C	1-1/4	10	60	172	42.06
CG-847-015C	1-1/2	10	60	172	42.06
CG-847-020C	2	10	80	172	44.37
CG-847-025C	2-1/2	5	40	172	149.35
CG-847-030C	3	5	0	172	163.71
CG-847-040C	4	5	0	172	166.41
CG-847-060C	6	4	0	172	550.64
CG-847-080C	8	3	0	172	1671.00
CG-847-100CF	10	1	5	183	1396.04
CG-847-120CF	12	1	4	183	1530.03

CAP - MARINE

Fipt

CG-848-005C	1/2	25	150	172	16.94
CG-848-007C	3/4	25	300	172	28.03
CG-848-010C	1	15	90	172	39.27
CG-848-012C	1-1/4	10	60	172	70.02
CG-848-015C	1-1/2	10	120	172	71.74
CG-848-020C	2	10	80	172	103.33
CG-848-025C	2-1/2	5	40	172	239.09
CG-848-030C	3	5	0	172	313.66
CG-848-040C	4	5	0	172	455.63
CG-848-060CF	6	1	4	182	644.63
CG-848-080CF	8	1	0	182	699.48

Cap - Special Reinforced - MARINE

SR Fipt - Stainless Steel Collar

CG-848-005CSR	1/2	50	300	180	9.68
CG-848-007CSR	3/4	25	300	180	16.88
CG-848-030CSR	3	5	0	180	188.45





Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Plug - MARINE

Spigot



CG-849-005C	1/2	50	300	172	19.42
CG-849-007C	3/4	50	300	172	23.95
CG-849-010C	1	50	200	172	27.03
CG-849-012C	1-1/4	25	100	172	34.46
CG-849-015C	1-1/2	10	120	172	37.83
CG-849-020C	2	10	120	172	50.67
CG-849-025CF ⁴	2-1/2	1	8	182	60.09
CG-849-030CF ⁴	3	1	4	182	138.18
CG-849-040CF ⁴	4	1	4	182	170.53
CG-849-060CF ⁴	6	1	6	182	211.71
CG-849-080CF ⁴	8	1	6	182	568.64
CG-849-100CF ⁴	10	1	2	183	1131.39
CG-849-120CF ⁴	12	1	0	183	2192.80

⁴ Plug fabricated using Cap and pipe spigot.

Plug - MARINE

Mipt



CG-850-005C	1/2	50	500	172	13.78
CG-850-007C	3/4	50	300	172	17.45
CG-850-010C	1	25	175	172	28.71
CG-850-012C	1-1/4	25	150	172	32.63
CG-850-015C	1-1/2	25	150	172	35.97
CG-850-020C	2	10	120	172	48.98
CG-850-025C	2-1/2	5	30	172	83.14
CG-850-030C	3	5	40	172	89.02
CG-850-040C	4	5	0	172	157.96
CG-850-060C	6	6	0	172	221.83
CG-850-080C	8	6	0	172	394.18
CG-850-100CF ⁴	10	1	3	183	1587.38
CG-850-120CF ⁴	12	1	0	183	2421.27

⁴ Plug fabricated using Cap and threaded pipe.

Wye - MARINE

Socket x Socket x Socket



1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-875-005C	1/2	25	100	172	25.19
CG-875-007C	3/4	25	0	172	26.02

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Wye - MARINE (continued)

Socket x Socket x Socket

CG-875-010C	1	20	0	172	43.82
CG-875-012C	1-1/4	20	0	172	66.38
CG-875-015C	1-1/2	20	0	172	71.36
CG-875-020C	2	10	0	172	174.73
CG-875-025C	2-1/2	6	0	172	556.75
CG-875-030C	3	5	0	172	861.53
CG-875-040C	4	4	0	172	910.85
CG-875-060C	6	3	0	172	1246.64
CG-875-080C	8	1	0	172	2128.98

Wye - Reducing - MARINE

Socket x Socket x Socket



1/2" - 2" - 235 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 2-1/2" - 6" - 150 psi Maximum Internal Pressure Rating @ 73°F (23°C)
 8" - Larger & All Fabricated Sizes - 100 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-875-101C ¹	3/4X1/2	25	0	172	37.19
CG-875-130C ¹	1X1/2	20	0	172	61.27
CG-875-131C ¹	1X3/4	20	0	172	61.27
CG-875-166C ¹	1-1/4X1/2	20	0	172	111.69
CG-875-167C ¹	1-1/4X3/4	20	0	172	111.69
CG-875-168C ¹	1-1/4X1	20	0	172	111.69
CG-875-209C ¹	1-1/2X1/2	20	0	172	122.51
CG-875-210C ¹	1-1/2X3/4	20	0	172	122.51
CG-875-211C ¹	1-1/2X1	20	0	172	122.51
CG-875-212C ¹	1-1/2X1-1/4	20	0	172	122.51
CG-875-247C ¹	2X1/2	10	0	172	242.41
CG-875-248C ¹	2X3/4	10	0	172	242.41
CG-875-249C ¹	2X1	10	0	172	242.41
CG-875-250C ¹	2X1-1/4	10	0	172	242.41
CG-875-251C ¹	2X1-1/2	10	0	172	242.41
CG-875-335C ¹	3X1	5	0	172	997.17
CG-875-336C ¹	3X1-1/4	5	0	172	997.17
CG-875-337C ¹	3X1-1/2	5	0	172	997.17
CG-875-338C ¹	3X2	4	0	172	997.17
CG-875-339C ¹	3X2-1/2	5	0	172	997.17
CG-875-420C	4X2	4	0	172	1008.33
CG-875-422C	4X3	4	0	172	1008.33
CG-875-528C ¹	6X2	5	0	172	1277.17
CG-875-530C ¹	6X3	5	0	172	1276.91
CG-875-532C	6X4	5	0	172	975.02
CG-875-578C ¹	8X2	2	0	172	3377.38
CG-875-580C ¹	8X3	2	0	172	3377.38
CG-875-582C	8X4	2	0	172	3377.38
CG-875-585C ¹	8X6	1	0	172	3095.12
CG-875-626C	10X6	1	0	181	3489.03
CG-875-628C	10X8	1	0	181	3673.59

¹ Sized with Bushing

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings**EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union 2000 - Socket/FKM - MARINE**Socket x Socket with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8057-005C	1/2	20	120	172	42.03
CG-8057-007C	3/4	20	80	172	43.88
CG-8057-010C	1	15	90	172	52.68
CG-8057-012C	1-1/4	10	0	172	106.60
CG-8057-015C	1-1/2	10	0	172	108.55
CG-8057-020C	2	5	0	172	179.94
CG-8057-025C	2-1/2	5	0	172	295.08
CG-8057-030C	3	5	0	172	373.45
CG-8057-040C	4	4	0	172	477.11
CG-8057-060C	6	1	0	172	1060.26

Transition Union - IPS X Socket/FKM - Metric MARINE**IPS x DIN Socket with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8657-020C	20	10	60	172	41.88
CG-8657-025C	25	10	40	172	43.38
CG-8657-032C	32	10	40	172	52.45
CG-8657-040C	40	10	0	172	106.60
CG-8657-050C	50	10	0	172	108.55
CG-8657-063C	63	5	0	172	179.94
CG-8657-090C	90	5	0	172	336.09
CG-8657-110C	110	4	0	172	555.31

Union 2000 - Fipt/FKM - MARINE**Fipt x Fipt with FKM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8058-005C	1/2	20	120	172	45.00
CG-8058-007C	3/4	20	80	172	79.55
CG-8058-010C	1	15	90	172	109.68
CG-8058-012C	1-1/4	10	0	172	208.99
CG-8058-015C	1-1/2	10	0	172	208.99
CG-8058-020C	2	5	0	172	236.23
CG-8058-025C	2-1/2	5	0	172	380.59
CG-8058-030C	3	5	0	172	722.15
CG-8058-040C	4	4	0	172	776.26
CG-8058-060C	6	1	0	172	1725.08

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union 2000 - Socket/EPDM - MARINE**Socket x Socket with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8097-005C	1/2	20	120	172	41.88
CG-8097-007C	3/4	20	80	172	43.38
CG-8097-010C	1	15	90	172	51.97
CG-8097-012C	1-1/4	10	0	172	105.24
CG-8097-015C	1-1/2	10	0	172	107.23
CG-8097-020C	2	5	0	172	177.72
CG-8097-025C	2-1/2	5	0	172	294.31
CG-8097-030C	3	5	0	172	368.71
CG-8097-040C	4	4	0	172	471.71
CG-8097-060C	6	1	0	172	1048.21

Transition Union - IPS X Socket/EPDM - Metric MARINE**IPS x DIN Socket with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8697-020C	20	20	160	172	36.87
CG-8697-025C	25	10	40	172	40.33
CG-8697-032C	32	15	90	172	51.97
CG-8697-040C	40	10	0	172	107.23
CG-8697-050C	50	10	0	172	107.23
CG-8697-063C	63	5	0	172	177.72
CG-8697-090C	90	5	0	172	214.53
CG-8697-110C	110	4	0	172	256.34

Union 2000 - Fipt/EPDM - MARINE**Fipt x Fipt with EPDM O-ring Seal**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8098-005C	1/2	20	120	172	44.43
CG-8098-007C	3/4	20	80	172	78.56
CG-8098-010C	1	15	90	172	108.35
CG-8098-012C	1-1/4	10	0	172	206.57
CG-8098-015C	1-1/2	10	0	172	206.57
CG-8098-020C	2	5	0	172	233.35
CG-8098-025C	2-1/2	5	0	172	328.76
CG-8098-030C	3	5	0	172	654.08
CG-8098-040C	4	4	0	172	761.49
CG-8098-060C	6	1	0	172	1692.18

Union 2000 - Special Reinforced Fipt/FKM - MARINE**SR Fipt x SR Fipt w/FKM O-ring Seal - Stainless Steel Collar**

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8058-005CSR	1/2	20	120	180	25.41
CG-8058-007CSR	3/4	20	80	180	44.27
CG-8058-010CSR	1	15	90	180	60.86



Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Union 2000 - Special Reinforced Fipt/FKM - MARINE (continued)

SR Fipt x SR Fipt w/FKM O-ring Seal - Stainless Steel Collar

CG-8058-012CSR	1-1/4	10	0	180	114.69
CG-8058-015CSR	1-1/2	10	0	180	125.17
CG-8058-020CSR	2	5	0	180	131.88
CG-8058-025CSR	2-1/2	5	0	180	228.33
CG-8058-030CSR	3	5	0	180	372.68
CG-8058-040CSR	4	4	0	180	436.62
CG-8058-060CSR	6	1	0	180	983.32

Union 2000 - Special Reinforced Fipt/EPDM - MARINE

SR Fipt x SR Fipt w/EPDM O-ring Seal - Stainless Steel Collar

235 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8098-005CSR	1/2	20	160	180	24.56
CG-8098-007CSR	3/4	20	80	180	43.86
CG-8098-010CSR	1	15	90	180	60.16
CG-8098-012CSR	1-1/4	10	0	180	113.59
CG-8098-015CSR	1-1/2	10	0	180	124.20
CG-8098-020CSR	2	5	0	180	130.58
CG-8098-025CSR	2-1/2	5	0	180	225.68
CG-8098-030CSR	3	5	0	180	366.93
CG-8098-040CSR	4	4	0	180	424.78
CG-8098-060CSR	6	1	0	180	943.97

Tank Adapters, CPVC New Style Standard with Neoprene Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170-005C	1/2	25	0	180	74.17
CG-8170-007C	3/4	25	0	180	88.24
CG-8170-010C	1	25	0	180	99.04
CG-8170-012C	1-1/4	20	0	180	126.32
CG-8170-015C	1-1/2	20	0	180	137.55
CG-8170-020C	2	15	0	180	194.17
CG-8170-025C	2-1/2	4	0	180	285.38
CG-8170-030C	3	4	0	180	339.67
CG-8170-040C	4	2	0	180	566.09
CG-8170-060C	6	1	0	180	1556.79
CG-8170-080C	8	1	0	180	3459.28

Tank Adapters, CPVC New Style Standard with EPDM Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170E-005C	1/2	25	0	180	84.37
CG-8170E-007C	3/4	25	0	180	94.68

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tank Adapters, CPVC New Style Standard with EPDM Gaskets

-MARINE (continued)

Socket x Socket

CG-8170E-010C	1	25	0	180	109.95
CG-8170E-012C	1-1/4	20	0	180	139.13
CG-8170E-015C	1-1/2	20	0	180	145.98
CG-8170E-020C	2	15	0	180	210.47
CG-8170E-025C	2-1/2	4	0	180	298.95
CG-8170E-030C	3	4	0	180	355.94
CG-8170E-040C	4	2	0	180	590.81
CG-8170E-060C	6	1	0	180	1621.65
CG-8170E-080C	8	1	0	180	3560.40

Tank Adapters, CPVC New Style Standard with FKM Gaskets - MARINE

Socket x Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8170V-005C	1/2	25	0	180	110.61
CG-8170V-007C	3/4	25	0	180	127.24
CG-8170V-010C	1	25	0	180	147.31
CG-8170V-012C	1-1/4	20	0	180	180.99
CG-8170V-015C	1-1/2	20	0	180	188.67
CG-8170V-020C	2	15	0	180	285.64
CG-8170V-025C	2-1/2	4	0	180	411.13
CG-8170V-030C	3	4	0	180	489.45
CG-8170V-040C	4	2	0	180	1084.08
CG-8170V-060C	6	1	0	180	2724.46
CG-8170V-080C	8	1	0	180	6737.22

Tank Adapter, CPVC Self Aligning with Neoprene Gasket - MARINE

Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8172SA-010C	1	5	0	180	324.29
CG-8172SA-020C	2	4	0	180	489.45
CG-8172SA-030C	3	2	0	180	762.66

Tank Adapter, CPVC Self Aligning with EPDM Gasket - MARINE

Fipt

Tank Adapter, CPVC Self Aligning with EPDM Gasket

CG-8172ESA-010C	1	5	0	180	340.93
CG-8172ESA-020C	2	4	0	180	516.33
CG-8172ESA-030C	3	2	0	180	803.04

Tank Adapter, CPVC Self Aligning with FKM Gasket - MARINE

Fipt

75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-8172VSA-010C	1	5	0	180	673.84
CG-8172VSA-020C	2	4	0	180	1019.96



EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Tank Adapter, CPVC Self Aligning with FKM Gasket - MARINE

(continued)

Fipt

CG-8172VSA-030C	3	2	0	180	1584.75
-----------------	---	---	---	-----	---------



Flange One Piece - MARINE

Socket

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-851-005C	1/2	25	0	172	41.23
CG-851-007C	3/4	25	0	172	42.19
CG-851-010C	1	15	0	172	46.07
CG-851-012C	1-1/4	15	0	172	56.23
CG-851-015C	1-1/2	20	0	172	62.41
CG-851-020C	2	10	0	172	75.56
CG-851-025C	2-1/2	10	0	172	156.56
CG-851-030C	3	10	0	172	163.71
CG-851-040C	4	5	0	172	221.18
CG-851-060C	6	5	0	172	376.78
CG-851-080C	8	2	0	172	1132.36
CG-851-100C	10	2	0	181	1411.29
CG-851-120C	12	2	0	181	1982.38



Flange - Blind - MARINE

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-853-005C	1/2	25	100	172	61.82
CG-853-007C	3/4	25	0	172	67.02
CG-853-010C	1	20	0	172	83.56
CG-853-012C	1-1/4	20	0	172	94.53
CG-853-015C	1-1/2	15	0	172	132.31
CG-853-020C	2	10	0	172	139.00
CG-853-025C	2-1/2	10	0	172	210.26
CG-853-030C	3	10	0	172	261.40
CG-853-040C	4	8	0	172	354.07
CG-853-060C	6	5	0	172	593.94
CG-853-080C	8	5	0	172	1101.66
CG-853-100C	10	3	0	181	1986.41
CG-853-120C	12	2	0	181	3337.18



Flange Van Stone Style with Plastic Ring - MARINE

Socket

150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854-005C	1/2	25	0	172	41.51
CG-854-007C	3/4	25	0	172	42.45
CG-854-010C	1	15	0	172	46.36

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Flange Van Stone Style with Plastic Ring - MARINE (continued)

Socket

CG-854-012C	1-1/4	15	0	172	56.60
CG-854-015C	1-1/2	20	0	172	62.86
CG-854-020C	2	10	0	172	76.12
CG-854-025C	2-1/2	10	0	172	157.66
CG-854-030C	3	10	0	172	165.07
CG-854-040C	4	5	0	172	222.92
CG-854-060C	6	5	0	172	379.84
CG-854-080C	8	2	0	172	1142.92
CG-854-100C	10	2	0	181	2751.37
CG-854-120C	12	2	0	181	4128.55



Flange Van Stone Style with Plastic Ring- PN10/16 - MARINE- Socket

Socket

150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854-005PN10C	1/2	25	0	172	253.84
CG-854-007PN10C	3/4	25	0	172	364.72
CG-854-010PN10C	1	15	0	172	377.84
CG-854-012PN10C	1-1/4	15	0	172	516.67
CG-854-015PN10C	1-1/2	20	0	172	525.36
CG-854-020PN10C	2	10	0	172	607.04
CG-854-025PN10C	2-1/2	10	0	172	715.33
CG-854-030PN10C	3	10	0	172	760.05
CG-854-040PN10C	4	5	0	172	812.06
CG-854-060PN10C	6	5	0	172	1892.52
CG-854-080PN10C	8	2	0	172	3602.81
CG-854-100PN10C	10	2	0	181	3893.34
CG-854-120PN10C	12	2	0	181	4429.98



Flange Van Stone Style with Plastic Ring - MARINE

Spigot

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-856-005C	1/2	25	0	172	48.01
CG-856-007C	3/4	25	0	172	51.54
CG-856-010C	1	15	0	172	58.52
CG-856-012C	1-1/4	15	0	172	72.40
CG-856-015C	1-1/2	15	0	172	80.06
CG-856-020C	2	10	0	172	112.06
CG-856-025C	2-1/2	10	0	172	175.53
CG-856-030C	3	10	0	172	192.20
CG-856-040C	4	5	0	172	197.78
CG-856-060C	6	4	0	172	431.85
CG-856-080C	8	2	0	172	880.27
CG-856-100C	10	2	0	181	2955.87
CG-856-120C	12	2	0	181	4440.17

**EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings****EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Flange Van Stone Style Class 300 Bolt Pattern
Fabricated with Plastic Ring - MARINE****Socket**

Molded with fabricated ring - 150 psi = maximum internal pressure rating @ 73°F (23°C)

CG-854005CL300C	1/2	1	25	182	315.88
CG-854007CL300C	3/4	1	25	182	423.22
CG-854010CL300C	1	1	15	182	516.06
CG-854012CL300C	1-1/4	1	15	182	548.25
CG-854015CL300C	1-1/2	1	20	182	569.28
CG-854020CL300C	2	1	10	182	632.39
CG-854025CL300C	2-1/2	1	10	182	752.51
CG-854030CL300C	3	1	10	182	817.78
CG-854040CL300C	4	1	5	182	1289.69
CG-854060CL300C	6	1	4	182	2435.39
CG-854080CL300C	8	1	3	182	2802.37
CG-854100CL300C	10	1	2	183	3168.47
CG-854120CL300C	12	1	0	183	3958.39

Flange One Piece Multi-Bolt Pattern* - MARINE**ASTM Socket x Multi-bolt Pattern Ring**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-M851-100C	10	2	0	172	796.12
CG-M851-120C	12	2	0	172	1226.97

Hubs fit 10" and 12" ASTM IPS pipe. Rings are manufactured to accept bolt patterns in size 10" and 12" in ANSI Class 150, B.S. 4504 PN10, B.S. 4504 PN16, B.S. 10 Table E for size 10". Consult Spears® Manufacturing Company Technical Services for additional information. Not for use with wafer valves.

Flange Van Stone Style with Plastic Ring ASTM - MARINE**Socket x Multi-bolt Pattern Ring**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

CG-M854-020C	2	10	0	172	74.62
CG-M854-060C	6	4	0	172	379.84
CG-M854-080C	8	2	0	172	1142.92

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE**with EPDM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

CG-866S-247C	2X1/2	1	10	180	128.71
CG-866S-248C	2X3/4	1	10	180	128.71

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

(continued)

with EPDM O-ring Seal & SS Hardware

CG-866S-249C	2X1	1	10	180	128.71
CG-866S-250C	2X1-1/4	1	10	180	128.71
CG-866S-251C	2X1-1/2	1	10	180	128.71
CG-866S-291C	2-1/2X1-1/2	1	10	180	171.58
CG-866S-333C	3X1/2	1	10	180	171.58
CG-866S-334C	3X3/4	1	10	180	171.58
CG-866S-335C	3X1	1	10	180	171.58
CG-866S-336C	3X1-1/4	1	10	180	171.58
CG-866S-337C	3X1-1/2	1	10	180	171.58
CG-866S-338C	3X2	1	10	180	171.58
CG-866S-415C	4X1/2	1	10	180	219.52
CG-866S-416C	4X3/4	1	10	180	219.52
CG-866S-417C	4X1	1	8	180	219.52
CG-866S-418C	4X1-1/4	1	8	180	219.52
CG-866S-419C	4X1-1/2	1	8	180	219.52
CG-866S-420C	4X2	1	8	180	219.52
CG-866S-421C	4X2-1/2	1	4	180	228.79
CG-866S-422C	4X3	1	4	180	240.54
CG-866S-523C	6X1/2	1	4	180	345.92
CG-866S-524C	6X3/4	1	4	180	345.92
CG-866S-525C	6X1	1	4	180	345.92
CG-866S-526C	6X1-1/4	1	4	180	345.92
CG-866S-527C	6X1-1/2	1	4	180	345.92
CG-866S-528C	6X2	1	4	180	345.92
CG-866S-529C	6X2-1/2	1	4	180	366.15
CG-866S-530C	6X3	1	4	180	388.36
CG-866S-532C	6X4	1	4	180	406.26
CG-866S-573C	8X1/2	1	0	180	649.65
CG-866S-574C	8X3/4	1	0	180	649.65
CG-866S-575C	8X1	1	0	180	649.65
CG-866S-576C	8X1-1/4	1	0	180	649.65
CG-866S-577C	8X1-1/2	1	0	180	649.65
CG-866S-578C	8X2	1	0	180	649.65
CG-866S-579C	8X2-1/2	1	0	180	714.47
CG-866S-580C	8X3	1	0	180	750.25
CG-866S-582C	8X4	1	0	180	795.28
CG-866S-585C	8X6	1	0	180	882.51
CG-866S-624C	10X4	1	0	180	1050.95
CG-866S-626C	10X6	1	0	180	1207.75
CG-866S-664C	12X4	1	0	180	1316.26
CG-866S-666C	12X6	1	0	180	1526.93

¹ Outlet-sized with Bushing

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE**with FKM O-ring Seal & SS Hardware**

2"- 4" 235, 6" 200, 8"-12" 150 psi @ 73°F (23°C)

CG-866SV-247C	2X1/2	1	10	180	132.79
CG-866SV-248C	2X3/4	1	10	180	132.79
CG-866SV-249C	2X1	1	10	180	132.79

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings



EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Clamp-On Saddle x Socket Single Outlet, CPVC Gray - MARINE

(continued)

with FKM O-ring Seal & SS Hardware

CG-866SV-250C	2X1-1/4	1	10	180	132.79
CG-866SV-251C	2X1-1/2	1	10	180	132.79
CG-866SV-291C	2-1/2X1-1/2	1	10	180	177.88
CG-866SV-333C	3X1/2	1	10	180	177.88
CG-866SV-334C	3X3/4	1	10	180	177.88
CG-866SV-335C	3X1	1	10	180	177.88
CG-866SV-336C	3X1-1/4	1	10	180	177.88
CG-866SV-337C	3X1-1/2	1	10	180	177.88
CG-866SV-338C	3X2	1	10	180	177.88
CG-866SV-415C	4X1/2	1	10	180	229.76
CG-866SV-416C	4X3/4	1	10	180	229.76
CG-866SV-417C	4X1	1	8	180	229.76
CG-866SV-418C	4X1-1/4	1	8	180	229.76
CG-866SV-420C	4X2	1	8	180	229.76
CG-866SV-421C	4X2-1/2	1	4	180	243.19
CG-866SV-419C	4X1-1/2	1	8	180	229.76
CG-866SV-422C	4X3	1	4	180	255.57
CG-866SV-523C	6X1/2	1	4	180	365.85
CG-866SV-524C	6X3/4	1	4	180	365.85
CG-866SV-525C	6X1	1	4	180	365.85
CG-866SV-526C	6X1-1/4	1	4	180	365.85
CG-866SV-527C	6X1-1/2	1	4	180	365.85
CG-866SV-528C	6X2	1	4	180	365.85
CG-866SV-529C	6X2-1/2	1	4	180	380.35
CG-866SV-530C	6X3	1	4	180	393.56
CG-866SV-532C	6X4	1	4	180	418.32
CG-866SV-573C	8X1/2	1	0	180	675.01
CG-866SV-574C	8X3/4	1	0	180	675.01
CG-866SV-575C	8X1	1	0	180	675.01
CG-866SV-576C	8X1-1/4	1	0	180	675.01
CG-866SV-577C	8X1-1/2	1	0	180	675.01
CG-866SV-578C	8X2	1	0	180	675.01
CG-866SV-579C	8X2-1/2	1	0	180	714.47
CG-866SV-580C	8X3	1	0	180	779.81
CG-866SV-582C	8X4	1	0	180	826.57
CG-866SV-585C	8X6	1	0	180	917.38
CG-866SV-624C	10X4	1	0	180	1091.59
CG-866SV-626C	10X6	1	0	180	1255.51
CG-866SV-664C	12X4	1	0	180	1368.25
CG-866SV-666C	12X6	1	0	180	1587.36

¹ Outlet-sized with Bushing

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Hot-Tap Saddle CPVC Gray - MARINE

EPDM with Stainless Steel Cutter & Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

CG-HT2S-248C	2X3/4	1	5	180	203.14
CG-HT2S-251C	2X1-1/2	1	5	180	419.83
CG-HT2S-288C	2-1/2X3/4	1	5	180	217.13
CG-HT2S-291C	2-1/2X1-1/2	1	5	180	434.05
CG-HT2S-334C	3X3/4	1	5	180	248.98
CG-HT2S-337C	3X1-1/2	1	5	180	478.51
CG-HT2S-416C	4X3/4	1	5	180	287.57
CG-HT2S-419C	4X1-1/2	1	0	180	506.07
CG-HT2S-524C	6X3/4	1	5	180	322.77
CG-HT2S-527C	6X1-1/2	1	0	180	538.55
CG-HT2S-574C	8X3/4	1	0	180	348.97
CG-HT2S-577C	8X1-1/2	1	0	180	582.33

Lead Free

Hot-Tap Saddle CPVC Gray - MARINE

FKM with Stainless Steel Cutter & Bolts



2"- 4" 235, 6" 200, 8" 150 psi @ 73°F (23°C)

CG-HT3S-248C	2X3/4	1	5	180	221.22
CG-HT3S-251C	2X1-1/2	1	5	180	455.94
CG-HT3S-288C	2-1/2X3/4	1	5	180	236.07
CG-HT3S-291C	2-1/2X1-1/2	1	5	180	470.61
CG-HT3S-334C	3X3/4	1	5	180	269.51
CG-HT3S-337C	3X1-1/2	1	5	180	529.53
CG-HT3S-416C	4X3/4	1	5	180	311.95
CG-HT3S-419C	4X1-1/2	1	0	180	549.62
CG-HT3S-524C	6X3/4	1	5	180	351.00
CG-HT3S-527C	6X1-1/2	1	0	180	583.21
CG-HT3S-574C	8X3/4	1	0	180	379.42
CG-HT3S-577C	8X1-1/2	1	5	180	630.52

Lead Free

Fabricated Expansion Joints - CPVC - MARINE

6" Travel with EPDM O-rings



1/2" - 2" 235 psi @ 73°F (23°C)

2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826E-005X6C	1/2	10	0	180	551.59
----------------	-----	----	---	-----	--------



Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Fabricated Expansion Joints - CPVC - MARINE (continued)

6" Travel with EPDM O-rings

CG-826E-007X6C	3/4	6	0	180	603.58
CG-826E-010X6C	1	5	0	180	582.04
CG-826E-012X6C	1 1/4	4	0	180	995.27
CG-826E-015X6C	1-1/2	4	0	180	746.82
CG-826E-020X6C	2	2	0	180	946.33
CG-826E-025X6C	2-1/2	1	0	180	1161.69
CG-826E-030X6C	3	1	0	180	1304.59
CG-826E-040X6C	4	1	0	180	1924.08
CG-826E-060X6C	6	1	0	180	2068.33
CG-826E-080X6C	8	1	0	180	3923.56
CG-826E-100X6C	10	1	0	180	5016.44
CG-826E-120X6C	12	1	0	180	6919.20



Fabricated Expansion Joints - CPVC -MARINE

12" Travel with EPDM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)
2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826E-005X12C	1/2	1	0	180	561.78
CG-826E-007X12C	3/4	1	0	180	644.24
CG-826E-010X12C	1	1	5	180	687.23
CG-826E-012X12C	1-1/4	1	0	180	1089.43
CG-826E-015X12C	1-1/2	4	0	180	862.65
CG-826E-020X12C	2	2	0	180	1101.09
CG-826E-025X12C	2-1/2	1	0	180	1666.97
CG-826E-030X12C	3	1	0	180	1339.64
CG-826E-040X12C	4	1	0	180	2219.15
CG-826E-060X12C	6	1	0	180	2444.68
CG-826E-080X12C	8	1	0	180	4687.58
CG-826E-100X12C	10	1	0	180	5491.71
CG-826E-120X12C	12	1	0	180	7155.61



Fabricated Expansion Joints - CPVC - MARINE

6" Travel with FKM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)
2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826-005X6C	1/2	10	0	180	593.99
CG-826-007X6C	3/4	6	0	180	649.98
CG-826-010X6C	1	5	0	180	702.56
CG-826-012X6C	1-1/4	4	0	180	737.94

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Fabricated Expansion Joints - CPVC - MARINE (continued)

6" Travel with FKM O-rings

CG-826-015X6C	1-1/2	4	0	180	804.25
CG-826-020X6C	2	2	0	180	1019.11
CG-826-025X6C	2-1/2	1	0	180	1209.32
CG-826-030X6C	3	1	0	180	1404.88
CG-826-040X6C	4	1	0	180	2072.02
CG-826-060X6C	6	1	0	180	2227.37
CG-826-080X6C	8	1	0	180	4225.24
CG-826-100X6C	10	1	0	180	5394.02
CG-826-120X6C	12	1	0	180	7155.61



Fabricated Expansion Joints - CPVC - MARINE

12" Travel with FKM O-rings

1/2" - 2" 235 psi @ 73°F (23°C)
2-1/2" - 12" 150 psi @ 73°F (23°C)

CG-826-005X12C	1/2	10	0	180	604.98
CG-826-007X12C	3/4	6	0	180	693.75
CG-826-010X12C	1	5	0	180	740.08
CG-826-012X12C	1-1/4	4	0	180	828.36
CG-826-015X12C	1-1/2	4	0	180	928.98
CG-826-020X12C	2	2	0	180	1185.77
CG-826-025X12C	2-1/2	1	0	180	1795.13
CG-826-030X12C	3	1	0	180	1442.66
CG-826-040X12C	4	1	0	180	2389.76
CG-826-060X12C	6	1	0	180	2632.64
CG-826-080X12C	8	1	0	180	5040.43
CG-826-100X12C	10	1	0	180	5905.04
CG-826-120X12C	12	1	0	180	8448.38

GripLoc™ Coupling - MARINE

WARNING: DO NOT INSERT FINGERS
EPDM Gasket
Pressure Rated to 235 psi @ 73°F




Uses No Solvent Cement.

CG-GL429-005C	1/2	1	40	184	23.38
CG-GL429-007C	3/4	1	36	184	28.85
CG-GL429-010C	1	1	20	184	30.98
CG-GL429-012C	1-1/4	1	15	184	32.80
CG-GL429-015C	1-1/2	1	15	184	32.80
CG-GL429-020C	2	1	10	184	36.45

Gripper is 410 Stainless Steel

GripLoc™ Cap - MARINE

WARNING: DO NOT INSERT FINGERS
EPDM Gasket
Pressure Rated to 235 psi @ 73°F



Uses No Solvent Cement.

CG-GL447-005C	1/2	25	150	184	20.42
CG-GL447-007C	3/4	1	50	184	26.27

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings & EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings



EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

GripLoc™ Cap - MARINE (continued)

WARNING: DO NOT INSERT FINGERS

EPDM Gasket

Pressure Rated to 235 psi @ 73°F

CG-GL447-010C	1	1	50	184	28.77
CG-GL447-012C	1-1/4	1	25	184	39.44
CG-GL447-015C	1-1/2	1	25	184	45.87
CG-GL447-020C	2	1	25	184	52.67

Gripper is 410 Stainless Steel

Valves - ABS & USCG Approved

True Union 2000 Industrial Ball Valves - EPDM - MARINE

Socket

CG-1829-005C	1/2	1	18	179	100.72
CG-1829-007C	3/4	1	18	179	126.85
CG-1829-010C	1	1	12	179	151.01
CG-1829-012C	1-1/4	1	8	179	240.06
CG-1829-015C	1-1/2	1	8	179	253.55
CG-1829-020C	2	1	4	179	339.09
CG-1822-025C	2-1/2	1	0	179	760.26
CG-1822-030C	3	1	0	179	888.92
CG-1822-040C	4	1	0	179	1610.78
CG-1822-060C	6	1	0	179	3429.08
CG-1822-080C	8	1	0	179	4560.72

1/2" - 4" ABS type approved

1/2" - 8 USCG applications

True Union 2000 Industrial Ball Valves - FKM - MARINE

Socket

CG-1839-005C	1/2	1	18	179	111.93
CG-1839-007C	3/4	1	18	179	140.98
CG-1839-010C	1	1	12	179	167.79
CG-1839-012C	1-1/4	1	8	179	266.81
CG-1839-015C	1-1/2	1	8	179	281.72
CG-1839-020C	2	1	4	179	389.81
CG-1832-025C	2-1/2	1	0	179	844.68
CG-1832-030C	3	1	0	179	987.77
CG-1832-040C	4	1	0	179	1789.73
CG-1832-060C	6	1	0	179	3809.85
CG-1832-080C	8	1	0	179	5067.13

1/2" - 4" ABS type approved

1/2" - 8 USCG applications

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Standard Ball Valves - EPDM - MARINE

Socket

CG-3629-005C	1/2	1	18	179	80.55
CG-3629-007C	3/4	1	18	179	101.48
CG-3629-010C	1	1	12	179	120.82
CG-3629-012C	1-1/4	1	8	179	192.07
CG-3629-015C	1-1/2	1	8	179	202.82
CG-3629-020C	2	1	4	179	271.29
CG-3622-025C	2-1/2	1	0	179	608.21
CG-3622-030C	3	1	0	179	711.15
CG-3622-040C	4	1	0	179	1288.60

True Union 2000 Standard Ball Valves - FKM - MARINE

Socket

CG-3639-005C	1/2	1	18	179	89.56
CG-3639-007C	3/4	1	18	179	112.79
CG-3639-010C	1	1	12	179	134.24
CG-3639-012C	1-1/4	1	8	179	213.49
CG-3639-015C	1-1/2	1	8	179	225.38
CG-3639-020C	2	1	4	179	311.86
CG-3632-025C	2-1/2	1	0	179	608.21
CG-3632-030C	3	1	0	179	711.15
CG-3632-040C	4	1	0	179	1288.60

True Union 2000 Vertical 3-Way Ball Valves, L-Port, EPDM - MARINE

Socket

CG-4722L1-005C	1/2	1	12	179	240.84
CG-4722L1-007C	3/4	1	8	179	282.60
CG-4722L1-010C	1	1	8	179	343.48
CG-4722L1-012C	1-1/4	1	8	179	415.52
CG-4722L1-015C	1-1/2	1	8	179	480.35
CG-4722L1-020C	2	1	4	179	589.38
CG-4722L1-025C	2-1/2	1	0	179	2072.79
CG-4722L1-030C	3	1	0	179	2115.28
CG-4722L1-040C	4	1	0	179	3656.40

USCG Application Only

True Union 2000 Vertical 3-Way Ball Valves, L-Port, FKM - MARINE

Socket

CG-4732L1-005C	1/2	1	12	179	260.78
CG-4732L1-007C	3/4	1	8	179	307.85
CG-4732L1-010C	1	1	8	179	382.55
CG-4732L1-015C	1-1/2	1	8	179	526.62
CG-4732L1-012C	1-1/4	1	8	179	489.67
CG-4732L1-020C	2	1	4	179	684.25
CG-4732L1-025C	2-1/2	1	0	179	2096.14
CG-4732L1-030C	3	1	0	179	2133.91



Marine & Offshore Products
EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings

Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Vertical 3-Way Ball Valves, L-Port, FKM - MARINE (continued)

Socket

CG-4732L1-040C	4	1	0	179	3692.00
----------------	---	---	---	-----	---------

USCG Application Only

True Union 2000 Horizontal 3-Way Diverter Ball Valves, EPDM, T-Port - MARINE

Socket

CG-5022T1-005C	1/2	1	12	179	242.20
CG-5022T1-007C	3/4	1	8	179	288.69
CG-5022T1-010C	1	1	8	179	350.09
CG-5022T1-012C	1-1/4	1	8	179	405.69
CG-5022T1-015C	1-1/2	1	8	179	474.55
CG-5022T1-020C	2	1	0	179	582.19
CG-5022T1-025C	2-1/2	1	0	179	1962.43
CG-5022T1-030C	3	1	0	179	2002.32
CG-5022T1-040C	4	1	0	179	3626.35

USCG Application Only

True Union 2000 Horizontal 3-Way Diverter Ball Valves, FKM, T-Port - MARINE

Socket

CG-5032T1-005C	1/2	1	12	179	262.39
CG-5032T1-007C	3/4	1	8	179	310.76
CG-5032T1-010C	1	1	8	179	385.75
CG-5032T1-012C	1-1/4	1	8	179	454.85
CG-5032T1-015C	1-1/2	1	8	179	519.39
CG-5032T1-020C	2	1	0	179	678.51
CG-5032T1-025C	2-1/2	1	0	179	2086.59
CG-5032T1-030C	3	1	0	179	2119.28
CG-5032T1-040C	4	1	0	179	3667.29

USCG Application Only

True Union 2000 Industrial Ball Check Valves - EPDM - MARINE

Socket

CG-4529-005C	1/2	1	18	179	127.85
CG-4529-007C	3/4	1	18	179	153.02
CG-4529-010C	1	1	18	179	180.56
CG-4529-012C	1-1/4	1	12	179	310.97
CG-4529-015C	1-1/2	1	8	179	310.97
CG-4529-020C	2	1	8	179	415.35
CG-4522-025C	2-1/2	1	0	179	870.37
CG-4522-030C	3	1	0	179	1156.34
CG-4522-040C	4	1	0	179	1909.96
CG-4522-060C	6	1	0	179	3943.33
CG-4522-080C	8	1	0	179	4639.23

1/2" - 4" ABS type approved
1/2" - 8 USCG applications

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

True Union 2000 Industrial Ball Check Valves - FKM - MARINE

Socket

CG-4539-005C	1/2	1	18	179	142.33
CG-4539-007C	3/4	1	18	179	170.06
CG-4539-010C	1	1	18	179	200.60
CG-4539-012C	1-1/4	1	12	179	345.21
CG-4539-015C	1-1/2	1	8	179	345.21
CG-4539-020C	2	1	8	179	462.80
CG-4532-025C	2-1/2	1	0	179	967.03
CG-4532-030C	3	1	0	179	1259.44
CG-4532-040C	4	1	0	179	2123.53
CG-4532-060C	6	1	0	179	4380.92
CG-4532-080C	8	1	0	179	5839.60

1/2" - 4" ABS type approved
1/2" - 8 USCG applications

Compact 2000 Ball Valves - EPDM - MARINE

Socket

CG-6622-005C	1/2	10	120	179	38.26
CG-6622-007C	3/4	10	80	179	50.46
CG-6622-010C	1	10	0	179	63.06
CG-6622-012C	1-1/4	6	0	179	103.21
CG-6622-015C	1-1/2	5	0	179	127.65
CG-6622-020C	2	8	0	179	167.24

USCG Application Only

Compact 2000 Ball Valves - FKM - MARINE

Socket

CG-6632-005C	1/2	10	120	179	42.58
CG-6632-007C	3/4	10	80	179	56.71
CG-6632-010C	1	10	0	179	70.92
CG-6632-012C	1-1/4	6	0	179	127.55
CG-6632-015C	1-1/2	5	0	179	141.83
CG-6632-020C	2	8	0	179	187.87

USCG Application Only

Butterfly Valve, Standard - EPDM - MARINE

Lever Handle

CG-722311-015C	1-1/2	1	0	179	575.36
CG-722311-020C	2	1	0	179	613.23
CG-722311-025C	2-1/2	1	0	179	651.18
CG-722311-030C	3	1	0	179	709.71
CG-722311-040C	4	1	0	179	819.99
CG-722311-060C	6	1	0	179	1212.72



Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Butterfly Valve, Standard - EPDM - MARINE (continued)

Lever Handle

CG-722311-080C	8	1	0	179	2060.18
1-1/2" - 6" ABS type approved					
1-1/2" - 12 USCG applications					



Butterfly Valve, Standard, EPDM, MARINE

Gear Operator

CG-722321-100C	10	1	0	179	4023.93
CG-722321-120C	12	1	0	179	5684.47
1-1/2" - 12 USCG applications					



Butterfly Valves, Standard - FKM - MARINE

Lever Handle

CG-723311-015C	1-1/2	1	0	179	1164.48
CG-723311-020C	2	1	0	179	1202.38
CG-723311-030C	3	1	0	179	1398.72
CG-723311-040C	4	1	0	179	1750.13
CG-723311-060C	6	1	0	179	2797.51
CG-723311-080C	8	1	0	179	4733.67
1-1/2" - 6" ABS type approved					
1-1/2" - 12 USCG applications					



Butterfly Valve, Standard, FKM, MARINE

Gear Operator

CG-723321-100C	10	1	0	179	10280.28
CG-723321-120C	12	1	0	179	13363.71
1-1/2" - 12 USCG applications					

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



Wafer Butterfly Valves - EPDM - MARINE

Lever Handle

CG-752311-020C	2	1	0	179	613.23
CG-752311-025C	2-1/2	1	0	179	651.18
CG-752311-030C	3	1	0	179	709.71
CG-752311-040C	4	1	0	179	819.99
CG-752311-060C	6	1	0	179	1212.72
CG-752311-080C	8	1	0	179	2060.18
CG-752321-100C	10	1	0	179	4023.93
CG-752321-120C	12	1	0	179	5684.47
2" - 6" ABS type approved					
2" - 12 USCG applications					

Wafer Butterfly Valve, Standard, EPDM, MARINE

Gear Operator

CG-752321-100C	10	1	0	179	4023.93
CG-752321-120C	12	1	0	179	5684.47
2" - 12 USCG applications					

Wafer Butterfly Valves - FKM - MARINE

Lever Handle

CG-753311-020C	2	1	0	179	1202.38
CG-753311-025C	2-1/2	1	0	179	1305.74
CG-753311-030C	3	1	0	179	1398.72
CG-753311-040C	4	1	0	179	1750.13
CG-753311-060C	6	1	0	179	2797.51
CG-753311-080C	8	1	0	179	4733.67
2" - 6" ABS type approved					
2" - 12 USCG applications					





Marine & Offshore Products

EverTUFF® CPVC Schedule 40 & 80 Marine Pressure Pipe & Fittings & MARINE Solvent Cement & Primer - ABS & USCG Approved

Valves - ABS & USCG Approved

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------



Wafer Butterfly Valve, Standard, FKM,
MARINE

Gear Operator

CG-753321-100C	10	1	0	179	10280.28
CG-753321-120C	12	1	0	179	13363.71
2" - 12 USCG applications					

MARINE Solvent Cement & Primer - ABS & USCG Approved

Marine-24 Solvent Cement - Gray

Requires primer



CG-MARINE24-030	Quart	12	0	178	67.19
CG-MARINE24-040	Gallon	6	0	178	232.01



PRIMER-70 Purple Industrial Strength Primer - MARINE

PRIM70P-030	Quart	12	0	709	40.62
PRIM70P-040	Gallon	6	0	709	133.47



PRIMER-70 Clear Industrial Strength Primer - MARINE

PRIM70C-030	Quart	12	0	709	40.62
PRIM70C-040	Gallon	6	0	709	133.47