

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Grooved Coupling Adapter (continued)</b>					
<b>Groove x Socket</b>					
833-020	2	10	80	080	26.51
833-025	2-1/2	5	0	080	57.21
833-030	3	5	0	080	68.20
833-040	4	5	0	080	77.40
833-050F	5	1	7	084	148.57
833-060	6	5	0	080	167.12
833-080F	8	1	4	084	191.64
833-100F	10	1	0	084	235.34
833-120F	12	1	0	084	317.93

**Adapters**

Female Adapter

Socket x Fipt



835-002	1/4	25	450	080	12.42
835-003	3/8	25	400	080	12.42
835-098	3/4X1/4	25	150	080	5.94
835-005	1/2	25	150	080	6.87
835-007	3/4	25	150	080	10.22
835-010	1	15	90	080	15.06
835-012	1-1/4	10	120	080	24.39
835-015	1-1/2	10	80	080	29.89
835-020	2	10	0	080	52.16
835-025	2-1/2	5	0	080	82.35
835-030	3	5	0	080	92.69
835-040	4	5	0	080	159.33
835-060	6	6	0	080	188.65
835-060F	6	1	8	083	247.74
835-080	8	3	0	080	354.66
835-080F	8	1	6	083	292.84
835-100F	10	1	2	083	320.99
835-120F	12	1	0	083	405.11

Female Adapter - Brass Transition

Socket x Fipt With Brass Thread Insert



835-005BR	1/2	25	150	086	30.65
835-007BR	3/4	15	90	086	44.03
835-010BR	1	15	90	086	75.86
835-012BR	1-1/4	15	60	086	124.96
835-015BR	1-1/2	10	40	086	164.15
835-020BR	2	8	32	086	203.31

**Not intended to convey or dispense water for human consumption through drinking or cooking**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Adapter - Brass Transition Reducing

Socket x Fipt With Brass Thread Insert



835-101BR	3/4X1/2	50	0	086	45.51
835-131BR	1X3/4	50	0	086	77.36

**Not intended to convey or dispense water for human consumption through drinking or cooking**

Female Adapter - Special Reinforced

Socket x SR Fipt - Stainless Steel Collar



835-002SR	1/4	25	450	086	6.86
835-003SR	3/8	25	300	086	6.86
835-005SR	1/2	25	150	086	3.81
835-007SR	3/4	25	300	086	5.55
835-010SR	1	25	200	086	8.24
835-012SR	1-1/4	10	60	086	13.33
835-015SR	1-1/2	10	80	086	16.41
835-020SR	2	10	0	086	28.63
835-025SR	2-1/2	5	0	086	45.18
835-030SR	3	15	0	086	50.89
835-040SR	4	5	0	086	87.46
835-060SR	6	6	0	086	113.64

Female Adapter - Special Reinforced Reducing

Socket x SR Fipt - Stainless Steel Collar



835-074SR	1/2X3/4	50	400	086	5.55
835-098SR	3/4X1/4	25	150	086	17.25
835-101SR	3/4X1/2	50	400	086	5.55
835-102SR	3/4X1	50	0	086	8.24
835-130SR	1X1/2	50	0	086	8.24
835-131SR	1X3/4	25	200	086	8.24

Female Adapter - Stainless Steel Transition

Socket x Fipt With 316 Stainless Steel Thread Insert



NSF® Certified Lead Free

835-005SS	1/2	25	150	086	60.07
835-007SS	3/4	15	90	086	86.34
835-010SS	1	15	90	086	146.91
835-012SS	1-1/4	25	0	086	245.34
835-015SS	1-1/2	10	40	086	320.48
835-020SS	2	8	32	086	411.13

Female Adapter - Encapsulated Special Reinforced

Socket x ESR Fipt



835-002ESR	1/4	25	450	086	9.94
------------	-----	----	-----	-----	------



## Schedule 80 PVC Product PVC Schedule 80 Fittings

### Adapters

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### Female Adapter - Encapsulated Special Reinforced (continued)

##### Socket x ESR Fipt

835-003ESR	3/8	25	300	086	9.94
835-005ESR	1/2	25	300	086	6.16
835-007ESR	3/4	25	300	086	9.09
835-010ESR	1	25	200	086	12.04
835-012ESR	1-1/4	10	80	086	19.43
835-015ESR	1-1/2	10	80	086	28.07
835-020ESR	2	10	0	086	41.74

#### Male Adapter

##### Mipt x Socket

836-053	3/8X1/2	50	900	080	8.56
836-005	1/2	25	150	080	8.59
836-007	3/4	25	300	080	9.47
836-102	3/4X1	50	0	080	20.26
836-131	1X3/4	50	400	080	20.26
836-010	1	20	120	080	16.38
836-012	1-1/4	10	120	080	19.15
836-015	1-1/2	10	120	080	27.52
836-213 <sup>1</sup>	1-1/2X2	25	0	080	59.34
836-251 <sup>1</sup>	2X1-1/2	10	0	080	72.96
836-020	2	10	80	080	39.80
836-025	2-1/2	10	0	080	45.23
836-030	3	5	0	080	50.20
836-040	4	4	0	080	89.33
836-050F	5	1	8	083	271.57
836-060	6	5	0	080	198.43
836-080F	8	1	2	083	213.94
836-100F	10	1	2	083	256.05
836-120F	12	1	0	083	380.52

<sup>1</sup> Sized With Bushing or Coupling

#### Male Adapter - Internal Reinforced

##### R Mipt x Socket - Stainless Steel Sleeve

NSF® Certified Lead Free

836-005R	1/2	25	150	086	4.71
836-007R	3/4	25	300	086	5.17
836-010R	1	10	60	086	9.06
836-012R	1-1/4	10	120	086	17.11
836-015R	1-1/2	10	120	086	26.45
836-020R	2	10	0	086	37.60

#### Male Adapter - PVC Lined Brass Transition

##### Brass Mipt x Socket

NSF® Certified Lead Free

836-005BR	1/2	40	160	086	33.74
-----------	-----	----	-----	-----	-------

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

#### Male Adapter - PVC Lined Brass Transition (continued)

##### Brass Mipt x Socket

836-007BR	3/4	40	160	086	50.88
836-010BR	1	10	60	086	82.74
836-012BR	1-1/4	10	40	086	139.37
836-015BR	1-1/2	10	40	086	184.94
836-020BR	2	8	32	086	229.75

#### Male Spigot Adapter

##### Spigot x Mipt

861-005	1/2	50	300	080	8.63
861-007	3/4	25	300	080	12.73
861-010	1	50	0	080	18.81
861-131	1X3/4	50	200	080	19.40
861-012	1-1/4	25	0	080	20.38
861-015	1-1/2	25	0	080	22.78
861-020	2	25	0	080	26.51

#### Female Spigot Adapter - Brass Transition

##### Spigot x Fipt With Brass Thread Insert

878-005BR	1/2	25	150	086	25.78
878-007BR	3/4	15	90	086	41.75
878-010BR	1	15	90	086	82.03

**Not intended to convey or dispense water for human consumption through drinking or cooking**

#### Female Spigot Adapter - Special Reinforced

##### Spigot x SR Fipt - Stainless Steel Collar

878-005SR	1/2	50	600	086	5.01
878-007SR	3/4	25	300	086	5.91
878-010SR	1	50	0	086	9.09
878-012SR	1-1/4	25	0	086	14.48
878-015SR	1-1/2	25	0	086	17.36
878-020SR	2	15	0	086	28.91
878-030SR	3	5	0	086	53.14
878-040SR	4	5	0	086	90.22

#### Female Spigot Adapter - Special Reinforced Reducing

##### Spigot x SR Fipt - Stainless Steel Collar

878-072SR	1/2X1/4	25	450	086	13.94
878-098SR	3/4X1/4	50	400	086	19.20
878-128SR	1X1/4	50	400	086	19.80

**Schedule 80 PVC Product**  
**PVC Schedule 80 Fittings**



**Adapters**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Female Spigot Adapter - Encapsulated Special Reinforced, Spigot

**Spigot x ESR Fipt**



878-005ESR	1/2	50	600	086	6.83
878-007ESR	3/4	25	300	086	9.41
878-010ESR	1	50	0	086	12.92
878-012ESR	1-1/4	25	0	086	19.88
878-015ESR	1-1/2	25	0	086	28.23
878-020ESR	2	15	0	086	42.55

Female Spigot Adapter - Stainless Steel Transition

**Spigot x Fipt With 316 Stainless Steel Thread Insert**



878-005SS	1/2	25	150	086	60.07
878-007SS	3/4	15	90	086	80.66
878-010SS	1	15	90	086	104.08
878-072SS	1/2X1/4	25	150	086	60.07

**Reducer Bushing**

Reducer Bushing Flush Style

**Spigot x Socket**



837-052	3/8X1/4	50	450	080	6.48
837-072	1/2X1/4	50	300	080	6.48
837-073	1/2X3/8	50	600	080	6.48
837-101	3/4X1/2	50	600	080	2.37
837-129 <sup>1</sup>	1X3/8	50	200	080	13.52
837-130	1X1/2	50	300	080	6.78
837-131	1X3/4	50	400	080	6.78
837-166	1-1/4X1/2	25	150	080	10.62
837-167	1-1/4X3/4	25	300	080	10.62
837-168	1-1/4X1	25	150	080	10.62
837-209	1-1/2X1/2	25	200	080	14.47
837-210	1-1/2X3/4	25	200	080	14.47
837-211	1-1/2X1	25	200	080	14.47
837-212	1-1/2X1-1/4	25	200	080	14.47
837-247	2X1/2	10	120	080	20.63
837-248	2X3/4	10	120	080	20.63
837-249	2X1	10	120	080	20.63
837-250	2X1-1/4	10	120	080	20.63
837-251	2X1-1/2	10	120	080	20.63
837-287 <sup>1</sup>	2-1/2X1/2	10	40	080	47.93
837-288 <sup>1</sup>	2-1/2X3/4	10	40	080	47.93
837-289	2-1/2X1	10	40	080	47.93
837-290	2-1/2X1-1/4	10	80	080	35.84
837-291	2-1/2X1-1/2	10	40	080	35.84
837-292	2-1/2X2	15	0	080	35.84

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

Reducer Bushing Flush Style (continued)

**Spigot x Socket**

837-333	3X1/2	10	0	080	65.99
837-334 <sup>1</sup>	3X3/4	10	0	080	63.88
837-335	3X1	10	0	080	56.86
837-336	3X1-1/4	10	0	080	56.86
837-337	3X1-1/2	10	0	080	56.86
837-338	3X2	10	0	080	56.86
837-339	3X2-1/2	15	0	080	56.86
837-415 <sup>1</sup>	4X1/2	6	0	080	101.06
837-416 <sup>1</sup>	4X3/4	6	0	080	101.06
837-417 <sup>1</sup>	4X1	6	0	080	101.06
837-418 <sup>1</sup>	4X1-1/4	6	0	080	101.06
837-419	4X1-1/2	6	0	080	101.06
837-420	4X2	6	0	080	78.72
837-421	4X2-1/2	6	0	080	78.72
837-422	4X3	6	0	080	78.72
837-486 <sup>1</sup>	5X2	3	0	080	88.61
837-488 <sup>1</sup>	5X3	5	0	080	116.69
837-490	5X4	4	0	080	104.00
837-490F	5X4	1	4	083	110.91
837-524 <sup>1</sup>	6X3/4	5	0	080	131.39
837-525 <sup>1</sup>	6X1	5	0	080	124.82
837-526 <sup>1</sup>	6X1-1/4	5	0	080	131.39
837-527 <sup>1</sup>	6X1-1/2	5	0	080	131.39
837-528	6X2	5	0	080	109.46
837-529	6X2-1/2	5	0	080	169.72
837-530	6X3	5	0	080	109.46
837-532	6X4	5	0	080	109.46
837-533F	6X5	1	5	083	356.14
837-534	6X5	5	0	080	109.46
837-577 <sup>1</sup>	8X1-1/2	4	0	080	404.97
837-578 <sup>1</sup>	8X2	4	0	080	383.40
837-580 <sup>1</sup>	8X3	4	0	080	383.40
837-582 <sup>1</sup>	8X4	4	0	080	266.29
837-583 <sup>1</sup>	8X5	2	0	080	387.40
837-583F	8X5	1	6	083	630.32
837-585	8X6	4	0	080	266.29
837-621 <sup>1</sup>	10X2	2	0	081	741.40
837-622 <sup>1</sup>	10X2-1/2	2	0	081	807.80
837-623 <sup>1</sup>	10X3	2	0	081	741.40
837-624 <sup>1</sup>	10X4	1	2	081	741.40
837-625F	10X5	1	4	083	965.67
837-626	10X6	3	0	081	625.55
837-628	10X8	3	0	081	625.55
837-628F	10X8	1	6	083	241.93
837-663 <sup>1</sup>	12X3	2	0	081	1098.68
837-664 <sup>1</sup>	12X4	2	0	081	1098.68
837-666 <sup>1</sup>	12X6	1	0	081	1009.40
837-666F <sup>1</sup>	12X6	1	2	083	710.67
837-668	12X8	2	0	081	722.92
837-668F <sup>1</sup>	12X8	1	2	083	687.62
837-670	12X10	2	0	081	722.92
837-670F	12X10	3	0	083	275.43
837-694F	14X4	1	3	083	1566.69
837-696F	14X6	1	0	083	1394.97