

# NIBCO® PEX Tube

## RADIANT HEAT

### NP75

### BARRIER-PEX Coil



FIGURE NO.	MATERIAL NO.	SIZE	WEIGHT/ FOOT	WEIGHT/ COIL	FEET/ PALLET	COILS/ PALLET
NP75	PX50014	1/2" x 100'	0.0535	5.40	2,000	20
NP75	PX50018	1/2" x 250'	0.0535	13.50	2,500	10
NP75	PX50019	1/2" x 300'	0.0535	16.20	3,000	10
NP75	PX50020	1/2" x 500'	0.0535	27.00	4,000	8
NP75	PX50021	1/2" x 600'	0.0535	32.40	4,200	7
NP75	PX50022	1/2" x 1000'	0.0535	54.00	3,000	3
NP75	PX50023	1/2" x 1200'	0.0535	64.80	2,400	2
NP75	PX50029	5/8" x 100'	0.0760	7.60	2,000	20
NP75	PX50024	5/8" x 250'	0.0760	19.00	2,500	10
NP75	PX50026	5/8" x 500'	0.0760	38.00	3,500	7
NP75	PX50028	5/8" x 1000'	0.0760	76.00	3,000	3
NP75	PX50030	3/4" x 100'	0.1030	10.30	1,300	13
NP75	PX50034	3/4" x 250'	0.1030	25.75	2,250	9
NP75	PX50035	3/4" x 300'	0.1030	30.90	2,100	7
NP75	PX50038	3/4" x 500'	0.1030	51.50	2,500	5
NP75	PX50039	3/4" x 600'	0.1030	61.80	1,800	3
NP75	PX50040	3/4" x 1000'	0.1030	103.00	2,000	2
NP75	PX50041	3/4" x 1,200'	0.1030	123.60	2,400	2
NP75	PX50042	1" x 100'	0.1670	16.70	800	8
NP75	PX50048	1" x 300'	0.1670	50.10	900	3
NP75	PX50051	1" x 500'	0.1670	83.50	1,000	2

### NP75

### BARRIER-PEX Sticks



FIGURE NO.	MATERIAL NO.	SIZE	WEIGHT/ FOOT	WEIGHT/ STICK	FEET/ BUNDLE	PIECES/ BUNDLE
NP75	PX50066*	1/2" x 5'	0.0535	0.285	500	100
NP75	PX50068	1/2" x 20'	0.0535	1.140	500	25
NP75	PX50061*	3/4" x 5'	0.1023	0.525	200	40
NP75	PX50069	3/4" x 20'	0.1023	2.100	200	10
NP75	PX50073*	1" x 5'	0.1670	0.835	100	20
NP75	PX50064	1" x 20'	0.1670	3.340	100	5

*BARRIER-PEX is used for radiant systems with ferrous components (e.g. cast iron boiler).  
The oxygen barrier layer meets the standard DIN 4276.*

## INSULATED TUBING

### NP90

### Insulated PEX Tubing



FIGURE NO.	MATERIAL NO.	DESCRIPTION	WEIGHT/ FOOT (EA.)	WEIGHT/ COIL	FEET/ PALLET	COILS/ PALLET
NP90	PX41010	2 x 1" x 75' Insulated PEX	0.8000	60	75	1
NP90	PX41015	2 x 1" x 100' Insulated PEX	0.8000	80	100	1
NP90	PX41020	2 x 1" x 125' Insulated PEX	0.8000	100	125	1
NP90	PX41025	2 x 1" x 150' Insulated PEX	0.8000	120	150	1

Visit our website for the most current information.