



**Schedule 80 CPVC Product**  
**CPVC Schedule 80 Fittings**

**Crosses**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

820-339C <sup>1</sup>	3X2-1/2	4	0	090	416.29
820-420C <sup>1</sup>	4X2	3	0	090	614.01
820-422C <sup>1</sup>	4X3	3	0	090	614.01
820-420CF	4X2	1	3	097	603.35
820-528CF	6X2	1	4	097	946.51
820-530CF	6X3	1	2	097	1069.31
820-532CF	6X4	1	2	097	1095.19
820-578CF	8X2	1	2	097	1233.41
820-580CF	8X3	1	0	097	1294.55
820-582CF	8X4	1	0	097	1212.28
820-585CF	8X6	1	0	097	1592.82
820-621CF	10X2	1	0	097	1478.96
820-623CF	10X3	1	0	097	1590.13
820-624CF	10X4	1	0	097	1662.35
820-626CF	10X6	1	0	097	1985.91
820-628CF	10X8	1	0	097	2299.16
820-661CF	12X2	1	0	097	1805.82
820-663CF	12X3	1	0	097	1984.46
820-664CF	12X4	1	0	097	2095.24
820-666CF	12X6	1	0	097	2433.39
820-668CF	12X8	1	0	097	2838.49
820-670CF	12X10	1	0	097	3378.05
820-691CF	14X2	1	0	097	3477.53
820-693CF	14X3	1	0	097	3672.84
820-694CF	14X4	1	0	097	3835.97
820-696CF	14X6	1	0	097	5276.78
820-698CF	14X8	1	0	097	6000.02
820-700CF	14X10	1	0	097	6681.04
820-702CF	14X12	1	0	097	7616.54
820-751CF	16X2	1	0	097	4939.02
820-753CF	16X3	1	0	097	5146.61
820-754CF	16X4	1	0	097	5347.76
820-756CF	16X6	1	0	097	7100.64
820-758CF	16X8	1	0	097	7848.49
820-760CF	16X10	1	0	097	8613.71
820-762CF	16X12	1	0	097	9199.78
820-764CF	16X14	1	0	097	12063.16
820-781CF	18X2	1	0	097	6615.55
820-783CF	18X3	1	0	097	6867.52
820-784CF	18X4	1	0	097	7982.78
820-786CF	18X6	1	0	097	9139.12
820-788CF	18X8	1	0	097	9979.19
820-790CF	18X10	1	0	097	10943.51
820-792CF	18X12	1	0	097	11882.69
820-794CF	18X14	1	0	097	14763.24
820-796CF	18X16	1	0	097	16552.69
820-814CF	20X4	1	0	097	13300.99
820-816CF	20X6	1	0	097	14336.82
820-818CF	20X8	1	0	097	15537.96
820-820CF	20X10	1	0	097	16743.72
820-822CF	20X12	1	0	097	17958.75

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Cross - Reducing (continued)**

**Socket x Socket x Socket x Socket**

820-824CF	20X14	1	0	097	19716.16
820-826CF	20X16	1	0	097	22796.86
820-828CF	20X18	1	0	097	22812.44
820-904CF	24X4	1	0	097	13838.48
820-906CF	24X6	1	0	097	14009.81
820-920CF	24X20	1	0	097	31012.39
820-908CF	24X8	1	0	097	16258.45
820-910CF	24X10	1	0	097	18827.63
820-912CF	24X12	1	0	097	20401.09
820-914CF	24X14	1	0	097	21872.65
820-916CF	24X16	1	0	097	23490.32
820-918CF	24X18	1	0	097	24366.27

<sup>1</sup> Sized with Bushing

**Couplings**

Part Number	Size	Gasket to Gasket - L1	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	-----------------------	--------	----------	-----------	------

**Repair Coupling - Fabricated**



**Gasket x Gasket**

828-020CF	2	6	1	15	097	158.80
828-030CF	3	11- 3/4	1	5	097	202.28
828-040CF	4	15	1	4	097	252.03
828-060CF	6	18-1/4	1	2	097	292.05
828-080CF	8	19	1	2	097	785.23
828-100CF	10	21-1/4	1	0	097	847.12
828-120CF	12	21-3/8	1	0	097	1114.62
828-140CF	14	21	1	0	097	3280.79
828-160CF	16	22-1/4	1	0	097	4645.07
828-180CF	18	22-5/8	1	0	097	7514.24
828-200CF	20	23-1/2	1	0	097	11060.63
828-240CF	24	23-1/2	1	0	097	16028.78

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling**



**Socket x Socket**

829-002C	1/4	25	450	090	20.15
829-003C	3/8	25	150	090	20.15
829-005C	1/2	25	150	090	7.83
829-007C	3/4	15	90	090	10.95
829-010C	1	15	90	090	14.75
829-012C	1-1/4	10	60	090	22.09
829-015C	1-1/2	10	40	090	27.79

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling (continued)</b>					
<b>Socket x Socket</b>					
829-020C	2	20	0	090	32.33
829-025C	2-1/2	10	0	090	71.91
829-030C	3	5	0	090	78.14
829-040C	4	5	0	090	102.39
829-050C	5	6	0	090	229.11
829-050CF	5	1	10	097	122.31
829-060C	6	4	0	090	241.17
829-080C	8	4	0	090	651.77
829-100C	10	1	0	091	819.85
829-100CF	10	1	0	097	835.75
829-120C	12	1	0	091	960.24
829-120CF	12	1	0	097	1231.63
829-140C	14	1	0	095	1221.84
829-140CF	14	1	0	097	2695.44
829-160CF	16	1	0	097	4139.01
829-180CF	18	1	0	097	5119.63
829-200CF	20	1	0	097	7171.21
829-240CF	24	1	0	097	8961.84

**Coupling - Reducer**



**Socket x Socket**

829-101C	3/4X1/2	50	400	090	20.48
829-130C	1X1/2	25	200	090	29.23
829-131C	1X3/4	25	200	090	29.23
829-166C	1-1/4X1/2	25	0	090	66.94
829-167C	1-1/4X3/4	25	0	090	66.94
829-168C	1-1/4X1	25	0	090	66.94
829-209C	1-1/2X1/2	25	0	090	66.40
829-210C	1-1/2X3/4	25	0	090	66.40
829-211C	1-1/2X1	25	0	090	66.40
829-212C	1-1/2X1-1/4	25	0	090	66.40
829-247C	2X1/2	25	0	090	87.80
829-248C	2X3/4	10	80	090	87.80
829-249C	2X1	25	0	090	87.80
829-250C	2X1-1/4	10	0	090	87.80
829-251C	2X1-1/2	10	40	090	87.80
829-290C <sup>1</sup>	2-1/2X1-1/4	10	0	090	141.76
829-291C	2-1/2X1-1/2	10	0	090	99.98
829-292C	2-1/2X2	10	0	090	99.98
829-335C <sup>1</sup>	3X1	8	0	090	247.28
829-336C <sup>1</sup>	3X1-1/4	6	0	090	254.83
829-337C <sup>1</sup>	3X1-1/2	8	0	090	254.83
829-338C	3X2	10	0	090	202.02
829-339C	3X2-1/2	10	0	090	202.86
829-339CF	3X2-1/2	1	9	097	192.73
829-416C <sup>1</sup>	4X3/4	4	0	090	291.32
829-417C <sup>1</sup>	4X1	4	0	090	291.32
829-419C <sup>1</sup>	4X1-1/2	4	0	090	291.32
829-420C	4X2	6	0	090	240.98

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Reducer (continued)**

**Socket x Socket**

829-421C	4X2-1/2	4	0	090	240.98
829-422C	4X3	4	0	090	240.98
829-488CF	5X3	1	6	097	237.77
829-490CF	5X4	1	6	097	149.98
829-528C <sup>1</sup>	6X2	6	0	090	637.52
829-529C <sup>1</sup>	6X2-1/2	4	0	090	751.33
829-530C <sup>1</sup>	6X3	12	0	090	650.56
829-532C	6X4	4	0	090	547.40
829-533CF	6X5	1	5	097	342.29
829-580CF	8X3	1	6	097	579.75
829-582C <sup>1</sup>	8X4	2	0	090	993.31
829-582CF	8X4	1	4	097	513.96
829-583CF	8X5	1	4	097	602.12
829-585C	8X6	2	0	090	948.46
829-621CF	10X2	1	0	097	1073.98
829-623CF	10X3	1	2	097	900.71
829-624CF	10X4	1	2	097	865.75
829-625CF	10X5	1	2	097	933.14
829-626C	10X6	1	0	091	1474.99
829-626CF	10X6	1	2	097	666.61
829-628C	10X8	1	0	091	1474.99
829-628CF	10X8	1	4	097	873.49
829-663CF	12X3	1	2	097	1957.17
829-664CF	12X4	1	2	097	1926.97
829-665CF	12X5	1	0	097	1925.63
829-666CF	12X6	1	0	097	1792.17
829-668C	12X8	1	0	091	1607.07
829-668CF	12X8	1	0	097	1371.44
829-670CF	12X10	1	2	097	731.34
829-694CF	14X4	1	0	097	2797.56
829-696CF	14X6	1	0	097	2642.05
829-698CF	14X8	1	0	097	2199.61
829-700CF	14X10	1	0	097	1882.65
829-702CF	14X12	1	0	097	1646.93
829-754CF	16X4	1	0	097	3446.40
829-756CF	16X6	1	0	097	3546.95
829-758CF	16X8	1	0	097	4054.17
829-760CF	16X10	1	0	097	3883.31
829-762CF	16X12	1	0	097	3680.41
829-764CF	16X14	1	0	097	3269.89
829-783CF	18X3	1	0	097	7101.87
829-784CF	18X4	1	0	097	7046.07
829-786CF	18X6	1	0	097	6993.48
829-788CF	18X8	1	0	097	6841.38
829-790CF	18X10	1	0	097	6800.24
829-792CF	18X12	1	0	097	6683.88
829-794CF	18X14	1	0	097	6578.96
829-796CF	18X16	1	0	097	4802.52
829-814CF	20X4	1	0	097	6963.81
829-816CF	20X6	1	0	097	6893.65
829-818CF	20X8	1	0	097	6786.45
829-820CF	20X10	1	0	097	6635.34
829-822CF	20X12	1	0	097	9547.48
829-824CF	20X14	1	0	097	9412.12



**Schedule 80 CPVC Product**  
**CPVC Schedule 80 Fittings**

**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling - Reducer (continued)</b>					
<b>Socket x Socket</b>					
829-826CF	20X16	1	0	097	7757.94
829-828CF	20X18	1	0	097	7188.99
829-904CF	24X4	1	0	097	11421.88
829-906CF	24X6	1	0	097	11356.96
829-908CF	24X8	1	0	097	11239.49
829-910CF	24X10	1	0	097	19819.37
829-912CF	24X12	1	0	097	10668.23
829-914CF	24X14	1	0	097	16113.39
829-916CF	24X16	1	0	097	14945.19
829-918CF	24X18	1	0	097	15939.57
829-920CF	24X20	1	0	097	14345.47

<sup>1</sup> Sized with Bushing



**Coupling - Eccentric Reducer**

**Socket x Socket**

829-101CFE	3/4X1/2	1	15	097	45.45
829-130CFE	1X1/2	1	16	097	49.29
829-131CFE	1X3/4	1	15	097	47.43
829-168CFE	1-1/4X1	1	12	097	51.55
829-209CFE <sup>2</sup>	1-1/2X1/2	1	10	097	81.63
829-210CFE <sup>2</sup>	1-1/2X3/4	1	10	097	97.96
829-211CFE	1-1/2X1	1	25	097	57.77
829-212CFE	1-1/2X1-1/4	1	20	097	53.99
829-249CFE	2X1	1	25	097	73.85
829-250CFE	2X1-1/4	1	25	097	67.21
829-251CFE	2X1-1/2	1	10	097	65.63
829-289CFE <sup>2</sup>	2-1/2X1	1	12	097	137.68
829-290CFE <sup>2</sup>	2-1/2X1-1/4	1	20	097	112.05
829-291CFE <sup>2</sup>	2-1/2X1-1/2	1	20	097	111.82
829-292CFE	2-1/2X2	1	10	097	79.40
829-335CFE <sup>2</sup>	3X1	1	20	097	174.61
829-336CFE <sup>2</sup>	3X1-1/4	1	10	097	166.74
829-337CFE <sup>2</sup>	3X1-1/2	1	10	097	164.00
829-338EC	3X2	15	0	090	202.02
829-338CFE	3X2	1	20	097	106.33
829-339CFE	3X2-1/2	1	10	097	213.51
829-417CFE <sup>3</sup>	4X1	1	18	097	269.42
829-418CFE <sup>3</sup>	4X1-1/4	1	6	097	274.35
829-419CFE <sup>3</sup>	4X1-1/2	1	12	097	259.64
829-420CFE <sup>2</sup>	4X2	1	10	097	237.62
829-421CFE <sup>2</sup>	4X2-1/2	1	6	097	219.34
829-422CFE	4X3	1	10	097	153.80
829-490CFE	5X4	1	8	097	182.25
829-528CFE <sup>3</sup>	6X2	1	6	097	480.21
829-529CFE <sup>3</sup>	6X2-1/2	1	4	097	447.34
829-530CFE <sup>2</sup>	6X3	1	6	097	383.53
829-532CFE	6X4	1	10	097	326.48

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
-------------	------	--------	----------	-----------	------

**Coupling - Eccentric Reducer (continued)**


**Socket x Socket**

829-533CFE	6X5	1	5	097	369.91
829-578CFE <sup>4</sup>	8X2	1	3	097	954.20
829-580CFE <sup>3</sup>	8X3	1	2	097	861.09
829-582CFE <sup>2</sup>	8X4	1	2	097	819.29
829-583CFE <sup>2</sup>	8X5	1	2	097	730.17
829-585CFE	8X6	1	4	097	710.52
829-624CFE <sup>3</sup>	10X4	1	0	097	1700.66
829-625CFE <sup>3</sup>	10X5	1	0	097	1505.89
829-626CFE <sup>2</sup>	10X6	1	2	097	1458.09
829-628CFE	10X8	1	2	097	1047.55
829-664CFE <sup>4</sup>	12X4	1	0	097	3063.36
829-666CFE <sup>3</sup>	12X6	1	0	097	2001.74
829-668CFE <sup>2</sup>	12X8	1	0	097	1909.12
829-670CFE	12X10	1	0	097	1708.48
829-696CFE <sup>3</sup>	14X6	1	0	097	3313.87
829-698CFE <sup>2</sup>	14X8	1	0	097	3249.17
829-700CFE	14X10	1	0	097	2316.08
829-702CFE	14X12	1	0	097	2114.53
829-756CFE <sup>4</sup>	16X6	1	0	097	6052.89
829-758CFE <sup>3</sup>	16X8	1	0	097	5852.36
829-760CFE <sup>2</sup>	16X10	1	0	097	5744.94
829-762CFE <sup>2</sup>	16X12	1	0	097	5519.11
829-764CFE	16X14	1	0	097	5077.67
829-786CFE <sup>5</sup>	18X6	1	0	097	11671.58
829-788CFE <sup>4</sup>	18X8	1	0	097	11509.59
829-790CFE <sup>3</sup>	18X10	1	0	097	11063.78
829-792CFE <sup>3</sup>	18X12	1	0	097	10230.04
829-794CFE <sup>2</sup>	18X14	1	0	097	9502.06
829-796CFE	18X16	1	0	097	7283.77

**Eccentric Reducer Coupling Footnotes**

**Multi-Step Configurations**

The number after the part number denotes steps listed below.



Example: 829-582CFE<sup>2</sup> (<sup>2</sup>= 2 Step)

**Coupling**

**Fipt x Fipt**



830-002C	1/4	25	450	090	25.32
830-003C	3/8	25	150	090	25.32
830-005C	1/2	25	150	090	20.83
830-007C	3/4	25	150	090	33.65
830-010C	1	15	90	090	38.20
830-012C	1-1/4	10	60	090	40.52
830-015C	1-1/2	10	80	090	43.54

Schedule 80 CPVC Product  
**CPVC Schedule 80 Fittings**



**Couplings**

Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Coupling (continued)</b>					
<b>Fipt x Fipt</b>					
830-020C	2	10	0	090	51.33
830-025C	2-1/2	5	0	090	92.09
830-030C	3	5	0	090	107.21
830-040C	4	5	0	090	218.53
830-060CF	6	1	8	097	297.83
830-080CF	8	1	6	097	454.15

**Coupling - Special Reinforced**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-005CSR	1/2	25	150	096	11.43
830-007CSR	3/4	25	150	096	18.46
830-010CSR	1	25	200	096	20.98
830-012CSR	1-1/4	10	120	096	22.29
830-015CSR	1-1/2	10	80	096	23.88
830-020CSR	2	10	0	096	28.23



**Coupling - Reducer**

**Fipt x Fipt**

830-072C	1/2X1/4	50	400	090	28.07
830-073C	1/2X3/8	25	0	090	28.07
830-101C	3/4X1/2	50	200	090	34.13



**Coupling - Special Reinforced Reducer**

**SR Fipt x SR Fipt - Stainless Steel Collar**

830-101CSR	3/4X1/2	50	200	096	20.47
830-130CSR	1X1/2	50	0	096	24.73
830-131CSR	1X3/4	25	200	096	24.73
830-168CSR	1-1/4X1	25	0	096	33.63
830-210CSR	1-1/2X3/4	25	0	096	48.08
830-211CSR	1-1/2X1	10	80	096	48.08
830-212CSR	1-1/2X1-1/4	10	80	096	48.08
830-249CSR	2X1	25	0	096	118.37
830-251CSR	2X1-1/2	15	0	096	118.37



**Grooved Coupling Adapter**

**Groove x Socket**

833-012C	1-1/4	10	60	090	35.24
833-015C	1-1/2	10	80	090	46.47
833-020C	2	5	40	090	60.41
833-025C	2-1/2	5	0	090	99.35
833-030C	3	5	0	090	122.49
833-040C	4	5	0	090	208.45



Part Number	Size	Std Pk	Mstr Ctn	Prod Code	MSRP
<b>Grooved Coupling Adapter (continued)</b>					
<b>Groove x Socket</b>					
833-050CF	5	1	7	097	230.66
833-060C	6	5	0	090	298.18
833-080CF	8	1	4	097	376.07
833-100CF	10	1	0	097	590.22
833-120CF	12	1	0	097	832.41

**Adapters**

**Female Adapter**

**Socket x Fipt**

835-002C	1/4	25	450	090	25.56
835-003C	3/8	25	150	090	25.56
835-098C	3/4X1/4	25	150	090	16.92
835-005C	1/2	25	150	090	12.66
835-007C	3/4	15	90	090	16.93
835-010C	1	15	90	090	30.89
835-012C	1-1/4	10	120	090	31.64
835-015C	1-1/2	10	80	090	36.85
835-020C	2	10	0	090	63.53
835-025C	2-1/2	5	0	090	121.84
835-030C	3	5	0	090	249.99
835-040C	4	5	0	090	416.12
835-060C	6	6	0	090	590.77
835-060CF	6	1	8	097	374.22
835-080C	8	3	0	090	933.42
835-080CF	8	1	6	097	470.72
835-100CF	10	1	2	097	684.01
835-120CF	12	1	0	097	886.37



**Female Adapter - Brass Transition**

**Socket x Fipt With Brass Thread Insert**

835-005CBR	1/2	25	150	096	38.85
835-007CBR	3/4	15	90	096	80.40
835-010CBR	1	15	90	096	141.09
835-012CBR	1-1/4	15	60	096	230.17
835-015CBR	1-1/2	10	40	096	303.46
835-020CBR	2	8	32	096	379.02

**Not intended to convey or dispense water for human consumption through drinking or cooking**



**Female Adapter - Brass Transition Reducing**

**Socket x Fipt With Brass Thread Insert**

835-101CBR	3/4X1/2	50	0	096	56.24
------------	---------	----	---	-----	-------

**Not intended to convey or dispense water for human consumption through drinking or cooking**

