

# CAST IRON

## Painted Weights

with adjusting cavity for sealing

### Classes Available:

**ASTM** Class 6 and 7

**OIML** Class M1



### Applications:

- Field standards for testing industrial devices Class III, Class III L or Class III I
- Testing for non-marked scales without class designation
- Verifying scales are within specified accuracy and tolerances

### Styles Available:

- Grip-handle design for easy handling
- Nesting slab weights for heavy-capacity weighing
- Slotted weights and hangers for suspended weighing
- Counterpoise weights for ratio weighing

### Features:

- Nominal value marked on weight
- Weight capacities of 10 kg/20 lb and up meet NIST Handbook 105-1 and Handbook 44 specifications
- Metric weights designated by gold paint
- Avoirdupois (pound) weights designated by silver paint
- Serial numbers may be stamped on weights (optional)

# Cast Iron

## Grip-handle and Nesting Slab Weights

ASTM Class 6								Optional
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Accredited Certificate
3,000 lb	<b>12872</b>	20 3/4in (527.1 mm)	20 3/4in (527.1 mm)	29in (736.6 mm)	3 1/2in (88.9 mm)	2 3/4in (69.9 mm)	\$9,141.00	\$310.00
2,500 lb	<b>12854</b>	20 3/4in (527.1 mm)	20 3/4in (527.1 mm)	24 3/4in (628.65 mm)	3 31/32in (100.8 mm)	2 3/4in (69.9 mm)	\$8,199.00	\$235.00
2,000 lb	<b>12868</b>	20 3/4in (527.05 mm)	20 3/4in (527.05 mm)	19 1/2in (495.3 mm)	3 1/2in (88.9 mm)	2 3/4in (69.9 mm)	\$7,250.00	\$235.00
1,500 lb	<b>12864</b>	15 1/8in (384.2 mm)	15 1/8in (384.2 mm)	26 7/8in (682.6 mm)	2 1/2in (63.5 mm)	2 1/4in (57.2 mm)	\$6,565.00	\$235.00
1,250 lb	<b>12858</b>	15in (381.0 mm)	15in (381.0 mm)	23 3/4in (603.3 mm)	2 1/2in (63.5 mm)	2 1/4in (57.2 mm)	\$5,485.00	\$235.00
1,000 lb	<b>12850</b>	15in (381.0 mm)	15 1/2in (393.7 mm)	18 11/16in (474.7 mm)	2 3/4in (69.9 mm)	2 29/32in (73.8 mm)	\$2,626.00	\$235.00
500 lb	<b>12844</b>	11 1/2in (292.1 mm)	12in (304.8 mm)	15 3/4in (400.1 mm)	2 1/2in (63.5 mm)	1 29/32in (48.4 mm)	\$1,650.00	\$235.00
250 lb	<b>12892</b>	9 3/4in (247.65 mm)	9 3/4in (247.65 mm)	12in (304.8 mm)	2 1/2in (63.5 mm)	2in (50.8 mm)	\$1,510.00	\$235.00
200 lb	<b>12890</b>	9 3/4in (247.65 mm)	9 3/4in (247.65 mm)	10in (254 mm)	2 1/2in (63.5 mm)	2in (50.8 mm)	\$1,313.00	\$235.00
100 lb	<b>12862</b>	9 1/8in (231.8 mm)	7in (177.8 mm)	7 7/8in (200.0 mm)	4 1/2in (114.3 mm)	1 1/2in (38.1 mm)	\$577.00	\$105.00
50 lb	<b>12839</b>	7 29/32in (200.8 mm)	5 1/2in (139.7 mm)	6 9/16in (166.7 mm)	4 1/2in (114.3 mm)	1 21/32in (42.1 mm)	\$137.00	\$80.00
30 lb	<b>12878</b>	8 1/4in (209.6 mm)	4 29/32in (124.6 mm)	4 1/2in (114.3 mm)	4 15/32in (113.5 mm)	31/32in (24.6 mm)	\$180.00	\$80.00
25 lb	<b>12833</b>	6 1/2in (165.1 mm)	4 1/2in (114.3 mm)	4 15/16in (125.4 mm)	3 5/8in (92.1 mm)	31/32in (24.6 mm)	\$120.00	\$80.00
20 lb	<b>12870</b>	5 3/4in (146.1 mm)	4 15/32in (113.5 mm)	5 3/32in (129.4 mm)	3 31/32in (100.8 mm)	1 5/32in (29.4 mm)	\$97.00	\$80.00

ASTM Class 7							Optional
Weight	Part #	Width	Length	Height	Price	Accredited Certificate	
10 lb	<b>12828</b>	5 in (127.0 mm)	3 1/4 in (82.6 mm)	4 1/32 in (102.4 mm)	\$76.00	\$80.00	
5 lb	<b>12823</b>	4 in (101.6 mm)	2 9/16 in (65.1 mm)	3 7/32 in (81.8 mm)	\$58.00	\$80.00	
2 lb	<b>12874</b>	3 in (76.2 mm)	2 1/8 in (54.0 mm)	1 3/4 in (44.5 mm)	\$55.00	\$65.00	
1 lb	<b>12876</b>	2 1/2 in (63.5 mm)	1 11/16 in (42.9 mm)	1 13/32 in (35.7 mm)	\$50.00	\$65.00	

Nesting Slab ASTM Class 6							Optional	
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Accredited Certificate
2,500 lb	<b>12860</b>	42 in (1066.8 mm)	30 in (762 mm)	8 1/4 in (209.5 mm)	2 in (50.8 mm)	2 1/4 in (57.15 mm)	\$8,199.00	\$235.00
1,000 lb	<b>34563</b>	29 1/2 in (749.3 mm)	19 1/2 in (495.3 mm)	7 1/4 in (184.15 mm)	2 in (50.8 mm)	2 1/4 in (57.15 mm)	\$4,150.00	\$235.00

\* Slot depth refers to distance between lifting bars and castings

Additional Accessories		
Part #	Description	Price
<b>36092</b>	Statement of Accuracy	\$45.00
<b>25836</b>	Serial number	\$16.00



Nesting Slab PN 12860



Cast Iron

# Cast Iron

Grip-handle Weights

ASTM Class 6								Optional
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Accredited Certificate
1,000 kg	<b>12801</b>	20 1/2 in (520.7 mm)	20 1/2 in (520.7 mm)	22 in (558.8 mm)	3 1/2 in (88.9 mm)	2 3/4 in (69.85 mm)	\$7,250.00	\$310.00
500 kg	<b>12797</b>	15 1/8 in (384.2 mm)	15 1/8 in (384.2 mm)	20 3/4 in (527 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$2,678.00	\$235.00
250 kg	<b>12782</b>	11 1/2 in (292.1 mm)	12 1/2 in (317.5 mm)	17 1/2 in (444.5 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,680.00	\$235.00
200 kg	<b>12793</b>	11 1/2 in (292.1 mm)	12 in (304.8 mm)	14 1/4 in (362 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,442.00	\$235.00
100 kg	<b>12817</b>	9 7/8 in (250.8 mm)	9 7/8 in (250.8 mm)	11 in (279.4 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$1,329.00	\$235.00
50 kg	<b>12803</b>	9 7/32 in (234.2 mm)	7 in (177.8 mm)	8 13/16 in (223.8 mm)	4 15/32 in (113.5 mm)	1 29/32 in (48.4 mm)	\$577.00	\$130.00
35 kg	<b>12805</b>	7 7/8 in (200.0 mm)	5 1/2 in (139.7 mm)	9 15/32 in (252.4 mm)	4 15/32 in (113.5 mm)	1 1/16 in (27.0 mm)	\$412.00	\$130.00
25 kg	<b>12775</b>	7 21/32 in (194.5 mm)	5 1/2 in (139.7 mm)	7 3/32 in (180.2 mm)	4 7/16 in (112.7 mm)	1 13/16 in (46.0 mm)	\$160.00	\$75.00
20 kg	<b>12771</b>	7 5/8 in (193.7 mm)	5 19/32 in (142.1 mm)	5 29/32 in (150.0 mm)	4 5/8 in (117.5 mm)	1 19/32 in (40.5 mm)	\$134.00	\$75.00
10 kg	<b>12767</b>	6 in (152.4 mm)	4 1/2 in (114.3 mm)	5 in (127.0 mm)	3 3/4 in (95.3 mm)	1 1/16 in (27.0 mm)	\$129.00	\$75.00

ASTM Class 7								Optional
Weight	Part #	Width	Length	Height			Price	Accredited Certificate
5 kg	<b>12786</b>	5 15/32 in (138.9 mm)	3 13/32 in (86.5 mm)	4 1/8 in (104.8 mm)			\$77.00	\$75.00
2 kg	<b>12809</b>	3 31/32 in (100.8 mm)	2 9/16 in (65.1 mm)	2 13/16 in (71.4 mm)			\$64.00	\$75.00
1 kg	<b>12813</b>	3 in (76.2 mm)	2 1/8 in (54.0 mm)	1 27/32 in (46.8 mm)			\$55.00	\$55.00
500 g	<b>12815</b>	2 1/2 in (63.5 mm)	1 5/8 in (41.3 mm)	1 17/32 in (38.9 mm)			\$50.00	\$55.00

OIML Class M1								Optional
Weight	Part #	Width	Length	Height	Slot Width	Slot Depth*	Price	Accredited Certificate
500 kg	<b>156304</b>	15 1/8 in (384.2 mm)	15 1/8 in (384.2 mm)	20 3/4 in (527 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$2,678.00	\$235.00
250 kg	<b>156305</b>	11 1/2 in (292.1 mm)	12 in (304.8 mm)	17 1/2 in (444.5 mm)	2 1/2 in (63.5 mm)	1 7/8 in (47.6 mm)	\$1,680.00	\$235.00
100 kg	<b>156306</b>	9.87 in (250.7 mm)	9.87 in (250.7 mm)	11 in (279.4 mm)	2 1/2 in (63.5 mm)	2 in (50.8 mm)	\$1,329.00	\$235.00
50 kg	<b>105417</b>	9 7/32 in (234.2 mm)	7 in (177.8 mm)	8 13/16 in (223.8 mm)	4 15/32 in (113.5 mm)	1 29/32 in (48.4 mm)	\$577.00	\$130.00
20 kg	<b>105416</b>	7 5/8 in (193.7 mm)	5 19/32 in (142.1 mm)	5 29/32 in (150.0 mm)	4 5/8 in (117.5 mm)	1 19/32 in (40.5 mm)	\$134.00	\$75.00
10 kg	<b>105415</b>	6 in (152.4 mm)	4 1/2 in (114.3 mm)	5 in (127.0 mm)	3 3/4 in (95.3 mm)	1 1/16 in (27.0 mm)	\$129.00	\$75.00
5 kg	<b>105414</b>	5 15/32 in (138.9 mm)	3 13/32 in (86.5 mm)	4 1/8 in (104.8 mm)	-	-	\$77.00	\$75.00

\* Slot depth refers to distance between lifting bars and castings

Additional Accessories		
Part #	Description	Price
<b>36092</b>	Statement of Accuracy	\$45.00
<b>25836</b>	Serial number	\$16.00



Grip-handle

# Cast Iron

## Slotted Interlocking and Hanger Weights

Slotted ASTM Class 6						Optional
Weight	Part #	Slot Width	Diameter	Height	Price	Accredited Certificate
100 lb	<b>40828</b>	1 in (25.4 mm)	17 in (431.8 mm)	1 15/16 in (49.2 mm)	\$595.00	\$105.00
50 lb	<b>12856</b>	3/4 in (9 mm)	10 5/8 in (269.9 mm)	2 11/16 in (68.3 mm)	\$232.00	\$80.00
20 lb	<b>12831</b>	13/16 in (20.6 mm)	8 1/8 in (206.4 mm)	1 31/32 in (50.0 mm)	\$100.00	\$80.00

Slotted ASTM Class 7						Optional
Weight	Part #	Slot Width	Diameter	Height	Price	Accredited Certificate
10 lb	<b>12826</b>	13/16 in (20.6 mm)	6 1/8 in (155.6 mm)	1 11/16 in (42.9 mm)	\$85.00	\$80.00
5 lb	<b>12852</b>	11/16 in (17.5 mm)	5 1/8 in (130.2 mm)	1 5/16 in (33.3 mm)	\$69.00	\$80.00
2 lb	<b>12848</b>	9/16 in (14.3 mm)	5 in (127.0 mm)	23/32 in (18.3 mm)	\$59.00	\$65.00
1 lb	<b>12842</b>	9/16 in (14.3 mm)	5 in (127.0 mm)	15/32 in (11.9 mm)	\$59.00	\$65.00
1/2 lb	<b>12837</b>	9/16 in (14.3 mm)	3 3/4 in (95.3 mm)	7/16 in (11.1 mm)	\$46.00	\$40.00

Hanger ASTM Class 7						Optional	
Weight	Capacity	Part #	Total Length	Operational Length	Diameter	Price	Accredited Certificate
5 lb*	500 lb	<b>12846</b>	37 1/4 in (946.2 mm)	35 in (889.0 mm)	4 in (101.6 mm)	\$273.00	\$80.00
2 lb	200 lb	<b>12841</b>	21 13/32 in (543.7 mm)	19 in (482.6 mm)	3 3/4 in (95.3 mm)	\$137.00	\$65.00
2 lb	200 lb	<b>12835</b>	10 1/4 in (260.4 mm)	8 in (203.2 mm)	3 3/4 in (95.3 mm)	\$131.00	\$65.00
1 lb	200 lb	<b>12830</b>	21 29/32 in (556.4 mm)	20 7/32 in (513.6 mm)	3 3/4 in (95.3 mm)	\$117.00	\$65.00
1 lb	200 lb	<b>12825</b>	9 5/16 in (236.5 mm)	7 9/16 in (192.1 mm)	3 3/4 in (95.3 mm)	\$95.00	\$65.00


\* Stainless steel

Slotted ASTM Class 6						Optional
Weight	Part #	Slot Width	Diameter	Height	Price	Accredited Certificate
20 kg	<b>12819</b>	21/32 in (16.7 mm)	10 5/16 in (261.9 mm)	2 11/32 in (59.5 mm)	\$232.00	\$75.00
10 kg	<b>12811</b>	3/4 in (19.1 mm)	8 3/16 in (208.0 mm)	2 1/16 in (52.4 mm)	\$129.00	\$75.00

Slotted ASTM Class 7						Optional
Weight	Part #	Slot Width	Diameter	Height	Price	Accredited Certificate
5 kg	<b>12807</b>	13/16 in (20.6 mm)	6 3/16 in (157.2 mm)	1 13/16 in (46.0 mm)	\$117.00	\$75.00
2 kg	<b>12799</b>	9/16 in (14.3 mm)	5 1/8 in (130.2 mm)	1 3/16 in (30.2 mm)	\$69.00	\$75.00
1 kg	<b>12795</b>	9/16 in (14.3 mm)	5 1/16 in (128.6 mm)	3/4 in (19.1 mm)	\$60.00	\$55.00
500 g	<b>12791</b>	9/16 in (14.3 mm)	5 in (127.0 mm)	15/32 in (11.9 mm)	\$58.00	\$55.00
200 g	<b>12780</b>	5/8 in (15.9 mm)	3 21/32 in (92.9 mm)	7/16 in (11.1 mm)	\$47.00	\$55.00

Hanger ASTM Class 7						Optional	
Weight	Capacity	Part #	Total Length	Operational Length	Diameter	Price	Accredited Certificate
2 kg	250 kg	<b>12788</b>	37 1/4 in (946.2 mm)	35 in (889.0 mm)	4 in (101.6 mm)	\$273.00	\$75.00
1 kg	100 kg	<b>12784</b>	21 13/32 in (543.7 mm)	19 in (482.6 mm)	3 3/4 in (95.3 mm)	\$134.00	\$55.00
1 kg	100 kg	<b>12777</b>	10 1/4 in (260.4 mm)	8 in (203.2 mm)	3 3/4 in (95.3 mm)	\$134.00	\$55.00
500 g	100 kg	<b>12773</b>	21 29/32 in (556.4 mm)	20 7/32 in (513.6 mm)	3 3/4 in (95.3 mm)	\$117.00	\$55.00
500 g	100 kg	<b>12769</b>	9 5/16 in (236.5 mm)	7 9/16 in (192.1 mm)	3 3/4 in (95.3 mm)	\$105.00	\$55.00

Additional Accessories		
Part #	Description	Price
<b>36092</b>	Statement of Accuracy	\$45.00
<b>25836</b>	Serial number	\$16.00



Avoirdupois

Metric

# Cast Iron

## Counterpoise and Hanger Weights

Round ASTM Class 7					
Ratio	Weight	Part #	Diameter	Fairbanks Part #	Price
1 lb - 100 lb	50 lb x 1/2 lb	<b>10154</b>	2 7/8 in (73.0 mm)	PA48	\$37.00
1 lb - 100 lb	100 lb x 1 lb	<b>10156</b>	4 1/16 in (103.2 mm)	PA32	\$42.00
1 lb - 100 lb	200 lb x 2 lb	<b>10158</b>	4 1/16 in (103.2 mm)	PA21	\$37.00
1 lb - 100 lb	500 lb x 5 lb	<b>10160</b>	3 3/4 in (95.3 mm)	PB52	\$42.00
1/2 lb - 100 lb	100 lb x 1/2 lb	<b>10152</b>	2 7/8 in (73.0 mm)	PBC32	\$37.00
1/2 lb - 100 lb	200 lb x 1 lb	<b>10168</b>	3 17/32 in (89.7 mm)	PBC21	\$47.00
1/2 lb - 100 lb	300 lb x 1 1/2 lb	<b>10189</b>	3 1/2 in (88.9 mm)	-	\$37.00
1/2 lb - 100 lb	500 lb x 2 1/2 lb	<b>10170</b>	3 1/2 in (88.9 mm)	PBC52	\$53.00
1/2 lb - 100 lb	1,000 lb x 5 lb	<b>10196</b>	3 7/8 in (98.4 mm)	-	\$63.00

Hangers - Round and Square ASTM Class 7					
Approx. Weight	Part #	Total Length	Operational Length	Diameter	Price
<b>Round</b>					
7 oz	<b>10188</b>	7 1/16 in (179.4 mm)	5 1/8 in (130.2 mm)	3 31/32 in (100.8 mm)	\$68.00
10 oz (Fairbanks® only)	<b>10184</b>	7 1/16 in (179.4 mm)	5 1/8 in (130.2 mm)	3 31/32 in (100.8 mm)	\$68.00
12 oz	<b>10185</b>	7 1/16 in (179.4 mm)	5 1/8 in (130.2 mm)	3 31/32 in (100.8 mm)	\$68.00
17 oz	<b>10186</b>	7 1/16 in (179.4 mm)	5 1/8 in (130.2 mm)	4 in (101.6 mm)	\$68.00
21 oz	<b>10187</b>	7 1/16 in (179.4 mm)	5 1/8 in (130.2 mm)	4 in (101.6 mm)	\$68.00
<b>Square</b>					
21 oz	<b>10193</b>	8 7/16 in (214.3 mm)	6 5/16 in (160.3 mm)	-	\$68.00

Hexagon ASTM Class 7			
Weight	Part #	Diameter	Price
10 kg x 100 g	<b>10266</b>	2 in (50.8 mm)	\$42.00
25 kg x 250 g	<b>10268</b>	2 13/16 in (71.4 mm)	\$42.00
50 kg x 500 g	<b>10270</b>	4 in (101.6 mm)	\$46.00
100 kg x 1 kg	<b>10272</b>	4 in (101.6 mm)	\$50.00
200 kg x 2 kg	<b>10274</b>	4 in (101.6 mm)	\$55.00

Square ASTM Class 7					
Ratio	Weight	Part #	Diameter	Fairbanks Part #	Price
1 lb - 100 lb	50 lb x 1/2 lb	<b>10191</b>	2 5/16 in (58.7 mm)	1A2349	\$42.00
1 lb - 100 lb	100 lb x 1 lb	<b>10162</b>	3 1/2 in (88.9 mm)	1A1469	\$42.00
1 lb - 100 lb	200 lb x 2 lb	<b>10164</b>	3 1/2 in (88.9 mm)	1A1470	\$47.00
1 lb - 100 lb	500 lb x 5 lb	<b>10166</b>	3 1/2 in (88.9 mm)	1A1471	\$79.00



Fairbanks Round Individual and Hanger



Fairbanks Square Individual and Hanger



Round ASTM Class 7					
Ratio	Weight	Part #	Diameter	Howe™ Part #	Price
-	50 lb x 1/2 lb	<b>10367</b>	3 in (76.2 mm)	42071831	\$47.00
-	100 lb x 1 lb	<b>10369</b>	2 7/8 in (73.0 mm)	42076188	\$47.00
-	200 lb x 2 lb	<b>10371</b>	2 31/32 in (75.4 mm)	42076189	\$47.00
-	300 lb x 3 lb	<b>10373</b>	2 31/32 in (75.4 mm)	42076190	\$47.00
-	500 lb x 5 lb	<b>10385</b>	3 1/8 in (79.4 mm)	42078947	\$47.00

For Counting Scales					
99 - 1	100 lb x 1 1/99 lb	<b>10387</b>	3 in (76.2 mm)	40810545	\$53.00
99 - 1	500 lb x 5 5/99 lb	<b>10391</b>	3 3/32 in (78.6 mm)	42111567	\$53.00
8 - 1	10 lb x 1 1/4 lb	<b>10427</b>	2 15/16 in (74.6 mm)	-	\$53.00
8 - 1	5 lb x 5/8 lb	<b>10425</b>	2 15/16 in (74.6 mm)	-	\$51.00
8 - 1	2 lb x 1/4 lb	<b>10411</b>	2 7/32 in (56.4 mm)	-	\$47.00
50 - 1	80 lb x 1 3/5 lb	<b>10421</b>	3 in (76.2 mm)	-	\$47.00
50 - 1	40 lb x 4/5 lb	<b>10419</b>	2 13/16 in (71.4 mm)	-	\$47.00
50 - 1	20 lb x 2/5 lb	<b>10417</b>	2 31/32 in (75.4 mm)	-	\$53.00
50 - 1	10 lb x 1/5 lb	<b>10415</b>	2 in (50.8 mm)	-	\$47.00
50 - 1	5 lb x 1/10 lb	<b>10413</b>	1 1/2 in (38.1 mm)	-	\$47.00
64 - 1	100 lb x 1 9/16 lb or 25 oz	<b>10409</b>	3 in (76.2 mm)	42111417	\$47.00
61 - 1	50 lb x 28/32 lb or 12 1/2 oz	<b>10407</b>	2 15/16 in (74.6 mm)	40807082	\$47.00
64 - 1	25 lb x 25/64 lb or 6 1/4 oz	<b>10405</b>	2 31/32 in (75.4 mm)	40807092	\$47.00
64 - 1	10 lb x 5/32 lb or 2 1/2 oz	<b>10404</b>	1 1/2 in (38.1 mm)	42111454	\$47.00

Round Hanger ASTM Class 7					
Approx. Weight	Part #	Total Length	Operational Length	Diameter	Price
7 oz	<b>10382</b>	8 1/4 in (209.6 mm)	6 3/16 in (157.2 mm)	2 31/32 in (75.4)	\$63.00
10 oz	<b>10379</b>	8 1/4 in (209.6 mm)	6 3/16 in (157.2 mm)	2 31/32 in (75.4)	\$63.00
12 oz	<b>10380</b>	8 1/4 in (209.6 mm)	6 3/16 in (157.2 mm)	2 31/32 in (75.4)	\$105.00
16 oz	<b>10381</b>	8 1/4 in (209.6 mm)	6 3/16 in (157.2 mm)	2 31/32 in (75.4)	\$105.00

Triangle ASTM Class 7			
Approx. Weight	Part #	Toledo® Part #	Price
100 lb x 1 lb	<b>11417</b>	49868	\$37.00
200 lb x 2 lb	<b>11419</b>	49869	\$42.00
500 lb x 5 lb	<b>11421</b>	49870	\$63.00

Triangle Hanger ASTM Class 7					
Approx. Weight	Part #	Total Length	Operational Length	Toledo Part #	Price
14 oz	<b>11423</b>	8 1/4 in (209.6 mm)	6 3/16 in (157.2 mm)	49857	\$63.00



Howe Round Individual and Hangers



Toledo Triangle Individual and Hangers