


PREMIUM CONFERENCING

RAV^{M}

This complete audio conferencing system in a box delivers superior sound quality for stand alone audio conferencing, and connects to video and web conferencing systems.



RAV (pronounced "rave") is a revolutionary audio conferencing system that features sophisticated audio technologies found in ClearOne's industry-leading professional product line, and is as easy to set up and use as our tabletop phones. RAV easily interfaces with any web and video conferencing system.



RAV 600

Includes an audio mixer with an integrated telephone interface and amplifier, two Bose® ceiling- or wall-mount speakers, a wireless or wired control unit, RAV-Ware™ software and two RAV microphone pods comprised of three microphones each. The system also includes Ethernet control for remote management and configuration capabilities.



Includes all the features of the RAV 600, plus it adds an extra microphone pod to deliver optimal voice pickup in

TABLE DIAGRAMS

The recommended distance between the mic pods and each participant is between 1 and 4 meters, depending on room conditions. Background noise, reflective hard surfaces and the number of participants may effect the pickup range.

RAV WITH WIRELESS CONTROLLER

RAV 600 Ceiling Speakers 910-153-104


RAV 600 Wall-Mount Speakers 910-153-105



A: speakers B: mixer C: controller

RAV 900 Ceiling Speakers 910-153-304

RAV 900 Wall-Mount Speakers 910-153-305



RAV WITH WIRED CONTROLLER

RAV 600 Ceiling Speakers 910-153-116

RAV 600 Wall-Mount Speakers 910-153-117

RAV 900 Ceiling Speakers 910-153-317

RAV 900 Wall-Mount Speakers 910-153-318

USAGE PROFILES

| RAV 600 | Medium-sized conference rooms Executive offices Existing room structures - no complex wiring or installation required Rooms requiring interface with rich-media systems: Video conferencing system Web conferencing system IP telephony system/handset Computer sound card (for amplifying PC audio in the room) Conference rooms with evolving needs - use audio now, add video or web later Connect with any audio conference device on the far end - experience high quality sound for both send and receive - no wideband required Interface with AMX and Crestron control systems Add audio conferencing functionality to existing in-room sound systems, or use RAV's amplifier and speakers Manage system remotely via Ethernet connection |
|---------|---|
| RAV 900 | Same scenarios as RAV 600 For larger rooms (9 mics included) |